



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 4312	
PRODUCT NAME: FLOCULITE 265					
USE: Anionic Emulsion					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B			TRADE NAME / SYNONYMS: not applicable		
CHEMICAL FAMILY: Anionic emulsion			CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Petroleum distillate	15-40	008002-05-9	LD50 >4300 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT:					
Gloves: natural rubber or neoprene		Eye: safety glasses		Footwear: not required	
Respiratory: not required		Other: not required			
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.					
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): Oxidizing Materials					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Translucent pale green, mild hydrocarbon odour					
S.G. / BULK DENSITY(g/cc): 1.00			pH: 8.0 ± 1.0		
VAPOUR PRESSURE (mmHg): 17.5			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: 93°C		
FREEZING POINT: -18°C			PERCENT VOLATILE: 65%		
SOLUBILITY IN WATER: 100%			EVAPORATION RATE (water=1): not available		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:					
EYES: May cause irritation. No serious or irreversible effects expected if treated promptly.					
SKIN: Repeated or prolonged contact may result in irritation.					
INGESTION: May cause irritation of the digestive tract.					
INHALATION: Breathing vapours may cause respiratory irritation.					
LD50 (calculated): >4300 mg/kg			LC50 (calculated): Not available		
OTHER TOXIC EFFECTS: None known.					

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: None known.

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No.

FLASH POINT, °C: >93°C (TCC)

AUTO IGNITION TEMPERATURE, °C: N/Av.

EXTINGUISHING MEDIA: Water [] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [X] Unstable []

CONDITIONS TO AVOID: high temperature

INCOMPATIBILITY (Material to Avoid) : Oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and smoke.

REACTIVITY: not dangerously reactive.

IX - MSDS PREPARATION

SOURCES USED: RTECS, ChemInfo

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Industrial Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.