



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 4562	
PRODUCT NAME: SUPER MUL 400 LF					
USE: Mold Release Agent					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B			TRADE NAME / SYNONYMS: not applicable		
CHEMICAL FAMILY: Petroleum Hydrocarbon			CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Distillated petroleum, heavy paraffinic	60-100	064742-52-5	LD50 >5000 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT:					
Gloves: natural rubber or neoprene		Eye: safety goggles		Footwear: not required	
Respiratory: If mists are generated, use NIOSH approved mask		Other: not required			
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist or spray. Avoid eye contact.					
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): Strong oxidizing agents.					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Sweep or scoop up material for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Keep away from open flame.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear, brown liquid; mild odour					
S.G. / BULK DENSITY(g/cc): 0.910			pH: not applicable		
VAPOUR PRESSURE (mmHg): <1.0			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: 288°C		
FREEZING POINT: not available			PERCENT VOLATILE: 0%		
SOLUBILITY IN WATER: 10%			EVAPORATION RATE (water=1): not available		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:					
EYES: May cause irritation.					
SKIN: Repeated or prolonged contact may result in irritation.					
INGESTION: May cause severe irritation of the digestive tract.					
INHALATION: No serious or irreversible effects expected.					
LD50 (calculated): >5000 mg/kg			LC50 (calculated): not applicable		

OTHER TOXIC EFFECTS: None known	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: None known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: >149°C (COC)	AUTO IGNITION TEMPERATURE, °C: not/avail
EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not available	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: Keep away from heat.	
INCOMPATIBILITY (Material to Avoid) : Strong oxidizers, strong acids, strong alkalis	
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with oxidizing materials. Heat released on contact with acids.	
REACTIVITY: not dangerously reactive.	
IX - MSDS PREPARATION	
SOURCES USED: RTECS, ChemInfo.	PREPARED BY: JohnsonDiversey Canada. Inc. Regulatory Department Industrial Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	