

MATERIAL SAFETY DATA SHEET



I - PRODUC	ON AND USE	MSDS ID: 4730			
PRODUCT NAME: LIQUID FABRIC SOFTENER 5	BL1				
USE: Anti-Static Fabric Softener					
SUPPLIER: JohnsonDiversey Canada, Inc.					
2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171			
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Cationic Surfactant		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HA	ZARDOU	s ingf	REDIENTS		- 1
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species
Ditallow diamido methosulphate	10-30		068410-69-5	LD50 840 mg/kg	oral/rat
Isopropanol	1-5		000067-63-0	LD50 5045 mg/kg	oral/rat
mask. SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Anionic surfactant, SPILL PROCEDURES: Do not allow the spilled product to g WASTE DISPOSAL: Dispose according to municipal, provinc STORAGE / SHIPPING REQUIREMENT: Store in a cool dry	go to drain. I ial, and fede	zers Mop up o ral regula	ations.	ent clay for disposal.	
· · · · · · · · · · · · · · · · · · ·					
APPEARANCE / ODOUR: Opaque blue liquid					
S.G. / BULK DENSITY(g/cc): 1.01		pH: 6.0 ± 1.0			
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable			
ODOUR THRESHOLD: not available		BOILING POINT: 100°C			
FREEZING POINT: 0°C		PERCENT VOLATILE: approx. 80%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): 1		
V - TOXIC	COLOGIC	AL PR	OPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation.					
SKIN: Repeated or prolonged contact may result in irr	ritation.				
INGESTION: May cause irritation of the digestive tract. May	cause nause	a and vo	omiting.		
INHALATION: May cause irritation of respiratory tract.					
LD50 (calculated): 5030 mg/kg		LC50	(calculated): no	t applicable	

OTHER TOXIC EFFECTS: not applicable						
EFFECTS OF CHRONIC not applicable EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No	r					
FLASH POINT, °C: >95°C (Pensky-Martens)	AUTO IGNITION TEMPERATURE, °C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable.						
INCOMPATIBILITY (Material to Avoid) : Anionic surfactants, stror	ng acids and alkalis.					
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and amines released on contact with strong acids and alkalis.						
REACTIVITY: not applicable						
IX - MSDS PREPARATION						
SOURCES USED: MSDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations responses to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safett assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the material on the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any y procedures are not adhered to. In addition, JohnsonDiversey Canada any abnormal use or theft of the material, even if reasonable safety					