



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 4734				
PRODUCT NAME: LIQUID ANTICHLOR 6CL				
USE: Laundry antichlor				
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Reducing Agent		TRADE NAME / SYNONYMS: CHEMICAL NAME: Sodium Thiosulfate		
II - HAZ	ZARDOUS	INGREDIENTS	I	
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium thiosulphate	10-30	007772-98-	7 LDLo 4000 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES				
VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Acids, Oxidizing Ag SPILL PROCEDURES: Contain the spill. Do not allow the sp Wash spill area with large volumes of WASTE DISPOSAL: Dispose according to municipal, provincial	Avoid eye an gents. billed product of water. al, and federa	al regulations.	or soak up with absorbent cla	y for disposal.
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.				
IV - PHYSICAL PROPERTIES APPEARANCE / ODOUR: Clear, colourless liquid				
APPEARANCE / ODOUR: Clear, colourless liquid S.G. / BULK DENSITY(g/cc): 1.10 VAPOUR PRESSURE (mmHg): not available ODOUR THRESHOLD: not applicable FREEZING POINT: -8°C SOLUBILITY IN WATER: soluble		pH: 7.8 Undiluted VAPOUR DENSITY (air=1): not available BOILING POINT: 102.2°C PERCENT VOLATILE: 87% EVAPORATION RATE (water=1): 1.02		
V - TOXIC	OLOGICA	L PROPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irri INGESTION: May cause nausea, vomiting and diarrhea. Mod INHALATION: Breathing spray or mist may cause respiratory i LD50 (calculated): 30770 mg/kg	derately toxic	LC50 (calculated):	not applicable	