



I - PRODUCT IDENTIFICATION AND USE		MSDS ID: 4757		
PRODUCT NAME: FABRIC SOFTENER 5RP				
USE: Fabric Softener				
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Cationic surfactant		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS				
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Dimethyl distearyl ammonium chloride	10-30	000107-64-2	LD50 11300 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES				
PERSONAL PROTECTIVE EQUIPMENT: Gloves: natural rubber, neoprene or nitrile Eye: safety glasses Footwear: not required Respiratory: NIOSH-approved dust mask as required Other: not required				
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid breathing dust. Avoid eye contact.				
VENTILATION REQUIREMENTS: general ventilation				
INCOMPATIBILITY (Material to Avoid): Strong oxidizers and anionic surfactants.				
SPILL PROCEDURES: Sweep or scoop up material for disposal.				
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.				
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.				
IV - PHYSICAL PROPERTIES				
APPEARANCE / ODOUR: White floral scented powder				
S.G. / BULK DENSITY(g/cc): 0.933		pH: (1% solution) 8.5		
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable		
ODOUR THRESHOLD: not applicable		BOILING POINT: not applicable		
FREEZING POINT: not applicable		PERCENT VOLATILE: not applicable		
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable		
V - TOXICOLOGICAL PROPERTIES				
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irritation. INGESTION: May cause irritation of digestive tract. INHALATION: Breathing dust may cause respiratory irritation.				
LD50 (calculated): 49,100 mg/kg		LC50 (calculated): not available		
OTHER TOXIC EFFECTS: TLV (dimethyl distearyl ammonium chloride) 10 mg/m3				

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: not required

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: high humidity

INCOMPATIBILITY (Material to Avoid) : strong oxidizers and anoinic surfactants

HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with strong oxidizers

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: R.M. MSDS, RTECS

PREPARED BY: JohnsonDiversey Canada. Inc.
Regulatory Department
Institutional Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.