



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 4758

PRODUCT NAME: RUST REMOVING SOUR 6JP

USE: Rust Removing Laundry Sour

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: D1A E

CHEMICAL FAMILY: Mineral acid Fluoride

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium silicofluoride	30-60	016893-85-9	LD50 125 mg/kg LC50 33mg/mg/6h	oral/rat inhal/rat
Sodium bifluoride	30-60	001333-83-1	not available	

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber

Eye: safety glasses

Footwear: not required

Respiratory: NIOSH approved dust mask as required.

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Avoid breathing dust.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Alkalis, chlorinated compounds, reducing agents, soft metals.

SPILL PROCEDURES: Wear protective clothing. Sweep or scoop up material for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN2923

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: White powder

S.G. / BULK DENSITY(g/cc): 1.5 tamped

pH: 3.0 ± 0.5 1% solution

VAPOUR PRESSURE (mmHg): not applicable

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not applicable

BOILING POINT: not applicable

FREEZING POINT: not applicable

PERCENT VOLATILE: not applicable

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): not applicable

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause permanent eye damage if not treated promptly.

SKIN: May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

INGESTION: May cause severe irritation. May cause temporary or permanent damage if not treated promptly. Harmful if swallowed. May be fatal.

INHALATION: May cause pulmonary irritation and death.

LD50 (calculated): 125 mg/kg

LC50 (calculated): 33mg/m3/6hrs

OTHER TOXIC EFFECTS: Highly toxic by ingestion and inhalation. TLV: sodium bifluoride 2.5 mg (F)/m3; sodium silicofluoride 2.5 mg (F)/m3	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: Repeated or prolonged exposure to skin may cause skin rash.	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Do not induce vomiting. Contact a physician immediately. If conscious give immediately, by mouth, large amounts of a fine suspension in water of a non-toxic calcium compound such as calcium lactate . If these are not readily available, give large amounts of water.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap
EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Hydrofluoric acid, Silicon Tetrafluoride, sodium fluoride and hydrogen fluoride.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: high humidity and heat	
INCOMPATIBILITY (Material to Avoid) : Acids, alkalis, chlorinated compounds, and soft metals.	
HAZARDOUS DECOMPOSITION PRODUCTS: Hydrofluoric acid, Silicon Tetrafluoride Chlorine gas released on contact with chlorinated materials. Hydrogen gas generated on contact with soft metals. Decomposed at 100°C generates hydrogen fluoride.	
REACTIVITY: not applicable	
IX - MSDS PREPARATION	
SOURCES USED: MSDS, RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	