



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 57224

PRODUCT NAME: SUMA FRIT D9.1

USE: Fryer cleaner

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: E

CHEMICAL FAMILY: caustic alkali

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium metasilicate	15-40	006834-92-0	L50 622 mg/kg	oral/rat
Sodium hydroxide	10-30	001310-73-2	LDLo 500 mg/kg	oral/rab
Sodium carbonate	30-60	000497-19-8	LD50 4090 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber

Eye: Safety glasses

Footwear: As required

Respiratory: NIOSH approved dust mask

Other: Not normally required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Wear protective equipment. Avoid eye and skin contact. Avoid breathing dust.

VENTILATION REQUIREMENTS: General ventilation

INCOMPATIBILITY (Material to Avoid): Acids

SPILL PROCEDURES: Sweep or scoop up material for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

UN3262

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: White, free-flowing powder

S.G. / BULK DENSITY(g/cc): not available

pH: (1% solution): 12.7

VAPOUR PRESSURE (mmHg): not applicable

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not applicable

BOILING POINT: not applicable

FREEZING POINT: not applicable

PERCENT VOLATILE: not applicable

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): not applicable

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

INGESTION: Corrosive. May cause severe irritation of the digestive tract.

INHALATION: Breathing dust may cause respiratory irritation.

LD50 (calculated): 1119 mg/kg

LC50 (calculated): not available

OTHER TOXIC EFFECTS: TLV: TWA (sodium hydroxide): 2 mg/m3; CL: (sodium metasilicate): 2 mg/m3	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Do not induce vomiting. Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap.
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: High humidity	
INCOMPATIBILITY (Material to Avoid) : Acids.	
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.	
REACTIVITY: Not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada. Inc. Regulatory Department Food Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	