



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 57296						
PRODUCT NAME: SUMA ADVANTAGE HW P5.1						
USE: Machine dish detergent						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: D2B E   CHEMICAL FAMILY: caustic alkali		TRADE NAME / SYNONYMS: not applicable   CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species	
Sodium hydroxide Sodium nitrilotriacetate	7-13 10-30		001310-73-2 005064-31-3	LDLo 500 mg/kg LD50 1500 mg/kg	oral/rab oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
PERSONAL PROTECTIVE EQUIPMENT:   Gloves: Natural rubber, Neoprene or Nitrile Eye: Safety goggles Footwear: As required   Respiratory: Not normally required. Other: Rubber apron as required   SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. If mists are generated, use NIOSH approved mask.   VENTILATION REQUIREMENTS: General ventilation   INCOMPATIBILITY (Material to Avoid): Acids, aluminum and other soft metals.   SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.   WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.   STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1824						
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Clear colourless liquid   S.G. / BULK DENSITY(g/cc): 1.29   VAPOUR PRESSURE (mmHg): not available   ODOUR THRESHOLD: not applicable   FREEZING POINT: approx10°C   SOLUBILITY IN WATER: soluble		pH: 13.5   VAPOUR DENSITY (air=1): not available   BOILING POINT: approx. 100°C   PERCENT VOLATILE: 65%   EVAPORATION RATE (water=1): 1				
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:   EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.   SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.   INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause permanent damage if not treated promptly.   INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause permanent damage if not treated promptly.   INHALATION: Corrosive. Inhalation of spray or mist may cause severe respiratory irritation.   LD50 (calculated): 2676 mg/kg						

OTHER TOXIC EFFECTS: TLV-CL (Sodium hydroxide): 2 mg/m3						
<b>EFFECTS OF CHRONIC</b> <b>EXPOSURE TO MATERIAL:</b> This product contains NTA. In laboratory tests, rats and mice continuously fed highly exaggerated doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects. By ACGIH guidelines, NTA would not be considered an occupational (human) carcinogen of any practical significance.						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
<b>SKIN:</b> Flush affected area thoroughly with water. If irritation develops, contact a physician.						
<b>INGESTION:</b> Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No	Т					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon	n Dioxide [x] Foam [x] Other [ ]					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen	٦.					
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [x] Unstable [ ]						
CONDITIONS TO AVOID: Not applicable						
INCOMPATIBILITY (Material to Avoid) : Acids, aluminum and other soft metals						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids. Contact with aluminum or other soft metals generates flammable hydrogen gas.						
REACTIVITY: Not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: RTECS, ChemInfo	PREPARED BY: JohnsonDiversev Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safe assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mat context of the intended use.	ed. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					