

# MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 57308

PRODUCT NAME: EnduroKleen

**USE:** Chlorinated alkaline foam cleaner

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: D2B E TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Chlorinated Alkali CHEMICAL NAME: not applicable

#### **II - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Potassium hydroxide	5-10	001310-58-3	LD50 365 mg/kg	oral/rat
Tetradecyldimethylamine oxide	1-5	003332-27-2	LD50 >1000 mg/kg	oral/rat
Sodium hypochlorite	1-5	007681-52-9	LD50 375 mg/kg	oral/rat

#### **III - HANDLING AND DISPOSAL PROCEDURES**

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber, Neoprene, Nitrile Eye: safety goggles Footwear: as required

**Respiratory:** If mists are generated, use NIOSH approved **Other:** rubber apron

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist or spray. Avoid eye contact.

VENTILATION REQUIREMENTS: mechanical exhaust

INCOMPATIBILITY (Material to Avoid): Acids, reducing agents, ammonia and amines.

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN3266

## **IV - PHYSICAL PROPERTIES**

APPEARANCE / ODOUR: Clear, yellow liquid, chlorine odour

S.G. / BULK DENSITY(g/cc): 1.18 pH: > 13.0

VAPOUR PRESSURE (mmHg): 17.5 @ 20°C VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not available BOILING POINT: approx. 100°C

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): not applicable

## **V - TOXICOLOGICAL PROPERTIES**

PERCENT VOLATILE:

81%

**EFFECTS OF ACUTE EXPOSURE TO MATERIAL:** 

not available

FREEZING POINT:

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

**SKIN:** Corrosive. May cause severe irritation.

**INGESTION:** Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.

INHALATION: Inhalation of spray or mist may cause irritation of respiratory tract.

LD50 (calculated): 2467 mg/kg LC50 (calculated): not available

OTHER TOXIC EFFECTS: TLV: (Potassium hydroxide) CL 2 mg/m3: (CI2) TWA 0.5 ppm, STEL 1 ppm.

**EFFECTS OF CHRONIC** not available

**EXPOSURE TO MATERIAL:** 

#### VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a

physician immediately.

**INHALATION:** Remove patient to fresh air. Get medical attention for any breathing difficulty.

#### VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable **AUTO IGNITION TEMPERATURE,°C:** 

N/Ap

**EXTINGUISHING MEDIA:** Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other [ ]

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

**HAZARDOUS COMBUSTION PRODUCTS:** Chlorine gas may be released when heated. Oxides of carbon, nitrogen.

**EXPLOSIVE SENSITIVITY TO:** not applicable

### **VIII - REACTIVITY DATA**

STABILITY: Stable [x] Unstable [ ]

CONDITIONS TO AVOID: High storage temperatures.

INCOMPATIBILITY (Material to Avoid): Acids, reducing agents, amines and ammonia.

HAZARDOUS DECOMPOSITION PRODUCTS:

Contact with acids will produce heat and release chlorine gas. Reducing agents can generate heat releasing chlorine. Contact with ammonia and nitrogen containing compounds can produce nitrogen gas and chloramines. Contact with aluminum or zinc may generate flammable hydrogen gas.

REACTIVITY: not dangerously reactive

## IX - MSDS PREPARATION

SOURCES USED: RTECS, Supplier MSDS PREPARED BY: JohnsonDiversev Canada. Inc.

Regulatory Department

Food Division PREPARATION DATE: April 15, 2003 Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.