



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 57428	
PRODUCT NAME: DIVOS LS					
USE: Liquid preservative for all membranes					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B			TRADE NAME / SYNONYMS: not applicable		
CHEMICAL FAMILY: Alkaline liquid			CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Sodium sulphite	10-30	007757-83-7	LD50 820 mg/kg	oral/mou	
Potassium sulfite	10-30	010117-38-1	N/Av		
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT:					
Gloves: Natural rubber or neoprene		Eye: Safety glasses		Footwear: Not required	
Respiratory: If mists are generated, use NIOSH approved mask		Other: Not required			
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact.					
VENTILATION REQUIREMENTS: General ventilation					
INCOMPATIBILITY (Material to Avoid): Oxidizing materials, acids, flammable materials.					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Sweep or scoop up material for disposal. Wear protective clothing.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear light amber liquid					
S.G. / BULK DENSITY(g/cc): 1.29			pH: (concentrate): 8.0		
VAPOUR PRESSURE (mmHg): 17.5 @ 20°C			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: approx. 100°C		
FREEZING POINT: 0°C			PERCENT VOLATILE: 69%		
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): <1		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:					
EYES: May cause severe irritation.					
SKIN: May cause irritation.					
INGESTION: May cause severe irritation of the digestive tract.					
INHALATION: May cause irritation.					
LD50 (calculated): 820 mg/kg			LC50 (calculated): Not available		

OTHER TOXIC EFFECTS: None known	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: None known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: not applicable	
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Avail.
EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of sulphur.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: Excessive heat, freezing.	
INCOMPATIBILITY (Material to Avoid) : Oxidizing materials, acids, flammable materials.	
HAZARDOUS DECOMPOSITION PRODUCTS: None.	
REACTIVITY: not dangerously reactive.	
IX - MSDS PREPARATION	
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada. Inc. Regulatory Department Food Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	