
MATERIAL SAFETY DATA SHEET

Page 1 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

AF SILICON**MSDS ID: 57429**

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: AF SILICON

Product Descriptor: SILICONE DEFOAMER

MANUFACTURER: JOHNSON DIVERSEY, INC.
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241EMERGENCY PHONE NUMBER: (800) 851-7145

II. HAZARDOUS COMPONENTS

Component Name	CAS Number	%	Exposure Limits	Units

None				

III. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION - Contains cleaning agents that may cause eye irritation. May be harmful if swallowed. Do not get in eyes. Do not take internally.

POSSIBLE ROUTES OF ENTRY: Inhalation and ingestion.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: May cause eye irritation. SKIN: None known. INGESTION: None known. INHALATION: None known.

CHRONIC: Same as acute effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis or sensitive skin.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): None known.

IV. FIRST AID MEASURES

EYES: Immediately flush with plenty of water. If irritation or redness develop, get medical attention.

SKIN: Rinse off product with water

INGESTION: Do not take internally. If swallowed, drink several glasses of water. Do not induce vomiting. Contact a physician or Poison Control Center. NOTE: Never give fluids by mouth to an unconscious person.

INHALATION: Remove to fresh air. If breathing difficulties arise, get medical attention.

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): None

FLAME EXTENSION: N/A

FLAMMABLE LIMITS IN AIR BY VOLUME:

LEL: N/E

UEL: N/E

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Product may burn if liquid is evaporated by heat or fire.

EXTINGUISHING MEDIA: Water, water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall

MATERIAL SAFETY DATA SHEET

Page 2 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

AF SILICON

MSDS ID: 57429

V. FIRE FIGHTING MEASURES (Cont.)

hazard.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water.

This product does not contain a reportable quantity (RQ) under CERCLA.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Chemical goggles if contact or splash hazard exists.

PROTECTIVE GLOVES: Liquid proof gloves.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

VENTILATION: None required.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: White, opaque liquid with a slight detergent odor

BOILING POINT (DEG F): 212F

FREEZING POINT: <32F

SPECIFIC GRAVITY/BULK DENSITY: 1.008

pH: N/D

pH 1% SOLUTION: N/D

VOLATILE BY VOLUME: 85%

SOLUBILITY IN WATER: Dispersable

VAPOR PRESSURE(mmHg): 20 at 25C

VAPOR DENSITY: >17.3

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms; oxides of carbon; OXIDES OF SILICA

HAZARDOUS POLYMERIZATION: None known.

MATERIAL SAFETY DATA SHEET

Page 3 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

AF SILICON

MSDS ID: 57429

XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL TESTING: No data available.
TOXICITY TEST DATA:
No data available.

XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA:
No data available.
ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.
Discharge diluted product to industrial sewer in accordance with discharge permit or local POTW regulations. Use product in container until empty. Rinse container with water. Recycle or dispose of container according to product labeling or governmental regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. Federal Regulations:
TSCA: All ingredients in this product are on TSCA inventory.
HAPS: None
VOC CONTENT (EPA Method 24A): % VOC: 0 Lb/Gal VOC: 0
CERCLA/EPCRA:
Section 313 Toxic Chemicals:
None
SARA Section 311/312:
ACUTE:NO CHRONIC:NO FIRE:NO REACTIVITY:NO
SUDDEN RELEASE OF PRESSURE:NO
LISTED CARCINOGEN: None
NTP: No IARC: No OSHA: No
HMIS RATINGS: HEALTH: 0 FIRE: 0 REACTIVITY: 0
PERSONAL PROTECTIVE EQUIPMENT: A
NFPA RATING: HEALTH: 0 FIRE: 0 REACTIVITY:0 SPECIAL:None
STATE RIGHT-TO-KNOW INFORMATION:
WATER - CAS #7732-18-5
SILICA FILLED POLYDIMETHYL SILOXANE - PROPRIETARY
CELLULOSIC THICKENER - PROPRIETARY
ETHOSYLATED ARYL - PROPRIETARY
CALIFORNIA PROPOSITION 65:
None of the ingredients are on the California proposition 65 list.

MATERIAL SAFETY DATA SHEET

Page 4 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

AF SILICON

MSDS ID: 57429

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.