



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 57434
PRODUCT NAME: SUPER DILAC				
USE: Heavy duty acidic CIP detergent descaler				
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D1A E CHEMICAL FAMILY: mineral acid		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS				
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Nitric acid	15-40	007697-37-2	LC50 49 ppm/4H	inh/rat
Phosphoric acid	5-10	007664-38-2	LD50 1530 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES				
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Neoprene or Nitrile Eye: Safety goggles Footwear: As required Respiratory: If mists are generated, use NIOSH approved mask Other: Rubber apron				
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist, spray or vapours. Avoid eye and skin contact.				
VENTILATION REQUIREMENTS: Mechanical exhaust.				
INCOMPATIBILITY (Material to Avoid): Alkaline and chlorinated materials. Organic materials. Soft metals.				
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.				
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.				
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.				UN3264
IV - PHYSICAL PROPERTIES				
APPEARANCE / ODOUR: Clear, colourless liquid				
S.G. / BULK DENSITY(g/cc): 1.28		pH: (1% solution): 1.0		
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable		
ODOUR THRESHOLD: not available		BOILING POINT: 100°C		
FREEZING POINT: not available		PERCENT VOLATILE: 55%		
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable		
V - TOXICOLOGICAL PROPERTIES				
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly. INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly. INHALATION: May cause irritation of respiratory tract.				
LD50 (calculated): not available		LC50 (calculated): 49 ppm/4 hr.		

OTHER TOXIC EFFECTS: Breathing vapours may cause delayed lung injury. TLV: (Nitric acid): TWA 2 ppm (~5mg/m3), STEL 4 ppm (~10 mg/m3);
(Phosphoric acid): TWA 1 mg/m3, STEL 3 mg/m3

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: not available

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: not applicable.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: not applicable.

INCOMPATIBILITY (Material to Avoid) : Alkaline and chlorinated materials. Aluminium, brass, copper, iron, mild steel. Organic materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Contact with chlorinated materials will release chlorine gas. Contact with alkali will generate heat. Contact with soft metals forms flammable hydrogen gas. Contact with organic materials will generate heat.

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, Industrial Chemicals Safety Manual

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Food Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.