DIVBRAU VA10

Page 1 of 4 Revised 2/02/04 Replaces 8/12/03

2/03/04 Printed

MSDS ID: 57435

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DIVBRAU VA10

Product Descriptor: DEFOAMED HEAVY DUTY ACIDIC CIP DETERGENT

EMERGENCY PHONE NUMBER: (800)851-7145 MANUFACTURER: JOHNSONDIVERSEY, INC.

> 3630 E. KEMPER ROAD CINCINNATI, OH. 45241

II. HAZARDOUS COMPONENTS

Component Name	CAS Number	%	Exposure Limits	Units
DIPROPYLENE GLOCOL MONOMETHYL ETHER	34590-94-8	5 - 15%	TLV 600s PEL 600	Mg/M3 Mg/M3
PHOSPHORIC ACID	7664-38-2	>30%	STEL 900 TWA 1 STEL 3	Mg/M3 MG/M3

III. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CORROSIVE - Contains strong acids. Causes severe burn to skin and eyes. May be fatal if swallowed. Do not contact eyes, skin or clothing. Wear goggles, face shield, rubber gloves, and protective clothing and boots when handling product. Avoid breathing dust or spray mist. Contain spill or runoff, which may cause environmental damage. Contact with aluminum or soft metals may release flammable hydrogen fumes.

POSSIBLE ROUTES OF ENTRY: Inhalation and ingestion.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe burns, tissue damage, or irritation with pain, ACUTE: swelling, blurred or impaired vision, blindness. SKIN: burns, tissue destruction, blisters or rash with swelling and pain. INGESTION: May be fatal. Severe burns to mouth and throat may result with pain, gastric perforation and difficulty in swallowing or breathing. INHALATION: Spray or mists cause burns or severe irritation to nose, throat and respiratory tract with pain, choking, and experience difficulty in breathing.

CHRONIC: Same as acute effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis, sensitive skin, pulmonary function and asthma.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes, skin, respiratory tract, and gastrointestinal tract.

IV. FIRST AID MEASURES

Immediately flush eyes with plenty of water for at least 15 EYES:

minutes. Hold eyelids apart to completely flush all chemicals from

entire eye surface. Get immediate medical attention.

Flush thoroughly with plenty of water. Wash with mild soap and SKIN: water. Remove contaminated clothes and shoes and clean before

reuse. Get medical attention for any painful, red or injured

DIVBRAU VA10

Page 2 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 57435

IV. FIRST AID MEASURES (Cont.)

skin.

INGESTION: If swallowed, rinse mouth with water. Dilute by drinking several

glasses of water. DO NOT induce vomiting. If patient vomits, rerinse mouth. Get immediate medical attention. NOTE: Never

give fluids by mouth to an unconscious person.

INHALATION: If inhaled, move to fresh air. If patient is not breathing, give

artificial respiration. If breathing is difficult, give oxygen under the direction of trained personnel or a physician. Get

immediate medical attention.

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): None FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/E UEL: N/E

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire.

Liquid produces hydrogen on contact with soft, active metals.

EXTINGUISHING MEDIA: Water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure

breathing apparatus SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water.

This product does not contain a reportable quantity (RQ) under CERCLA.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Keep container closed. If frozen, thaw and mix to make usable. Do not pressure container to empty. Keep away from alkalis and chlorinated products.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Chemical goggles if contact or splash hazard exists. Face shields.

PROTECTIVE GLOVES: Acid resistant.

RESPIRATORY PROTECTION: Product does not have any established exposure limits. NIOSH/MSHA approved respirator recommended in enclosed or confined spaces

where high air concentration or long exposure may occur.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Rubber boots and chemical resistant apron if contact or splash hazard exists. Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

VENTILATION: Good general ventilation should be sufficient to control airborne

DIVBRAU VA10

3 of 4 Page Revised 2/02/04 Replaces 8/12/03

Printed 2/03/04

MSDS ID: 57435

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION (Cont.)

levels.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear pale, yellow liquid.

BOILING POINT (DEG F): N/D FREEZING POINT: <40F

SPECIFIC GRAVITY/BULK DENSITY: 1.34

pH 1% SOLUTION: 1.18

VOLATILE BY VOLUME: 30%

SOLUBILITY IN WATER: Soluble

at 20C VAPOR PRESSURE(mmHq): >17.5 VAPOR DENSITY: >17.3

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Alkalis; Chlorine and chlorinated

compounds; Aluminum; Soft metals

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms; oxides of

carbon; oxides of phosphorus

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Toxicological testing has not been performed on the product. Listed below is the available toxicology

test data for components of the product.

TOXICITY TEST DATA:

Phosphoric Acid:

Acute Oral LD50 (rat) - 1530 mg/kg (RTECS)

Acute Skin LD50 (rabbit) - 2740 mg/kg (RTECS)

Dipropylene Glycol Monomethyl Ether:

Acute Oral LD50 (rat) - >2qm/kq

Acute Dermal LD50 (rabbit) - 5.3 qm/kg

Acute Inhalation LC50 (rat) - >200 mg/l (1 hr.)

Irritation (rabbit) - Irritant to eyes and skin

XII. ECOLOGICAL INFORMATION

Toxicological testing has not been performed on the product. Listed below is the available toxicology test data for components of the product.

ECOTOXICITY TEST DATA:

Phosphoric Acid:

TLm (48-96 hr.) (Gambusia affinis) 138 mg/l

ENVIRONMENTAL FATE: No data available.

DIVBRAU VA10

Page 4 of 4 Revised 2/02/04 Replaces 8/12/03 Printed 2/03/04

MSDS ID: 57435

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Product is considered to be D002 - Corrosive, if declared

hazardous waste.

Spent or excess product is hazardous waste. Do not discharge to sewer or environment. Arrange disposal through a licensed disposal company or treat by special Waste Disposal Sheet. Recycle or dispose of containers by product labeling or governmental regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: None

VOC CONTENT (EPA Method 24A): % VOC: 9 Lb/Gal VOC: 1.01

CERCLA/EPCRA:

Section 313 Toxic Chemicals:

Product contains Glycol Ethers at 9%, which are SARA Reportable.

SARA Section 311/312:

ACUTE:YES CHRONIC:NO FIRE:NO REACTIVITY:NO

SUDDEN RELEASE OF PRESSURE:NO

LISTED CARCINOGEN: None

NTP: No IARC: No OSHA: No

HMIS RATINGS: HEALTH: 3 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: D

NFPA RATING: HEALTH: 3 FIRE: 0 REACTIVITY:0 SPECIAL:Acid

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

PHOSPHORIC ACID - CAS #7664-38-2

DIPROPYLENE GLYCOL METHYL ETHER - CAS #34590-94-8

GLYCOLIC ACID - CAS #79-14-1

PROPOXYLATE ALCOHOLS - CAS #68920-69-4

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.