SHURLUBE H

Page 1 of 4 Revised 2/02/04

Replaces 8/12/03 Printed 2/03/04

MSDS ID: 57473

# I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: SHURLUBE H

Product Descriptor: HARD WATER TOLERANT SOAP BASED CONVEYOR LUBRICANT

MANUFACTURER: JOHNSONDIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145

3630 E. KEMPER ROAD CINCINNATI, OH. 45241

II. HAZARDOUS COMPONENTS		
Component Name	CAS Number %	Exposure Limits Units
ISOPROPYL ALCOHOL MONOETHANOLAMINE	67-63-0 1 - 141-43-5 1 -	

#### III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

WARNING-Product contains irritating or harmful chemicals which may cause eye or skin irritation or burns. May be harmful if swallowed. Do not get product in eyes, on skin or clothing. Wear eye protection and rubber gloves to prevent skin contact when handling product. Wash after handling. Avoid breathing dust, vapors or product spray. Contain spill and runoff to prevent direct discharge to soil or surface waters. POSSIBLE ROUTES OF ENTRY: Inhalation and ingestion.

## SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Causes eye irritation. SKIN: Irritation or dryness develops

with long contact. INGESTION: May cause nausea and diarrhea.

INHALATION: May cause irritation of respiratory tract.

CHRONIC: Same as acute effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis or sensitive

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes

#### IV. FIRST AID MEASURES

Immediately flush with plenty of water. Get medical attention. EYES:

Rinse off product and wash with mild soap and water.

INGESTION: Do not take internally. If swallowed, drink several glasses of

water. Do not induce vomiting. Contact a physician or Poison

Control Center. NOTE: Never give fluids by mouth to an

unconscious person.

INHALATION: Remove to fresh air. If breathing difficulties arise, get medical

attention.

SHURLUBE H

Revised 2/02/04 Replaces 8/12/03 Printed

Page 2 of 4

2/03/04

MSDS ID: 57473

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): 105.8F FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/E UEL: N/E

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire.

EXTINGUISHING MEDIA: Water, water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure

breathing apparatus SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

# VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water.

This product does not contain a reportable quantity (RQ) under CERCLA.

#### VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: COMBUSTIBLE PRODUCT. Do not store near heat, sparks or open flames. Keep container closed when not in use. Product may accumulate a static charge. Use proper grounding during storage or emptying container.

# VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Chemical goggles if contact or splash hazard exists.

PROTECTIVE GLOVES: Alkali resistant.

RESPIRATORY PROTECTION: Product does not have any established exposure limits. NIOSH/MSHA approved respirator recommended in enclosed or confined spaces where high air concentration or long exposure may occur.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

VENTILATION: Good general ventilation should be sufficient to control airborne levels.

#### IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, yellow liquid, mild odor.

BOILING POINT (DEG F): >200F FREEZING POINT: <40F

SPECIFIC GRAVITY/BULK DENSITY: 1.04

pH 1% SOLUTION: 10% pH: 10.1

VOLATILE BY VOLUME: 69%

SOLUBILITY IN WATER: Soluble

at 20C VAPOR DENSITY: 17.3 VAPOR PRESSURE(mmHg): 17.5

3 of 4 Page Revised 2/02/04 Replaces 8/12/03

2/03/04

Printed

SHURLUBE H

MSDS ID: 57473

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms; oxides of

carbon; oxides of nitrogen

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Toxicological testing has not been performed on the

product. Listed below is the available toxicology test data for components of the product.

TOXICITY TEST DATA:

Monoethanolamine:

Acute Oral LD50 (rat) - 1-2 gm/kg Acute Dermal LD50 (rabbit) - 1.0 gm/kg

Irritation, Eyes (rabbit) - corrosive (Draize 6.5-8.0/8.0)

Irritation, Skin (rabbit) - extremely irritating (Draize 80-110/110)

XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA:

No data available.

ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

Adjust pH of diluted product and discharge to industrial sewer in accordance with discharge permit or local POTW regulations. Use product in container until empty. Triple rinse container with water and add to process. Recycle or dispose of container according to product labeling or Federal, State or local regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: None

VOC CONTENT (EPA Method 24A): % VOC: 7% Lb/Gal VOC: 0.61

CERCLA/EPCRA:

Section 313 Toxic Chemicals:

NONE

SARA Section 311/312:

CHRONIC:NO FIRE:NO REACTIVITY:NO ACUTE: YES

SUDDEN RELEASE OF PRESSURE:NO

SHURLUBE H

4 of 4 Page Revised 2/02/04 Replaces 8/12/03

2/03/04 Printed

MSDS ID: 57473

# XV. REGULATORY INFORMATION (Cont.)

LISTED CARCINOGEN: None

IARC: No OSHA: No NTP: No

HMIS RATINGS: HEALTH: 1 FIRE: 2 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 0 FIRE: 2 REACTIVITY: 0 SPECIAL: None

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

MONOETHANDAMINE - CAS# 141-43-5

TETRAPOTASSIUM ETHYLENEDIAMINE TETRAACETATE - CAS# 7379-27-3

POTASSIUM TALLATE - CAS #61790-44-1

ISOPROPYL ALCOHOL - CAS #67-63-0

CALIFORNIA PROPOSITION 65: None of the ingredients are on the California proposition 65 list.

## XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.