



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 57475

PRODUCT NAME: OXOFOAM**USE:** Chlorinated foam cleaner**SUPPLIER:**JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada**EMERGENCY PHONE:****1-800-668-7171****WHMIS CLASSIFICATION:** D2B E**CHEMICAL FAMILY:** Chlorinated Alkali**TRADE NAME / SYNONYMS:** not applicable**CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Potassium hydroxide	7-13	001310-58-3	LD50 365 mg/kg	oral/rat
Dodecyltrimethylamine oxide	1-5	001643-20-5	LD50 2700 mg/kg	oral/rat
Sodium hypochlorite	1-5	007681-52-9	LD50 375 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:**Gloves:** Natural Rubber or Neoprene**Eye:** Safety goggles**Footwear:** as required**Respiratory:** If mists are generated, use NIOSH approved mask**Other:** Rubber apron**SPECIAL HANDLING PROCEDURES AND EQUIPMENT:** Do not breathe mist or spray. Avoid eye and skin contact.**VENTILATION REQUIREMENTS:** Mechanical exhaust**INCOMPATIBILITY (Material to Avoid):** Acids, reducing agents, ammonia, amines and soft metals.**SPILL PROCEDURES:** Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.**STORAGE / SHIPPING REQUIREMENT:** Store in a cool dry area in a closed container. UN1814

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear, yellow liquid, chlorine odour**S.G. / BULK DENSITY(g/cc):** 1.20**pH:** (4% solution): 12.4**VAPOUR PRESSURE (mmHg):** not applicable**VAPOUR DENSITY (air=1):** not applicable**ODOUR THRESHOLD:** not available**BOILING POINT:** approx. 100°C**FREEZING POINT:** not available**PERCENT VOLATILE:** 55%**SOLUBILITY IN WATER:** soluble**EVAPORATION RATE (water=1):** not applicable

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**EYES:** Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.**SKIN:** Corrosive. May cause severe irritation.**INGESTION:** Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.**INHALATION:** Inhalation of spray or mist may cause irritation of respiratory tract.

LD50 (calculated): 2606 mg/kg		LC50 (calculated): not available	
OTHER TOXIC EFFECTS: Potassium hydroxide TLV-CEL 2 mg/m3; Chlorine TLV-TWA 0.5 ppm ; STEL 1 ppm.			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: not available			
VI - FIRST AID MEASURES			
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.			
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.			
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.			
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.			
VII - FIRE AND EXPLOSION DATA			
FLAMMABLE: No			
FLASH POINT, °C: not applicable		AUTO IGNITION TEMPERATURE, °C: N/Ap	
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.			
HAZARDOUS COMBUSTION PRODUCTS: Chlorine gas may be released when heated. Oxides of carbon, nitrogen.			
EXPLOSIVE SENSITIVITY TO: not applicable			
VIII - REACTIVITY DATA			
STABILITY: Stable [x] Unstable []			
CONDITIONS TO AVOID: High storage temperatures.			
INCOMPATIBILITY (Material to Avoid) : Acids, reducing agents, amines, ammonia and soft metals.			
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids will produce heat and release chlorine gas. Reducing agents can generate heat releasing chlorine. Contact with ammonia and nitrogen containing compounds can produce nitrogen gas and chloramines. Contact with aluminum or other soft metals generates flammable hydrogen gas.			
REACTIVITY: not dangerously reactive			
IX - MSDS PREPARATION			
SOURCES USED: RTECS, Supplier MSDS		PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Food Division Phone (905) 829-1200	
PREPARATION DATE: April 24, 2003			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.			