



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 0637

PRODUCT NAME: DIVOS ADD 3**USE:** Detergent booster for fat removal from all membranes.**SUPPLIER:**JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada**EMERGENCY PHONE:****1-800-668-7171****WHMIS CLASSIFICATION:** D2B E**CHEMICAL FAMILY:** Sulphonic Acid**TRADE NAME / SYNONYMS:** not applicable**CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sulphuric acid	1-5	007664-93-9	LD50 2140 mg/kg	oral/rat
Alkyl, aryl sulphonic acid	60-100	027176-87-0	LD50 650 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural rubber, Neoprene, Nitrile or PVC
Eye: Safety glasses
Footwear: Acid resistant boots
Respiratory: If mists are generated, use NIOSH approved mask
Other: Rubber apron

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.**VENTILATION REQUIREMENTS:** Mechanical exhaust**INCOMPATIBILITY (Material to Avoid):** Strong oxidizers, hydroxides, chlorinated compounds.**SPILL PROCEDURES:** Contain the spill. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.**STORAGE / SHIPPING REQUIREMENT:** Store in a cool dry area in a closed container. UN2586

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear viscous amber liquid, pungent odour**S.G. / BULK DENSITY(g/cc):** 1.04**pH:** (concentrate): 1**VAPOUR PRESSURE (mmHg):** not available**VAPOUR DENSITY (air=1):** not applicable**ODOUR THRESHOLD:** not available**BOILING POINT:** 260°C**FREEZING POINT:** not available**PERCENT VOLATILE:** Approx. 1%**SOLUBILITY IN WATER:** soluble**EVAPORATION RATE (water=1):** not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**EYES:** May cause severe irritation, may cause temporary eye damage.**SKIN:** May cause severe irritation.**INGESTION:** May cause severe irritation of the digestive tract.**INHALATION:** May cause severe irritation.**LD50 (calculated):** 1000**LC50 (calculated):** N/A

OTHER TOXIC EFFECTS: Sulphuric acid TLV - TWA 1 mg/m3, STEL 3 mg/m3	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: May result in ulceration of tissue.	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: not applicable	
FLASH POINT, °C: 176°C(Pensky-Martens) (c.c.)	AUTO IGNITION TEMPERATURE,°C:
EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, sulphur and hydrogen sulfide.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: Not applicable	
INCOMPATIBILITY (Material to Avoid) : Strong oxidizers, chlorinated compounds, hydroxides.	
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with alkali will generate heat. Contact with chlorinated materials will release chlorine gas	
REACTIVITY: Not dangerously reactive.	
IX - MSDS PREPARATION	
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Food Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	