DICOLUBE CT (NA)

1 of 4 Page Revised 2/02/04 Replaces 8/12/03

Printed

2/03/04

MSDS ID: 57496

# I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DICOLUBE CT (NA)

Product Descriptor: SYNTHETIC CONVEYOR LUBRICANT

MANUFACTURER: JOHNSONDIVERSEY, INC. EMERGENCY PHONE NUMBER: (800)851-7145

> 3630 E. KEMPER ROAD CINCINNATI, OH. 45241

II.	HAZARDOUS	COMPONENTS

Component Name	CAS Number	%	Exposure Limits	Units				
ACETIC ACID ALCOHOL ETHOXYLATE OLEYL PROPYLDIAMINE	64-19-7 68131-39-5 7173-62-8	1 - 5%	TWA 25 C 37 Not Established None established	-, -				

#### III. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

WARNING - Product contains irritating or harmful chemicals which cause eye or skin irritation or burns. May be harmful if swallowed. Do not get product in eyes, on skin or clothing. Wear eye protection and rubber gloves to prevent skin contact when handling product. Wash after handling. Avoid breathing dust, vapors or product spray.

POSSIBLE ROUTES OF ENTRY: Inhalation and ingestion.

# SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe burns or irritation with pain, redness, swelling, and ACUTE: blurred or impaired vision. SKIN: Burns, blisters or rash with pain and swelling. INGESTION: Burns or irritation to mouth, throat with pain, nausea and vomiting. INHALATION: Spray or mist causes severe irritation with pain, choking, and breathing difficulty.

CHRONIC: Same as acute effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis or sensitive

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes, skin, respiratory tract, and gastrointestinal tract.

#### IV. FIRST AID MEASURES

Immediately flush eyes with plenty of water for 15 minutes. Get EYES:

medical attention.

Flush skin with plenty of water and wash with mild soap. If SKIN:

irritation develops, get medical attention.

INGESTION: If swallowed, rinse mouth with water. Dilute by drinking several

> glasses of water. DO NOT induce vomiting. If patient vomits, rerinse mouth. Get immediate medical attention. NOTE: Never

give fluids by mouth to an unconscious person.

INHALATION: Remove to fresh air and seek medical attention.

DICOLUBE CT (NA)

Page 2 of 4 Revised 2/02/04

Replaces 8/12/03 Printed 2/03/04

MSDS ID: 57496

# V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): None FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/E UEL: N/E

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire.

EXTINGUISHING MEDIA: Water, water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure

breathing apparatus SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

# VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water.

This product does not contain a reportable quantity (RQ) under CERCLA.

# VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool dry area. Keep from freezing. If frozen, thaw and mix to make usable. Do not pressurize container to empty. Keep container closed when not in use.

### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Chemical goggles if contact or splash hazard exists.

PROTECTIVE GLOVES: Liquid proof rubber or neoprene gloves. Avoid cotton, wool and leather.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Eyewash and safety shower in area if contact or splash hazard exists.

ENGINEERING CONTROLS:

VENTILATION: Good general ventilation should be sufficient to control airborne levels.

### IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, amber foaming liquid, mild detergent odor.

BOILING POINT (DEG F): 214 F FREEZING POINT: <32

SPECIFIC GRAVITY/BULK DENSITY: 1.00

pH: 7.6 pH 1% SOLUTION: 7.0%

VOLATILE BY VOLUME: 80%

SOLUBILITY IN WATER: Soluble

VAPOR PRESSURE(mmHq): 17.5 at 20 C VAPOR DENSITY: 17.3

DICOLUBE CT (NA)

Page 3 Revised 2 Replaces 8

Printed

3 of 4 2/02/04 8/12/03

2/03/04

MSDS ID: 57496

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: Surfactants; Alkalis

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms; oxides of

nitrogen; oxides of carbon

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Toxicological testing has not been performed on the

product. Listed below is the available toxicology test data for components of the product.

TOXICITY TEST DATA:

1,3-Propanediamine, n-9-octadecenyl:

Acute Oral LD50 (ra

(rat) 1000 mg/kg

Linear Alcohol Ethoxylate (CAS# 68131-39-5):

Acute Oral LD50 rat 1800 mg/kg

Acetic Acid:

Acute Oral LD50 rat 3310 mg/kg

XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA:

No data available.

ENVIRONMENTAL FATE: No data available.

#### XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

Discharge diluted product to industrial sewer in accordance with discharge permit or local POTW regulations. Use product in container until empty. Rinse container with water. Recycle or dispose of container according to product labeling or governmental regulations.

#### XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

### XV. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: None

VOC CONTENT (EPA Method 24A): % VOC: 2.8% Lb/Gal VOC: 0.23

CERCLA/EPCRA:

Section 313 Toxic Chemicals:

None

SARA Section 311/312:

DICOLUBE CT (NA)

Page 4 of 4
Revised 2/02/04
Replaces 8/12/03

Printed 2/03/04

MSDS ID: 57496

## XV. REGULATORY INFORMATION (Cont.)

ACUTE:YES

CHRONIC:NO FIRE:NO

REACTIVITY: NO

SUDDEN RELEASE OF PRESSURE:NO

LISTED CARCINOGEN: None

NTP: No IARC: No OSHA: No

HMIS RATINGS: HEALTH: 2 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 2 FIRE: 0 REACTIVITY: 0 SPECIAL: None

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

ALCOHOL ETHOXYLATE - CAS #68131-39-5

OLEYL PROPYLDIAMINE - CAS #7173-62-8

ACETIC ACID - CAS #64-19-7 CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

#### XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.