

TERRANEW 1

National Fire Protection Association (NFPA)	Fire Hazard Health Reactivity 0 2 0	Hazardous Material Information System (HMIS)	<table><tr><td>Health</td><td>2</td></tr><tr><td>Fire Hazard</td><td>0</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health	2	Fire Hazard	0	Reactivity	0
Health	2								
Fire Hazard	0								
Reactivity	0								
Specific Hazard									
Protective Clothing		Emergency Overview	White. Cream. See Section 9. WARNING: CAUSES EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED.						

Section 1. Chemical Product and Company Identification

Product Name	TERRANEW 1	Code	4098
Product Use	Industrial/Institutional: Floor care.	PMS#	434350
MSDS#	631830002	Validation Date	04/19/2000
U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Canadian Headquarters Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	Print Date	04/20/2000
		Supersedes	04/12/2000.
		In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Tartaric acid Phosphoric Acid	87-69-4 7664-38-2	1-5 1-5	Not available. TWA: 1 STEL: 3 (mg/m ³) from OSHA (PEL) [United States] TWA: 1 STEL: 3 (mg/m ³) from ACGIH (TLV) [United States] Not available.	Not available. ORAL (LD50): Acute: 1530 mg/kg [Rat]. DERMAL (LD50): Acute: 2740 mg/kg [Rabbit].
Calcium chloride	10035-04-8	1-5	Not available.	ORAL (LD50): Acute: 1000 mg/kg [Rat]. 1940 mg/kg [Mouse]. DERMAL (LD50): Acute: >5000 mg/kg [Rabbit].
Triethanolamine	102-71-6	1-5	TWA: 5 (mg/m ³) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 4.8 mg/kg [Rat]. DERMAL (LD50): Acute: 22.484 mg/kg [Rabbit].
Magnesium fluorosilicate	18972-56-0	10-30	Not available.	ORAL (LD50): Acute: 200 mg/kg [Guinea pig].
Stearic Acid	57-11-4	7-13	TWA: 10 (mg/m ³) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: >5000 mg/kg [Rat]. DERMAL (LD50): Acute: >5000 mg/kg [Rabbit].
Aluminum Oxide	1344-28-1	30-60	TWA: 5 (mg/m ³) from OSHA (PEL) [United States] Respirable. TWA: 10 (mg/m ³) from ACGIH (TLV) [United States]	Not available.
Water	7732-18-5	10-30	Not available.	Not applicable.

Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
<i>Eyes</i>	May be severely irritating to eyes.
<i>Skin</i>	May be severely irritating to skin.
<i>Inhalation</i>	May be irritating to nose, throat, and respiratory tract.
<i>Ingestion</i>	May be irritating to mouth, throat and stomach. Harmful if swallowed.

Medical Conditions Persons with pre-existing skin disorders may be more susceptible to irritating effects.
Aggravated by Overexposure:

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.
Ingestion	Immediately drink plenty of water. Get medical attention.

Section 5. Fire Fighting Measures

Flammability of the Product	None known.
Flash Points	Not available.
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	None known.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8.).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	No special ventilation requirements. General room ventilation is adequate.
Personal Protection	
Eyes	Safety glasses with side shields.
Hands	Chemical resistant gloves. Includes: Neoprene gloves.
Respiratory	No special protective clothing is required.
Feet	No special protective clothing is required.
Body	If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Solid. (Cream.)
Odor	Mild.
Color	White.
pH	2 to 2.5 [Acidic.]
Specific Gravity	1.35
Melting/Freezing Point	32°F (0°C)
Solubility in water	Dispersible.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Reactive with oxidizing agents, alkalis. Slightly reactive to reactive with combustible materials, acids.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Estimated to be between 500 and 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	No special precautions. Dispose of according to all federal, state and local regulations.
--------------------------	---

Section 14. Transport Information

DOT Classification	Not regulated
TDG Classification	Not regulated

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Calcium chloride
SARA 313 toxic chemical notification and release reporting: Phosphoric Acid, Aluminum Oxide
Clean Water Act (CWA) 311: Phosphoric Acid
CERCLA: Hazardous substances.: Phosphoric Acid

State New Jersey spill list: Phosphoric Acid, Aluminum Oxide
New Jersey: Magnesium fluorosilicate, Phosphoric Acid, Aluminum Oxide
Massachusetts spill list: Phosphoric Acid
Massachusetts RTK: Phosphoric Acid, Aluminum Oxide, Triethanolamine
Pennsylvania RTK: Phosphoric Acid, Aluminum Oxide, Triethanolamine

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

Canadian NPRI Canadian NPRI: Phosphoric Acid, Aluminum Oxide.

WHMIS Classification CLASS D-2B: Material causing other toxic effects (TOXIC).

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Continued on Next Page

Section 16. Other Information

Other Special
Considerations

Not available.

Version

1

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.