



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 85001

PRODUCT NAME: CREST-LO

USE: Laundry Detergent

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: D2B

CHEMICAL FAMILY: surfactant

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium carbonate	15-40	000497-19-8	LD50 4090 mg/kg	oral/rat
Sodium nitrilotriacetate	10-30	005064-31-3	LC50 1100 mg/kg	oral/rat
Sodium dodecylbenzene sulphonate	7-13	025155-30-0	LC50 1260 mg/kg	oral/rat
Sodium silicate	7-13	006834-92-0	LD50 1153 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Nitrile, Neoprene or Natural Rubber

Eye: safety glasses

Footwear: not required

Respiratory: not required

Other:

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): cationic surfactants, oxidizers

SPILL PROCEDURES: Sweep or scoop up material for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: white, free-flowing, granular powder, perfumed

S.G. / BULK DENSITY(g/cc): 0.32-0.35

pH: (1% solution) 10.5-11.0

VAPOUR PRESSURE (mmHg): not applicable

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not available

BOILING POINT: not applicable

FREEZING POINT: not applicable

PERCENT VOLATILE: not applicable

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): not applicable

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause irritation.

SKIN: May cause irritation.

INGESTION: May cause irritation.

INHALATION: Breathing dust may cause respiratory irritation.

LD50 (calculated): approx. 2.5 g/kg		LC50 (calculated): not applicable	
OTHER TOXIC EFFECTS: TLV (Sodium silicate) 5 mg/m3			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL:		This material contains NTA. In laboratory tests, rats and mice continuously fed highly exaggerated doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects. By ACGIH guidelines NTA would not be considered an occupational (human) carcinogen of any practical significance.	
VI - FIRST AID MEASURES			
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.			
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.			
INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Contact a physician.			
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.			
VII - FIRE AND EXPLOSION DATA			
FLAMMABLE: No			
FLASH POINT, °C: not applicable		AUTO IGNITION TEMPERATURE, °C:	
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: none required			
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.			
EXPLOSIVE SENSITIVITY TO: not applicable			
VIII - REACTIVITY DATA			
STABILITY: Stable [X] Unstable []			
CONDITIONS TO AVOID: High temperature and high humidity			
INCOMPATIBILITY (Material to Avoid) : Strong oxidizers, acids, cationic surfactants.			
HAZARDOUS DECOMPOSITION PRODUCTS: Heat and carbon dioxide released on contact with acid.			
REACTIVITY: not dangerously reactive			
IX - MSDS PREPARATION			
SOURCES USED: MSDS, RTECS		PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200	
PREPARATION DATE: April 15, 2003			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.			