
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SU 908 VEHICLE WASH**MSDS ID: 88908**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: SU 908 VEHICLE WASH

Product Code: 88908

Product Function: VEHICLE WASH

MANUFACTURER: JOHNSON DIVERSEY, INC.
3630 E. KEMPER ROAD
CINCINNATI, OH. 45241

EMERGENCY PHONE NUMBER: (800) 851-7145

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name(CAS Number)	%	Exposure Limits
SODIUM HYDROXIDE (1310-73-2)	<5	TLV C 2; PEL C 2
SODIUM DODECYL BENZENE SULFONATE (25155-30-0)	<5	N/A
TETRASODIUM SALT OF ETHYLENEDIAMINE TERA ACETIC ACID (64-02-8)	<30	N/A

3. HAZARDS IDENTIFICATION

Primary Routes of Entry

Inhalation: YES

Skin: YES

Ingestion: YES

4. FIRST AID MEASURES

Eyes: FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Skin: FLUSH WITH FRESH WATER FOR AT LEAST 15 MINUTES. WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES.

Ingestion: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

Inhalation: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

Flash Point (degrees F): NONE

Unusual Fire or Explosion Hazards: NONE KNOWN

Extinguishing Media: CO2, FOAM, DRY CHEMICALS

Fire Fighting Instructions: WEAR FULL PROTECTIVE GEAR TO PREVENT SKIN CONTACT AND SCBA.

6. ACCIDENTAL RELEASE MEASURES

If Material is Released or Spilled:

FLUSH SMALL AMOUNTS TO DRAIN AFTER DILUTION AND NEUTRALIZATION WITH DILUTE MINERAL ACIDS. COLLECT AND RETURN LARGE AMOUNTS TO CONTAINER.

SU 908 VEHICLE WASH

MSDS ID: 88908

7. HANDLING AND STORAGE

KEEP CONTAINER CLOSED. IF FROZEN, THAW AND MIX TO MAKE USABLE. DO NOT PRESSURE CONTAINER TO EMPTY. KEEP AWAY FROM ACIDS.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection: AS REQUIRED BY OSHA
Protective Gloves: ALKALI RESISTANT
Respiratory Protection: NONE
Other Protective Clothing/Equipment: CLOTHING TO PROTECT ARMS AND LEGS

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: CLEAR AMBER LIQUID/MILD ODOR.
Boiling Point (F): 220 Freezing Point: Not Determined
Specific Gravity: 1.1360 pH: Not Determined
pH 1% SOLUTION: Not Determined
Volatile (% by Vol.): 86 Solubility in Water: 100

10. STABILITY AND REACTIVITY

Chemical Stability: STABLE
Incompatibility With Other Materials: CONCENTRATED MINERAL ACIDS, SOFT METALS, FLAMMABLE LIQUIDS, ORGANIC HALOGENS
Hazardous Decomposition Products: CO, SO2 WITH INCOMPLETE COMBUSTION
Hazardous Polymerization: None

11. TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:
Acute: CORROSIVE. CAUSES BURNS TO EYES AND SKIN. MISTS ARE RESPIRATORY IRRITANTS OR CORROSIVE.
Chronic: SAME AS ACUTE PH 13.3 DO NOT MIX CHEMICALS
Medical Conditions Generally Aggravated by Exposure: SENSITIVE SKIN AND EYES

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

PH ADJUSTMENT; CONTAINS NO PHOSPHATES. USE UNTIL LESS THAN ONE INCH REMAINS IN CONTAINER, EMPTY CONTAINER. TRIPLE RINSE WITH WATER.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

SU 908 VEHICLE WASH**MSDS ID: 88908**

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

CERCLA/EPCRA/313 Toxic Chemicals:
NONE

CARCINOGENICITY:

Not listed as carcinogenic by IARC, NTP, OSHA, ACGIH

HMIS Ratings: Health: 3 Fire: 0 Reactivity: 0
Personal Protective Equipment: B

State Right-to-Know Information:

SODIUM HYDROXIDE - CAS #1310-73-2

WATER - CAS #7732-18-5

DIPROPYLENE GLYCOL METHYL ETHER - CAS #34590-94-8

ALKYL GLUCOSIDE - CAS #68515-73-1

SODIUM DODECYL BENZENE SULFONATE - CAS #25155-30-0

TETRASODIUM SALT OF ETHYLENE DIAMINE

TETRA ACETIC ACID - CAS #64-02-8

16. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on knowledge of this specific product and current national legislation. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.