

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1250

PRODUCT NAME: SUMA CLEAN

USE: Multi Purpose Cleaner

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: B3 D2B TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Surfactant/Alkali CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Isopropanol	1-5	000067-63-0	LD50 5045 mg/kg	oral/rat
Tetrasodium edta	1-5	000064-02-8	LD50 3200 mg/kg	oral/rat
Sodium dodecylbenzene sulphonate	1-5	025155-30-0	LD50 1260 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber, neoprene or nitrile Eye: safety glasses Footwear: not required

Respiratory: If mists are generated, use NIOSH approved **Other:** not required

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: not applicable

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): oxidizing materials

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear yellow liquid

S.G. / BULK DENSITY(g/cc): 1.01 pH: 11.2

VAPOUR PRESSURE (mmHg): not applicable VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not applicable BOILING POINT: approx. 100°C

FREEZING POINT: below 0°C PERCENT VOLATILE: approx. 80%

SOLUBILITY IN WATER: Soluble EVAPORATION RATE (water=1): 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause irritation. No serious or irreversible effects expected if treated promptly.

SKIN: Repeated or prolonged contact may result in irritation.

INGESTION: May cause irritation of the digestive tract.

INHALATION: No serious or irreversible effects expected.

LD50 (calculated): 48710 mg/kg LC50 (calculated): not applicable OTHER TOXIC EFFECTS: TLV-TWA (Isopropanol) 400 ppm **EFFECTS OF CHRONIC** none known **EXPOSURE TO MATERIAL:** VI - FIRST AID MEASURES EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician immediately. INGESTION: INHALATION: Remove patient to fresh air. VII - FIRE AND EXPLOSION DATA FLAMMABLE: Yes, combustible if heated. FLASH POINT, °C: **AUTO IGNITION TEMPERATURE,°C:** N/Ap **EXTINGUISHING MEDIA:** Carbon Dioxide [x] Other [] Water [x] Dry Chemical [x] Foam [x] SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus. HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** STABILITY: Stable [X] Unstable [] CONDITIONS TO AVOID: high temperature INCOMPATIBILITY (Material to Avoid): cationic materials **HAZARDOUS DECOMPOSITION PRODUCTS:** Contact with cationic materials causes inactivation. REACTIVITY: not dangerously reactive **IX - MSDS PREPARATION** SOURCES USED: RTECS, RM MSDS PREPARED BY: JohnsonDiversey Canada, Inc.

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.

Regulatory Department Institutional Division

Phone (905) 829-1200

PREPARATION DATE:

April 15, 2003