



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 92001	
PRODUCT NAME: TASKI COMBIPLUS MAINTAINER					
USE: Wash and Wax					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Surfactant			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Alkyl polyoxyalkylene glycol ether	1-5	068551-13-3	LD50 3,000 mg/kg	oral/rat	
Sodium dodecyl benzene sulfonate	1-5	025155-30-0	LD50 1,260 mg/kg	oral/rat	
Alcohol ethoxylated	1-5	068131-39-5	LD50 1,800 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Natural Rubber, Neoprene or Nitrile Eye: safety glasses Footwear: not required Respiratory: not required Other: not applicable					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Avoid breathing dust.					
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): None					
SPILL PROCEDURES: Contain the spill. Mop up or soak up with absorbent clay for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Light yellow, translucent liquid; perfumed					
S.G. / BULK DENSITY(g/cc): 1.01			pH: 10.1		
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: 100°C		
FREEZING POINT: not available			PERCENT VOLATILE: approx. 90%		
SOLUBILITY IN WATER: dispersable			EVAPORATION RATE (water=1): not available		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irritation. INGESTION: May cause severe irritation of the digestive tract. INHALATION: No serious or irreversible effects expected.					
LD50 (calculated): 34,156 mg/kg			LC50 (calculated): not available		

OTHER TOXIC EFFECTS: None known	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: not available	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Do not induce vomiting. Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician immediately.
INHALATION:	Remove patient to fresh air.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: not available	AUTO IGNITION TEMPERATURE, °C: not avail
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: None	
INCOMPATIBILITY (Material to Avoid) : None	
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon	
REACTIVITY: not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS, MSDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: May 26, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	