



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 92016
PRODUCT NAME: TASKI STRIPO				
USE: Floor Stripper				
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171	
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Solvent			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable	
II - HAZARDOUS INGREDIENTS				
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Diethylene glycol monobutyl ether	7-13	000112-34-5	LD50 5,660 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES				
PERSONAL PROTECTIVE EQUIPMENT:				
Gloves: Natural Rubber, Neoprene or Nitrile		Eye: safety goggles		Footwear: Boots, as required
Respiratory: If mists are generated, use NIOSH approved mask		Other: rubber apron, as required		
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray.				
VENTILATION REQUIREMENTS: general ventilation				
INCOMPATIBILITY (Material to Avoid): Strong oxidizing materials.				
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.				
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.				
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. Do not store below 5°C.				
IV - PHYSICAL PROPERTIES				
APPEARANCE / ODOUR: Clear blue liquid, pine scent.				
S.G. / BULK DENSITY(g/cc): 1.02			pH: 10	
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available	
ODOUR THRESHOLD: not available			BOILING POINT: 100 °C	
FREEZING POINT: not available			PERCENT VOLATILE: approx 96%	
SOLUBILITY IN WATER: Miscible			EVAPORATION RATE (water=1): not available	
V - TOXICOLOGICAL PROPERTIES				
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:				
EYES: May cause severe irritation.				
SKIN: May cause irritation.				
INGESTION: May cause severe irritation of the digestive tract.				
INHALATION: Breathing dust may cause respiratory irritation.				
LD50 (calculated): 56,611 mg/kg			LC50 (calculated): not available	
OTHER TOXIC EFFECTS: none known				

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: Repeated or prolonged contact may result in irritation.

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No
FLASH POINT, °C: 103°C **AUTO IGNITION TEMPERATURE, °C:** not avail
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.
EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []
CONDITIONS TO AVOID: None
INCOMPATIBILITY (Material to Avoid) : Strong oxidizing materials
HAZARDOUS DECOMPOSITION PRODUCTS: Heat on contact with strong oxidizers.
REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, MSDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: May 26, 2003	

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.