



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 92039

PRODUCT NAME: TASKI UNDERCOVER**USE:** Floor Sealer**SUPPLIER:**

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: D2B**CHEMICAL FAMILY:** Acrylic**TRADE NAME / SYNONYMS:** not applicable**CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Diethylene glycol monoethyl ether	1-5	000111-90-0	LD50 5,500 mg/kg	oral/rat
Tributoxyethylphosphate	1-5	000078-51-3	LD50 3,000 mg/kg	oral/rat
Polymer Emulsion	10-30	Proprietary	not available	

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber, Neoprene or Nitrile **Eye:** safety glasses **Footwear:** not required

Respiratory: If mists are generated, use NIOSH approved mask. **Other:** not applicable

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.**VENTILATION REQUIREMENTS:** general ventilation**INCOMPATIBILITY (Material to Avoid):** Salt solutions, strong acids and/or bases.**SPILL PROCEDURES:** Spills can create extreme slip hazard. Contain the spill. Mop up or soak up with absorbent clay for disposal.**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.**STORAGE / SHIPPING REQUIREMENT:** Store in a cool dry area in a closed container. Avoid freezing.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Milky-white emulsion with characteristic odour**S.G. / BULK DENSITY(g/cc):** 0.955**pH:** 9.0**VAPOUR PRESSURE (mmHg):** not available**VAPOUR DENSITY (air=1):** not available**ODOUR THRESHOLD:** not available**BOILING POINT:** 100°C**FREEZING POINT:** not available**PERCENT VOLATILE:** approx 85%**SOLUBILITY IN WATER:** dispersable**EVAPORATION RATE (water=1):** 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**EYES:** May cause severe irritation.**SKIN:** Repeated or prolonged contact may result in irritation.**INGESTION:** May cause irritation of digestive tract.**INHALATION:** Breathing spray or mist may cause respiratory irritation.

LD50 (calculated): 3000 mg/kg		LC50 (calculated): not available	
OTHER TOXIC EFFECTS: TLV - STEL (Tributoxyethylphosphate): 1 mg/m3; TLV (Diethylene glycol monoethyl ether): 100 mg/m3.			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: not available			
VI - FIRST AID MEASURES			
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.			
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.			
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.			
INHALATION: Remove patient to fresh air.			
VII - FIRE AND EXPLOSION DATA			
FLAMMABLE: No			
FLASH POINT, °C: not available		AUTO IGNITION TEMPERATURE, °C: N/A	
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.			
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.			
EXPLOSIVE SENSITIVITY TO: not applicable			
VIII - REACTIVITY DATA			
STABILITY: Stable [X] Unstable []			
CONDITIONS TO AVOID: not available			
INCOMPATIBILITY (Material to Avoid) : Salt solutions, strong acids and/or bases.			
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon			
REACTIVITY: not dangerously reactive			
IX - MSDS PREPARATION			
SOURCES USED: RTECS, MSDS		PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200	
PREPARATION DATE: May 26, 2003			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.			