

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 95021						
PRODUCT NAME: SUNLIGHT OVEN & GRILL CLEANER						
USE: Oven and Grill Cleaner						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: Caustic Alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species	
Sodium hydroxide	7-13		001310-73-2	LDLo 500 mg/kg	oral/rab	
Phosphate ester of polyoxy alkylated fatty acid alcohol	1-5		068649-29-6	LD50 5200 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
Respiratory: If mists are generated, use NIOSH approved mask. SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): acids,soft metals SPILL PROCEDURES: Wear protective clothing. Contain the Mop up or soak up with absorbent of MASTE DISPOSAL:	Avoid eye a he spill. Do r clay for disp ial, and fede	not red not allow osal.	the spilled product to	·	vith dilute acid.	
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Straw coloured, clear liquid-odourless						
S.G. / BULK DENSITY(g/cc): 1.16			pH: 13.6			
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available			
ODOUR THRESHOLD: not available			BOILING POINT: not available			
FREEZING POINT: not available			PERCENT VOLATILE: 81%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): 1			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause SKIN: Corrosive. May cause severe irritation. May cause INGESTION: Corrosive. May cause severe irritation of the dig	Ise permane	ent dama	ge if not treated promp	tly.		
INHALATION: Breathing vapours or spray may cause respiratory irritation LD50 (calculated): 3,935 mg/kg			LC50 (calculated): not applicable			

EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:					
VI - FIRST AID MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.					
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.					
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.					
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. VII - FIRE AND EXPLOSION DATA					
FLAMMABLE: No					
1					
AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear protective clothing.					
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.					
EXPLOSIVE SENSITIVITY TO: not applicable					
VIII - REACTIVITY DATA					
STABILITY: Stable [x] Unstable []					
CONDITIONS TO AVOID: not applicable					
INCOMPATIBILITY (Material to Avoid) : acids, soft metals					
HAZARDOUS DECOMPOSITION PRODUCTS: Heat on contact with acids.					
REACTIVITY: Not dangerously reactive.					
IX - MSDS PREPARATION					
PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department					
Institutional Division Phone (905) 829-1200					
especting Controlled Products under the Hazardous Products Act and is ed. JohnsonDiversey Canada assumes no responsibility for injury to any ety procedures are not adhered to. In addition, JohnsonDiversey Canada m any abnormal use or theft of the material, even if reasonable safety terial and should review the data and recommendations in the specific					