



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 9732

PRODUCT NAME: **TEP 270**

USE: Powdered Powerwash Compound

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: D2B

CHEMICAL FAMILY: Alkaline cleaner

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium carbonate	7-13	000497-19-8	LD50 4090 mg/kg	oral/rat
Sodium dodecylbenzene sulphonate	5-10	025155-30-0	LD50 1260 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: not required

Eye: safety glasses

Footwear: not required

Respiratory: NIOSH approved dust mask.

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid breathing dust. Avoid eye contact.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Acidic materials.

SPILL PROCEDURES: Sweep or scoop up material for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Yellow powder

S.G. / BULK DENSITY(g/cc): 0.80

pH: (4% solution) 10.8

VAPOUR PRESSURE (mmHg): not applicable

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not available

BOILING POINT: not applicable

FREEZING POINT: not applicable

PERCENT VOLATILE: 10%

SOLUBILITY IN WATER: Soluble

EVAPORATION RATE (water=1): not applicable

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause severe irritation. No serious or irreversible effects if treated promptly.

SKIN: Repeated or prolonged contact may cause irritation.

INGESTION: Irritation of the digestive tract.

INHALATION: Breathing dusts may cause irritation of the upper respiratory tract.

LD50 (calculated): 11,222 mg/kg

LC50 (calculated): not available

OTHER TOXIC EFFECTS: none known

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

SKIN: Flush affected area thoroughly with water. If irritation persists, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.

INHALATION: Remove patient to fresh air.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []

SPECIAL FIRE FIGHTING PROCEDURES: not required

HAZARDOUS COMBUSTION PRODUCTS: not applicable.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: not applicable

INCOMPATIBILITY (Material to Avoid) : Acidic materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, MSDS

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Industrial Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.