

AUTO-CHLOR STAINLESS STEEL POLISH

MSDS ID: A0250100

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: AUTO-CHLOR STAINLESS STEEL POLISH

Product Code: A0250100

Product Function: Polish

MANUFACTURER: JOHNSON DIVERSEY, INC.

EMERGENCY PHONE NUMBER: (800) 851-7145

3630 E. KEMPER ROAD

CINCINNATI, OH 45241-2046

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name(CAS Number)	%	Exposure Limits
MINERAL SPIRITS (64475-85-0)	>30	1400 PPM
DENATURED ALCOHOL (64-17-5)	<5	1000 PPM

3. HAZARDS IDENTIFICATION

Possible Routes of Entry:

Inhalation: YES

Skin: YES

Ingestion: YES

4. FIRST AID MEASURES

Eyes: FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

Skin: FLUSH WITH PLENTY OF WATER. IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION.

Ingestion: GIVE WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Inhalation: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION

5. FIRE FIGHTING MEASURES

Flash Point (degrees F): 120F

Unusual Fire or Explosion Hazards: VAPOR MAY FORM AN EXPLOSIVE MIXTURE WITH AIR AND MAY TRAVEL TO SOURCES OF IGNITION AND FLASH BACK.

Extinguishing Media: FOAM, DRY CHEMICAL, WATER SPRAY

Fire Fighting Instructions: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE GEAR IN FIRE AREA.

6. ACCIDENTAL RELEASE MEASURES

If Material is Released or Spilled:

Confine spilled product to prevent environmental contamination. Keep out of storm sewers or surface waters. Small amount should be swept or mopped up and used for related cleaning tasks where possible. Larger amounts should be absorbed on vermiculite, clay, etc., and disposed of as industrial waste. If spilled material has been discharged into the natural environment, notify municipal, state and federal agencies as required by law.

AUTO-CHLOR STAINLESS STEEL POLISH

MSDS ID: A0250100

7. HANDLING AND STORAGE

Store in original container in a cool, dry place away from incompatible products.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection: Chemical goggles if contact or splash hazard exists.
Eye wash in use area.
Protective Gloves: IMPERVIOUS, RUBBER, NEOPRENE, PLASTIC
Respiratory Protection: MIST RESPIRATOR, IF NECESSARY
Other Protective Clothing/Equipment: Eyewash and safety shower in area if contact or splash hazard exists.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: White opaque liquid, ammonia odor.
Boiling Point (F): N/A Freezing Point: NOT DETERMINED
Specific Gravity: 1.1000
Volatile (by Vol.): 85% Solubility in Water: Miscible
pH: 9.6

10. STABILITY AND REACTIVITY

Chemical Stability: STABLE
Incompatibility With Other Materials: Strong acids, alkalis, bleach, cationics.
Hazardous Decomposition Products: OXIDES OF CARBON
Hazardous Polymerization: None

11. TOXICOLOGICAL INFORMATION

Signs and Symptoms of Overexposure:
Acute: EYES: Irritation with pain, swelling and redness may develop. SKIN: Irritation or dryness develop with long contact. INGESTION: If swallowed, diarrhea, nausea and vomiting may occur. INHALATION: Irritation of respiratory tract may develop.
Chronic: Same as Acute Effects.
Medical Conditions Generally Aggravated by Exposure: None known.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Spent or excess product is hazardous waste. Do not discharge to sewer or environment. Arrange disposal through a licensed disposal company or treat by special Waste Disposal Sheet. Recycle or dispose of containers by product labeling or governmental regulations.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 2/02/04
Replaces 8/12/03
Printed 3/29/04

AUTO-CHLOR STAINLESS STEEL POLISH**MSDS ID: A0250100**

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:**CERCLA/EPCRA:**

Section 313 Toxic Chemicals:

ALL CHEMICAL INGREDIENTS ARE LISTED ON TSCA INVENTORY.**CARCINOGENICITY:**

Not listed as carcinogenic by IARC, NTP, OSHA, ACGIH.

HMIS Ratings: Health: 2 Fire: 3 Reactivity: 0
Personal Protective Equipment: C

State Right-to-Know Information:

WATER - CAS #7732-18-5

MINERAL SPIRITS - CAS #64475-85-0

ALUMINUM SILICATE - CAS #66402-68-4

OLEIC ACID - CAS #112-80-1

AMMONIUM HYDROXIDE - CAS #1336-12-6

16. OTHER INFORMATION

DISCLAIMER: The information contained in this safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.