

# NON-AMMONIATED FLOOR STRIPPER

**Fire Hazard National Fire Hazardous Material** Health 3 Protection **Information System** 0 Fire Hazard 0 Health Reactivity **Association (NFPA)** (HMIS) Reactivity 0 Specific Hazard Protective Clear Yellowish. Liquid. See Section 9. Emergency DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. Clothing Overview HARMFUL OR FATAL IF SWALLOWED. Section 1. Chemical Product and Company Identification Code 3037950 NON-AMMONIATED FLOOR STRIPPER Product Name Industrial/Institutional: Floor care. This product is intended to be PMS# Not available. Product Use diluted prior to use. MSDS# F-00329001 Validation Date 3/20/2003 **Print Date** 3/20/2003 U.S. Headquarters **Canadian Headquarters** Johnson Wax Professional Johnson Wax Professional Supersedes No Previous Validation 8310 16th Street 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 (800) 851-7145 Sturtevant, Wisconsin 53177-0902 In Case of Phone: (888) 352-2249 Phone: (905) 755-0913 or Emergency (888) 746-5971 MSDS Internet Address: www.jwp.com

Section 2. Composition	tion 2. Composition and Information on Ingredients         tents       CAS # % by Weight       Exposure Limits       LC50/LD50			
Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Ethylene Glycol Phenyl Ether	122-99-6	1-5	Not available.	ORAL (LD50): Acute: 1260 mg/kg [Rat].
Monoethanolamine	141-43-5	5-10	OSHA (United States). TWA: 8 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup> ACGIH (United States). TWA: 7.5 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	OŘAĽ (LD50): Acute: 1720 mg/kg [Rat]. DERMAL (LD50): Acute: 1018 mg/kg [Rabbit].
2-Butoxyethanol	111-76-2	10-30	OSHA (United States). TWA: 120 mg/m <sup>3</sup> ACGIH (United States). TWA: 97 mg/m <sup>3</sup>	ORAL (LD50): Acute: 506 mg/kg [Rat]. DERMAL (LD50): Acute: 406 mg/kg [Rabbit]. VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat].
Water	7732-18-5	60-100	Not available.	Not available.

#### Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effect	S
Eyes	Corrosive. May cause permanent damage including blindness.
Skin	Corrosive. May cause permanent damage.
Inhalation	May cause irritation and corrosive effects to nose, throat and respiratory tract.
Ingestion	Corrosive. May cause burns to mouth, throat, and stomach.
Medical Conditions Aggravated by Overexposure	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may : be more susceptible to irritating effects.
See Toxicological Information	n (section 11)

#### Johnson wax PROFESSIONAL

## Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.
Ingestion	Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.

#### Section 5. Fire Fighting Measures

Flammability of the Product Flash Points	None known. Closed cup: >93.333°C (200°F).
<b>Products of Combustion</b>	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).

## Section 6. Accidental Release Measures

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

#### Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage	Keep container tightly closed. Protect from freezing. Store in a dry, cool and well-ventilated area. KEEP OUT OF REACH OF CHILDREN.

#### Section 8. Exposure Controls/Personal Protection

 Engineering Controls
 Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

 Personal Protection
 Eyes
 Chemical splash goggles.

 Hands
 Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.

Respiratory If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Feet Protective footwear.

Body If major exposure is possible, wear suitable protective clothing and footwear.

#### Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Solvent-like.
Color	Clear Yellowish.
рН	12.1
Specific Gravity	0.997
Solubility in water	Complete.

## Continued on Next Page

#### Johnson wax PROFESSIONAL

## NON-AMMONIATED FLOOR STRIPPER

Section	10.	Stability	and	Reactivity
---------	-----	-----------	-----	------------

,	•
Stability and Reactivity	The product is stable.
<b>Conditions of Instability</b>	None known.
Incompatibility with Various Substances	Reactive with oxidizing agents, acids.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

## Section 11. Toxicological Information

Acute toxicity Acute oral toxicity (LD50): Estimated to be 3844 mg/kg. Corrosive

Effects of Chronic ExposureNone known.Other Toxic EffectsNone known.

## Section 12. Ecological Information

Not available.

#### Section 13. Disposal Considerations

Waste Information

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

#### Section 14. Transport Information

#### DOT Classification

DOL	lassification	
	DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG	Classification	
	TDG Proper Shipping Name TDG Class	Please refer to the Bill of Lading/receiving documents for up to date shipping information.

## Section 15. Regulatory Information

Reporting in this section	is based on ingredients disclosed in Section 2
US Regulations	
	SARA 313 toxic chemical notification and release reporting: Ethylene Glycol Phenyl Ether CERCLA: Hazardous substances.: 2-Butoxyethanol
State	New Jersey spill list: 2-Butoxyethanol New Jersey: 2-Butoxyethanol, Monoethanolamine Massachusetts spill list: 2-Butoxyethanol, Monoethanolamine Massachusetts RTK: 2-Butoxyethanol, Monoethanolamine Pennsylvania RTK: 2-Butoxyethanol, Monoethanolamine
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	Not applicable.
Canadian Regulations	
WHMIS Classification	Not controlled under WHMIS (Canada).
WHMIS Icon	
Registered Product Information	Not applicable.

Continued on Next Page



#### NON-AMMONIATED FLOOR STRIPPER

**Chemical Inventory Status** 

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory

Section 16. Other Information			
Other Special Considerations	Not available.		
Version	1		
Notice to Reader			

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.