



BRIGHT TEST-LV

HMIS		NFPA	Personal protective equipment	
Health	3	3	  	
Fire Hazard	0	0		
Reactivity	0	0		

Version Number: 1

Preparation date: 2005-11-14

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BRIGHT TEST-LV
MSDS #: MS0100472
Product code: 11001470, 11001330, 11001150
Recommended use: Acid Cleaner.
Manufacturer, importer, supplier:
 JohnsonDiversey, Inc.
 3630 E. Kemper Rd.
 Cincinnati, OH 45241
 Phone: 1-800-438-2647
 Canadian Headquarters
 JohnsonDiversey - Canada, Inc.
 2401 Bristol Circle
 Oakville, Ontario L6H 6P1
 Phone: 1-800-668-7171
Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Skin contact. Eye contact. Inhalation.
Eye contact: Corrosive. Causes permanent eye damage, including blindness.
Skin contact: Corrosive. May cause permanent damage.
Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.
Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Monoethanolamine	141-43-5	1 - 5%	1720 mg/kg (rat)	1 mL/kg (rabbit)	Not available
Oxalic acid	6153-56-6	10 - 20%	Not available	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
Skin contact: Immediately wash off with plenty of water for at least 15 minutes. Get medical attention.
Inhalation: If breathing is affected, remove to fresh air. Get medical attention.
Ingestion: Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
Specific hazards: Not applicable
Unusual hazards: None known
Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.). Contaminated surfaces will be extremely slippery.

Environmental precautions and clean-up methods: Clean-up methods - large spillage. Prevent product from entering drains. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Chemical splash goggles.

Hand protection: Chemical resistant gloves Includes neoprene gloves

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	6 mg/m ³ 3 ppm	15 mg/m ³ (STEL) 8 mg/m ³ (TWA)
Oxalic acid	6153-56-6	2 mg/m ³ (STEL) 1 mg/m ³ (TWA)	1 mg/m ³	2 mg/m ³ (STEL) 1 mg/m ³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Bulk density:	8.78 lb/gal
pH:	2	Dilution pH:	2.95 (20%)
Appearance:	Aqueous solution	Vapor density:	No information available
Color:	Hazy Colourless	Evaporation rate:	No information available
Odor:	Mild Acidic	Boiling point/range:	Not determined
Specific gravity:	1.052 g/mL	Melting point/range:	Not determined
Density:	No information available.	Decomposition temperature:	Not determined
VOC:	3.8%	Autoignition temperature:	No information available
Flash point:	>200 (°F) >93.3 (°C)	Viscosity:	No information available
Solubility:	Soluble	Partition coefficient (n-octanol/water):	No information available
		Solubility in other solvents:	No information available

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur.

Hazardous decomposition products: Oxides of carbon .

Materials to avoid: Do not mix with chlorinated products . Bases .

11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral LD50 estimated to be 3000 - 4000 mg/kg Corrosive

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known

Mutagenic effects: None known

Reproductive toxicity: None known

Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste . Dispose of according to all federal, state and local applicable regulations .

RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Australia (AICS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Monoethanolamine	141-43-5	Listed	Listed	Listed	Listed	Listed	Listed
Water	7732-18-5	-	-	-	-	-	-
Oxalic acid	6153-56-6	Listed	Listed	Listed	Listed	Listed	-
Alkoxylated alcohol	69227-21-0	-	-	-	-	-	-

CERCLA / SARA

None

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate:	Y
Delayed:	N
Fire:	N
Reactivity:	N
Sudden Release of Pressure:	N

Canada

WHMIS hazard class: E Corrosive material .



16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.