

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): CLEAN ON THE GO SUPER HDQL10 [10] Product Division: **Janitorial**

Product Number: 4704

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

1110 Spartan Drive Maumee OH 43537

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			-	Table Z-1-A		
Chemical Name (s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Dialkyl dimethyl ammonium chloride	10-15	68424-95-3	Not Established	Not Established	Not Established	No
Alcohol ethoxylate	5-10	68131-39-5	Not Established	Not Established	Not Established	No
Alkyl dimethyl benzyl ammonium	5-10	68424-85-1	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Ethanol	1-5	64-17-5	1900	Not Established	Not Established	No
Tetrasodium ethylene diaminetetraacetate	1-5 -	64-02-8 -	Not Established -	Not Established -	Not Established -	No -

SECTION III: PHYSICAL DATA

Vapor Pressure:	Not determined
Solubility in Water:	Complete
Specific Gravity (H ₂ O=1):	1.01
Percent Solid by Weight:	30-40
	Solubility in Water: Specific Gravity (H ₂ O=1):

Appearance & Odor: Green liquid, fresh fragrance

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212°F	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustio	n. Use extinguishing media appropriate for surrounding fire.
C 'IE' E'II' D I W WOOM I W	

Special Fire Fighting Procedures: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed

containers with water spray.

Unusual Fire & Explosive Hazards: Combustion products are toxic.

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes
Effects of Overexposure- Conditions to Avoid:	CAUSES IRREVERSIBLE EYE DAM swelling and tissue damage. May be HARMFUL IF SWALLOWED. Symp INHALATION OF SPRAY MIST M may cause coughing and difficulty bro	otoms may include nausea, vomiting, pain and diarrhea. AY CAUSE RESPIRATORY IRRITATION. Breathing spray mise eathing. hing. Do not taste or swallow. Avoid inhalation of spray.
Conditions Aggravated by Use:	Use of this product may aggravate p and dermatitis.	reexisting skin; eye and respiratory disorders including asthma
Emergency & First Aid Procedur	es:	
Eyes:	Hold eye open and rinse slowly and present; after the first 5 minutes; the treatment advice.	gently with water for 15-20 minutes. Remove contact lenses; If hen continue rinsing eye. Call a poison control center or doctor for
Skin:	Take off contaminated clothing. Rin	se skin immediately with plenty of water for 15-20 minutes . Call a reatment advice. Wash contaminated clothing before reuse.
Ingestion:		r immediately for treatment advice. Have person sip a glass of uce vomiting unless told to do so by the poison control center or uth to an unconscious person.
Inhalation:		re person to fresh air. If person is not breathing; call 911 or an ation; preferably by mouth-to-mouth; if possible. Call a poison treatment advice.
	osal damage may contraindicate the u	ise of gastric lavage.
	Stable	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur
Stability: Hazardous Decomposition Products:	Stable CO, CO ₂	Incompatible Materials: Strong oxidizers
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO	Stable CO, CO ₂	Incompatible Materials: Strong oxidizers
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case	Stable CO, CO ₂ CEDURES Small spills of one gallon or less may	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If). Dike and contain large spills with inert material and transfer
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled:	Stable CO, CO ₂ CEDURES Small spills of one gallon or less may permitted by local sewer regulations liquid to containers for recovery or containers as above. Container disposal:	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If). Dike and contain large spills with inert material and transfer disposal. Triple rinse (or equivalent) then offer for recycling or ose of in a sanitary landfill, or incinerate, or if allowed by state and
Stability: Hazardous Decomposition Products: BECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method:	Stable CO, CO ₂ CEDURES Small spills of one gallon or less may permitted by local sewer regulations liquid to containers for recovery or or Same as above. Container disposals reconditioning, or puncture and disp local authorities, burn. If burned, st	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If). Dike and contain large spills with inert material and transfer disposal. Triple rinse (or equivalent) then offer for recycling or ose of in a sanitary landfill, or incinerate, or if allowed by state and
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION	Stable CO, CO ₂ CEDURES Small spills of one gallon or less may permitted by local sewer regulations liquid to containers for recovery or described as above. Container disposals reconditioning, or puncture and displacal authorities, burn. If burned, stable in the container of the container of the container of the container disposals reconditioning, or puncture and displacation authorities, burn. If burned, stable in the container of the cont	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If). Dike and contain large spills with inert material and transfer disposal. Triple rinse (or equivalent) then offer for recycling or ose of in a sanitary landfill, or incinerate, or if allowed by state and
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION VIII: SPECIAL PROTECTION:	Stable CO, CO ₂ CEDURES Small spills of one gallon or less may permitted by local sewer regulations liquid to containers for recovery or of Same as above. Container disposals reconditioning, or puncture and displocal authorities, burn. If burned, stable of the container of	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If). Dike and contain large spills with inert material and transfer disposal. Triple rinse (or equivalent) then offer for recycling or ose of in a sanitary landfill, or incinerate, or if allowed by state and tay out of smoke.
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION VIII: SPECIAL PROTECTION: Ventilation:	CEDURES Small spills of one gallon or less may permitted by local sewer regulations liquid to containers for recovery or or Same as above. Container disposal: reconditioning, or puncture and displocal authorities, burn. If burned, st. ION INFORMATION Not normally required when good ge occurs, use of a NIOSH approved reshould be considered. Provide good general ventilation. Local contents and spills approved to the should be considered.	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If and contain large spills with inert material and transfer disposal. Triple rinse (or equivalent) then offer for recycling or ose of in a sanitary landfill, or incinerate, or if allowed by state and transfer disposal of smoke. The rinse for equivalent is provided. However, if respiratory irritation is provided.
Stability: Hazardous Decomposition Products: SECTION VII: SPILL OR LEAK PRO Steps to be Taken in Case Material is Released or Spilled: Waste Disposal Method: SECTION VIII: SPECIAL PROTECTION VIII: SPECIAL PROTECTION: Ventilation: Protective Gloves(Specify Type):	Stable CO, CO ₂ CEDURES Small spills of one gallon or less may permitted by local sewer regulations liquid to containers for recovery or of Same as above. Container disposals reconditioning, or puncture and displocal authorities, burn. If burned, stable of the container of	Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur be flushed with plenty of water to sanitary sewer system (If and contain large spills with inert material and transfer disposal. Triple rinse (or equivalent) then offer for recycling or ose of in a sanitary landfill, or incinerate, or if allowed by state and tay out of smoke. The provided of the use-conditions and chemicals in Section II ocal exhaust ventilation may be necessary for some operations. The provided of the use-commended of the use

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep from freezing. Keep out of reach of child

Other Precautions: California Proposition 65:

WARNING: This product contains trace amounts of a chemical known to the State of California to cause

cancer; birth defects or other reproductive harm.

© SCC 11/15/2003 Name: Ronald T. Cook Title: Manager, Regulatory Affairs CLEAN ON THE GO SUPER HDQL10 Effective Date: 11/15/2003 Supercedes: 10/08/99

[10]

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II, IV, V, VII, VIII & IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.