

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Division: Product Name or Number (as it appears on label): **HDQ NEUTRAL Janitorial**

Product Number: 1202; 1201

Maumee OH 43537

Product/Technical Information: 1-(800)-537-8990 Spartan Chemical Company, Inc.

1110 Spartan Drive Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				Table Z-1-A		
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	Carcinoge n
Didecyl dimethyl ammonium	01-05	7173-51-5	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alkyl dimethyl benzyl ammonium	01-05	8001-54-5	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Octyl dimethyl amine oxide	01-05	2605-78-9	Not Established	Not Established	Not Established	No
Tetrasodium ethylene	01-05	64-02-8	Not Established	Not Established	Not Established	No
diaminetetraacetate	-	-	-	-	-	-
Ethanol	01-05	64-17-5	1900	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water:	Complete
pH: 7.2-8.2	Specific Gravity (H ₂ O=1):	1.00
Evaporation Rate (but.ace. = 1): <1	Percent Solid by Weight:	10-12
Physical State: Liquid		

Appearance & Odor: Non-viscous red liquid, mild citrus fragrance

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 200 °F	Method Used: ASTM-D56
Flammable Limits: N/A	Flame Extension: N/A
Extinguishing Media: N/A	

Special Fire Fighting Procedures: Must wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Cool

fire-exposed containers with water spray.

Unusual Fire & Explosive Hazards: Products of combustion are toxic.

SECTION V: HEALTH HAZARD DATA

	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral	
Effects of Overexposure- Conditions to Avoid:	HARMFUL TO EYES: Causes severed the conjunctiva and possible irreverse HARMFUL TO SKIN: Causes severe chemical burns. HARMFUL IF SWALLOWED: Ingabdomen; severe swelling of the circulatory shock and/or convulsions. HARMFUL IF INHALED: Inhalation	gestion can produce immediate pain in the mouth, throat an larynx; skeletal muscle paralysis affecting the ability to breath of product mist may cause respiratory irritation. othing. Do not swallow. Avoid breathing product mist.	
Conditions Aggravated by Use:	Preexisting skin; eye or respiratory	disorders.	
Emergency & First Aid Procedur	es:		
Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses after the first 5 minutes then continue rinsing eye. Get immediate medical attention.		
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Get medical attention. Wash contaminated clothing before reuse.		
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock; respiratory depression and convulsion may be needed.		
Inhalation:	In case of respiratory irritation; mov	/e person to fresh air. Get medical attention if irritation persists.	
Stability: Hazardous Decomposition Products:		Incompatible Materials: Strong oxidizers Hazardous Polymerization: Will Not Occur	
·	Dike and contain spill with inert mate to containers for recovery and dispo	erial (sand, earth, etc.) and transfer the liquid and solid separately osal. Keep spill out of sewers and open bodies of water.	
	Dispose of in compliance with all Federal, state and local laws and regulations. Incineration is the preferred method.		
Waste Disposal Method:	Dispose of in compliance with all Fec preferred method.		
ECTION VIII: SPECIAL PROTECT	preferred method. ION INFORMATION If exposure limits (see Section II) are		
Respiratory Protection:	ION INFORMATION If exposure limits (see Section II) arrespirator suitable for the use condit	deral, state and local laws and regulations. Incineration is the	
Respiratory Protection: Ventilation:	ION INFORMATION If exposure limits (see Section II) arrespirator suitable for the use condit Provide good general ventilation. Lo	deral, state and local laws and regulations. Incineration is the e exceeded or if respiratory irritation occurs, a NIOSH approved ions and chemicals listed in Section II should be worn. ocal exhaust ventilation may be necessary for some operations.	
Respiratory Protection: Ventilation: Protective Gloves(Specify Type):	ION INFORMATION If exposure limits (see Section II) arrespirator suitable for the use condit	deral, state and local laws and regulations. Incineration is the e exceeded or if respiratory irritation occurs, a NIOSH approved ions and chemicals listed in Section II should be worn. ocal exhaust ventilation may be necessary for some operations.	
Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type):	ION INFORMATION If exposure limits (see Section II) arrespirator suitable for the use condit Provide good general ventilation. Lo Rubber or neoprene gloves are recor Splash goggles and/or face shield	deral, state and local laws and regulations. Incineration is the e exceeded or if respiratory irritation occurs, a NIOSH approved ions and chemicals listed in Section II should be worn. ocal exhaust ventilation may be necessary for some operations.	
Respiratory Protection: Ventilation: Protective Gloves(Specify Type): Eye Protection(Specify Type): Other Protective Equipment:	ION INFORMATION If exposure limits (see Section II) arrespirator suitable for the use condit Provide good general ventilation. Lo Rubber or neoprene gloves are recor Splash goggles and/or face shield Eye wash stations and washing facility NS Keep from freezing. Store at temper	deral, state and local laws and regulations. Incineration is the e exceeded or if respiratory irritation occurs, a NIOSH approved ions and chemicals listed in Section II should be worn. ocal exhaust ventilation may be necessary for some operations. mmended to minimize skin contact.	

HDQ NEUTRAL Effective Date: 03/15/2002 Supercedes: 11/05/99

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II,III,IV, V, VII, VIII & IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.