



Spartan Chemical Company, Inc.

Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

N/C NO CHARGE STATIC DISSIPATIVE FLOOR FINISH

Product Number: 4013

Product Division:

Janitorial

Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee OH 43537

Product/Technical Information: **1-(800)-537-8990**

Medical Emergency: **1-(888)-314-6171 (24 hours)**

Chemical Leak/Spill Emergency: **CHEMTREC 1-(800) 424-9300 (24 hours)**

Shipping Description: Buffing, polishing compounds, liquid, n.o.s.

| NFPA Ratings: | HMIS Ratings: |
|--|---|
| Health: 1- Slight Fire: 0 - Minimal Reactivity: 0 - Minimal | Health: 1- Slight Fire: 0 - Minimal Reactivity: 0 - Minimal Pers. Prot. Equip.: B - Safety Glasses; gloves |

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

| Chemical Name(s) | %Wt | CAS Registry No. | Table Z-1-A | | | Carcinogen |
|------------------------------------|-------|------------------|-----------------------|------------------------|---------------------------|------------|
| | | | TWA mg/m ³ | STEL mg/m ³ | CEILING mg/m ³ | |
| *Diethylene glycol monoethyl ether | 4.24 | 111-90-0 | Not Established | Not Established | Not Established | No |
| Tributoxyethyl phosphate | - | - | - | - | - | - |
| Quaternary ammonium salts | 01-05 | 78-51-3 | Not Established | Not Established | Not Established | No |
| | 01-05 | Proprietary | Not Established | Not Established | Not Established | No |

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

| | |
|---|---|
| Boiling Point: 210 °F | Vapor Pressure: 18 mm Hg @ 75°F |
| Vapor Density (AIR = 1): Unknown | Solubility in Water: Complete |
| pH: 8.6-8.8 | Specific Gravity (H ₂ O=1): 1.02 |
| Evaporation Rate (but.ace.=1): <1 | Percent Solid by Weight: 19-21 |
| Physical State: Liquid | |
| Appearance & Odor: Translucent emulsion, slight ammoniacal odor | |

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

| | |
|--|-----------------------|
| Flash Point: None | Method Used: ASTM-D56 |
| Flammable Limits: Not Established | Flame Extension: N/A |
| Extinguishing Media: N/A | |
| Special Fire Fighting Procedures: None | |
| Unusual Fire & Explosive Hazards: None | |

SECTION V: HEALTH HAZARD DATA

| | |
|---|---|
| Threshold Limit Value: Not Established | Primary Routes of Entry: Inhalation, Skin Contact, Eyes |
| Effects of Overexposure- Conditions to Avoid: | May cause eye and skin irritation. Inhalation of vapors may cause respiratory irritation, headache and nausea. Harmful if swallowed. Diethylene glycol monoethyl ether may be absorbed through the skin in harmful amounts. Ingestion of diethylene glycol monoethyl ether may cause central nervous system and respiratory depression, gastrointestinal tract, liver and kidney impairment. Avoid contact with eyes and skin. Avoid breathing product vapors or mists. Do not swallow. |
| Conditions Aggravated by Use: | Unknown |

Emergency & First Aid Procedures:

| | |
|-------------|---|
| Eyes: | Immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention. |
| Skin: | Flush skin with water. Remove and wash clothing before reuse. If irritation persists; get medical attention. |
| Ingestion: | If swallowed; do not induce vomiting. Drink large amounts of water to dilute product. Get medical attention immediately. Never give anything by mouth to an unconscious person. |
| Inhalation: | In case of respiratory irritation; move person to fresh air. If irritation persists; get medical attention. |

SECTION VI: REACTIVITY DATA

| | |
|---|--|
| Stability: Stable | Incompatible Materials: Unknown |
| Hazardous Decomposition Products: Unknown | Hazardous Polymerization: Will Not Occur |

SECTION VII: SPILL OR LEAK PROCEDURES

| | |
|--|--|
| Steps to be Taken in Case Material is Released or Spilled: | For small spills flush with water into sanitary sewer. Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal. |
| Waste Disposal Method: | Incineration or approved landfill. Follow Federal, State and Local regulations. |

SECTION VIII: SPECIAL PROTECTION INFORMATION

| | |
|----------------------------------|--|
| Respiratory Protection: | None required |
| Ventilation: | Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations. |
| Protective Gloves(Specify Type): | Impervious gloves |
| Eye Protection(Specify Type): | Goggles |
| Other Protective Equipment: | None |

SECTION IX: SPECIAL PRECAUTIONS

| | |
|----------------------------------|-------------------------------|
| Precautions; Handling & Storing: | Keep from freezing |
| Other Precautions: | Keep out of reach of children |

© SCC 03/01/2000

Name: Ronald T. Cook

Title: Manager, Regulatory Affairs

**N/C NO CHARGE STATIC
DISSIPATIVE FLOOR FINISH**

Effective Date: 03/01/2000

Ref: 29 CFR 1910.1200 (OSHA)

Changes: New Product

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.