

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

TERRA GLAZE

Product Division:

Janitorial

Product Number: 5810

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Buffing, polishing compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: 1- Slight
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: B - Safety Glasses; gloves

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	Carcinoge n
*Dibutyl phthalate *Diethylene glycol monoethyl ether	1.6 6.5	84-74-2 111-90-0	5 Not Established	Not Established Not Established	Not Established Not Established	No No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

Boiling Point: 210 °F	Vapor Pressure:	18 mm Hg @ 75°F
Vapor Density (AIR = 1): Unknown	Solubility in Water:	Complete
pH: 8.0-8.5	Specific Gravity (H ₂ O=1):	1.03
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight:	24-26
Physical State: Liquid		_
Appearance & Odor: Milky emulsion, acrylic odor	•	

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: None	Method Used: ASTM-D56
Flammable Limits: N/A	Flame Extension: N/A
Extinguishing Media: N/A	
Special Fire Fighting Procedures: N/A	
Unusual Fire & Explosive Hazards: N/A	

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value: Not Established Primary Routes of Entry: Inhalation, Skin Contact

Effects of Overexposure- Vapors may be irritating to eyes and respiratory tract and may produce symptoms of headache and

Conditions to Avoid: nausea in poorly ventilated areas.

Conditions Aggravated by Use: Unknown

Emergency & First Aid Procedures:

Eyes: In case of contact; flush eyes with water for at least 15 minutes. Remove contact lenses. Call a

physician.

Skin: In case of contact; flush skin with water.

Ingestion: If swallowed; drink large quantities of water; call a physician.

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: None known
Hazardous Decomposition Products: None known	Hazardous Polymerization: Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Flush with water through sanitary sewer system.

Waste Disposal Method: Same as above.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: None required

Ventilation: Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be

necessary for some operations.

Protective Gloves(Specify Type): Impervious gloves

Eye Protection(Specify Type): Safety goggles

Other Protective Equipment: None required

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep from freezing.

Other Precautions: None

© SCC 09/24/99 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

TERRA GLAZE Effective Date: 09/24/99 Supercedes: 02/12/98

Ref: 29 CFR 1910.1200 (OSHA) Changes: Address and Format

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.