

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

TRILINC

Product Division:

Janitorial

Product Number: 4030

Spartan Chemical Company, Inc. Product/Technical Information: 1-(800)-537-8990

1110 Spartan Drive Medical Emergency: 1-(888)-314-6171 (24 hours)

Maumee OH 43537

Chamical Leal/(Seil Emergency: CUENTERC 1 (898) 434-6399

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Buffing, polishing compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
Health: 1- Slight	Health: 1- Slight
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	Carcinoge n
Acrylic polymer *Diethylene glycol monoethyl ether	NA 5.8	65405-61-0 111-90-0	Not Established 137.2 (AIHA)	Not Established Not Established	Not Established Not Established	No No
Tributoxyethyl phosphate	NA	- 78-51-3	Not Established	Not Established	Not Established	No
*Ammonium hydroxide *Methylpyrrolidone	1.6 1.2	1336-21-6 872-50-4	35 (ammonia) Not Established	Not Established Not Established	Not Established Not Established	No No
Urethane polymer Oxidized polyethylene	NA NA	Proprietary 68441-17-8	Not Established Not Established	Not Established Not Established	Not Established Not Established	No No
Ethylene copolymer	NA	67892-91-5	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

WÄRNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Methylpyrrolidone, CAS No. 872-50-4.

SECTION III: PHYSICAL DATA

Boiling Point: 210 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water:	Complete
pH: 8.5-9.0	Specific Gravity (H ₂ O=1):	1.03
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight:	24-26
Physical State: Liquid		

Appearance & Odor: Translucent emulsion, slightly aromatic

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: None	Method Used: ASTM-D56
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: N/A	

Special Fire Fighting Procedures: N/A

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value: Not Established		Primary Routes of Entry: Inhalation, Skin Contact, Eyes; Ingestion	
Effects of Overexposure- Conditions to Avoid:	May cause eye and skin irritation. Inhalation of vapors may cause respiratory irritation, headache and nausea. Harmful if swallowed. Diethylene glycol monoethyl ether may be absorbed through the skin in harmful amounts. Diethylene glycol monoethyl ether may cause central nervous system and respiratory depression, gastrointestinal tract, liver and kidney impairment. Methylpyrrolidone has demonstrated embryotoxic and testicular effects after repeated high doses in animal studies. Due to the low vapor pressure of methylpyrrolidone, dermal exposure represents the primary hazard in most settings. Avoid contact with eyes and skin. Avoid breathing product vapors or mists. Do not swallow.		
Conditions Aggravated by Use:	Previously existing skin; eye and respiratory disorders.		
Emergency & First Aid Procedure	es:		
Eyes:	Immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.		
Skin:	Flush skin with water. If irritation persists; get medical attention.		
Ingestion:	If swallowed; do not induce vomiting. Drink large amounts of water to dilute product. Get medical attention immediately. Never give anything by mouth to an unconscious person.		
Inhalation:	In case of respiratory irritation; move person to fresh air. If irritation persists; get medical attention.		
SECTION VI: REACTIVITY DATA	Stable	Incompatible Materials: Unknown	
Stability: Stable		'	
Hazardous Decomposition Products:	Unknown	Hazardous Polymerization: Will Not Occur	

SECTION VIII: SPECIAL PROTECTION INFORMATION

Steps to be Taken in Case

Respiratory Protection:	Not normally required when good ventilation is provided. However, if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, a NIOSH approved respirator suitable for the substances in Section II should be worn.
Ventilation:	Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Impervious gloves are recommended to prevent skin contact.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138.

Material is Released or Spilled: Small spills: flush with water to sewer system. Dike and contain large spills with inert material and

transfer liquid to containers for recovery or disposal.

Waste Disposal Method: Incineration or approved landfill. Follow Federal, State and Local regulations.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep from freezing.
Other Precautions:	Keep out of reach of children.

© SCC 01/01/2002 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

TRILINC Effective Date: 01/01/2002 Supercedes: 11/20/2000

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections II, V & VIII

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.