

# MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: N0500

PRODUCT NAME: LOTIONIZED SUPER DISHEEN

USE: Hand Dishwashing Detergent

SUPPLIER: **EMERGENCY PHONE:** 

JohnsonDiversey Canada, Inc.

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171 2401 Bristol Circle

WHMIS CLASSIFICATION: D2B TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: surfactants **CHEMICAL NAME:** not applicable

# **II - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Sodium alphaolefin sulphonate	10-30	068439-57-6	LD50 3500 mg/kg	oral/rat
Sodium lauryl ether sulphate	1-5	025446-80-4	LD50 1700 mg/kg	oral/rat
Ethyl alcohol	0.5-1.5	000064-17-5	LD50 7060 mg/kg	oral/rat

## III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: not required Eye: safety glasses Footwear: not required

Respiratory: not required Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and prolonged skin contact.

**VENTILATION REQUIREMENTS:** General ventilation

INCOMPATIBILITY (Material to Avoid): Oxidizing materials

Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. SPILL PROCEDURES:

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.

#### IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Opague yellow with lemon odour

S.G. / BULK DENSITY(g/cc): pH: 8.1

VAPOUR PRESSURE (mmHg): not applicable VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: **BOILING POINT:** not applicable approx. 100°C

PERCENT VOLATILE: FREEZING POINT: not available 76%

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1):

## V - TOXICOLOGICAL PROPERTIES

# **EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**

EYES: May cause irritation.

SKIN: Repeated or prolonged contact may result in irritation.

INGESTION: Irritation of the digestive tract.

INHALATION: No serious or irreversible effects expected.

LD50 (calculated): 15,318 mg/kg LC50 (calculated): not applicable OTHER TOXIC EFFECTS: TLV: TWA (ethyl alcohol): 1000 ppm

**EFFECTS OF CHRONIC** none known

**EXPOSURE TO MATERIAL:** 

VI - FIRST AID MEASURES

EYES: Flus h eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediatley.

SKIN: Flush affected area thoroughly with water.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a

INHALATION: Remove patient to fresh air.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable

Dry Chemical [x]

N/Ap

**EXTINGUISHING MEDIA:** 

Water [x]

Carbon Dioxide [x]

Foam [x]

**AUTO IGNITION TEMPERATURE,°C:** 

Other [ ]

SPECIAL FIRE FIGHTING PROCEDURES:

not applicable

**HAZARDOUS COMBUSTION PRODUCTS:** 

Oxides of carbon, sulphur, nitrogen, sodium.

**EXPLOSIVE SENSITIVITY TO:** not applicable

**VIII - REACTIVITY DATA** 

STABILITY:

Stable [X]

Unstable [ ]

**CONDITIONS TO AVOID:** 

not applicable

INCOMPATIBILITY (Material to Avoid):

Oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS:

Heat released on contact with oxidizing materials.

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: **RTECS**  PREPARED BY:

JohnsonDiversev Canada. Inc.

Regulatory Department Institutional Division Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.