# SAFETY DATA SHEET



## **Fragrance 30021828**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : Fragrance 30021828

Product name : GINGER & MANDARINE AFL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

1.3 Details of the supplier of the safety data sheet

**Supplier's details** : drom fragrances GmbH & Co. KG

Oberdiller Straße 18 tel. +49 89 74425-0 fax. +49 89 7934966 D-82065 Baierbrunn

e-mail address of person responsible for this SDS

: safety@drom.com

1.4 Emergency telephone number

**National advisory body/Poison Center** 

**Telephone number**: www.rshm.gov.tr

**Supplier** 

Emergency telephone number (with hours of

operation)

: +49 89 74425 288 9h - 17h (Mo - Fr)

## SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms





Signal word : Warning

**Hazard statements**: H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

**Prevention**: P280 - Wear protective gloves. Wear eye or face protection.

P273 - Avoid release to the environment.

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2

# dron FRAGRANCES

## **SECTION 2: Hazards identification**

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients : dipentene

linalool

α-hexylcinnamaldehyde

Terpineol citral

hexyl salicylate

3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one

citronellol

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

cineole

3,7-dimethylocta-1,6-diene

pin-2(3)-ene geranyl acetate eugenol

2-methylundecanal

1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one

isoeugenol

Supplemental label

**elements** 

: Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.1 Substances : Not applicable.

3.2 Mixtures : Mixture

| Product/ingredient name | Identifiers   | %    | Regulation (EC) No. 1272/2008<br>[CLP]  | Туре |
|-------------------------|---|------|---|------|
| pentene                 | EC: 205-341-0<br>CAS: 138-86-3<br>Index: 601-029-00-7   | 7.61 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | [1]  |
| linalool                | REACH #:<br>01-2119474016-42<br>EC: 201-134-4<br>CAS: 78-70-6                                       | 5.07 | Skin Irrit. 2, H315 Eye Irrit. 2, H319  | [1]  |
| α-hexylcinnamaldehyde   | REACH #:<br>01-2119533092-50<br>EC: 202-983-3<br>EC: 639-566-4<br>CAS: 101-86-0<br>CAS: 165184-98-5 | 5.00 | Skin Sens. 1B, H317  Aquatic Acute 1, H400  Aquatic Chronic 2, H411   | [1]  |
| Terpineol               | REACH #:<br>01-2119553062-49<br>EC: 232-268-1<br>CAS: 8000-41-7                                     | 3.01 | Skin Irrit. 2, H315 Eye Irrit. 2, H319  | [1]  |
| benzyl acetate          | REACH #:  | 2.50 | Aquatic Chronic 3, H412   | [1]  |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 2/25



# **SECTION 3: Composition/information on ingredients**

|   | 01-2119638272-42   | <b>g</b> . ≎ |   |     |
|---|--|--------------|---|-----|
|   | EC: 205-399-7<br>CAS: 140-11-4   |              |   |     |
| citral  | REACH #:<br>01-2119462829-23<br>EC: 226-394-6<br>CAS: 5392-40-5<br>Index: 605-019-00-3 | 2.07         | Skin Irrit. 2, H315  Eye Irrit. 2, H319  Skin Sens. 1B, H317  | [1] |
| hexyl salicylate  | REACH #:<br>01-2119638275-36<br>EC: 228-408-6<br>CAS: 6259-76-3                        | 2.00         | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410  | [1] |
| 6,6-Dimethoxy-2,5,<br>5-trimethylhex-2-ene                                      | EC: 266-885-2  | 1.50         | Skin Irrit. 2, H315   | [1] |
|   | CAS: 67674-46-8  |              | Eye Irrit. 2, H319<br>Aquatic Chronic 3, H412   |     |
| 3-methyl-4-(2,6,6-trimethyl-<br>2-cyclohexen-1-yl)-3-buten-<br>2-one            | EC: 204-846-3  | 1.40         | Skin Irrit. 2, H315   | [1] |
| 2-0116  | CAS: 127-51-5  |              | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411  |     |
| citronellol   | REACH #:<br>01-2119453995-23   | 1.02         | Skin Irrit. 2, H315   | [1] |
|   | EC: 203-375-0<br>CAS: 106-22-9   |              | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317   |     |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-<br>1-ol             | REACH #:<br>01-2119529224-45   | 1.00         | Eye Irrit. 2, H319  | [1] |
|   | EC: 248-908-8<br>CAS: 28219-61-6   |              | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |     |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | REACH #:<br>01-2119489989-04   | 1.00         | Skin Irrit. 2, H315   | [1] |
| Z naphanyi)dalah 1 dila   | EC: 915-730-3<br>CAS: 54464-57-2<br>CAS: 68155-66-8<br>CAS: 68155-67-9                 |              | Skin Sens. 1B, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410   |     |
| Oxacyclohexadecen-2-one   | REACH #:<br>01-0000016883-62   | 0.30         | Aquatic Acute 1, H400   | [1] |
|   | EC: 422-320-3<br>CAS: 34902-57-3<br>CAS: 111879-80-2<br>Index: 606-092-00-4            |              | Aquatic Chronic 1, H410   |     |
| pin-2(3)-ene  | EC: 201-291-9<br>CAS: 80-56-8  | 0.18         | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | [1] |
| 1-(2,6,6-trimethyl-<br>3-cyclohexen-1-yl)-2-buten-<br>1-one                     | EC: 260-709-8  | 0.10         | Acute Tox. 4, H302  | [1] |
| I-UIIC  | CAS: 57378-68-4  |              | Skin Irrit. 2, H315<br>Skin Sens. 1A, H317  |     |
|   | . 2016 05 12 Date of printin   |              |   |     |



#### 

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Hydrocarbon. (Content) : 9.01%

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Aquatic Acute 1, H400 Aquatic Chronic 1, H410

See Section 16 for the full text of the H statements declared above.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 


: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

# 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 4/25





## **SECTION 4: First aid measures**

Inhalation

: No known significant effects or critical hazards.

Skin contact

: Causes skin irritation. May cause an allergic skin reaction.

Ingestion

: No known significant effects or critical hazards.

Over-exposure signs/

**symptoms** 

: Not available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials:

carbon dioxide carbon monoxide

#### 5.3 Advice for firefighters

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### 6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### 6.3 Methods and materials for containment and cleaning up

Date of issue/Date of revision : 2016-05-13 Version : 2



### **SECTION 6: Accidental release measures**

#### **Small spill**

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

# 6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso Directive - Reporting thresholds (in tonnes)

#### **Danger criteria**

|  | Notification and MAPP threshold | Safety report threshold |
|--|---------------------------------|-------------------------|
| E2: Hazardous to the aquatic environment - Chronic 2 | 200                             | 500                     |
| C9ii: Toxic for the environment                      | 200                             | 500                     |

#### 7.3 Specific end use(s)

**Recommendations**: Industrial use only.



## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

## **Occupational exposure limits**

No exposure limit value known.

#### **DNELs/DMELs**

| Product/ingredient name | Type | Exposure                 | Value                        | Population | Effects  |
|-------------------------|------|--------------------------|------------------------------|------------|----------|
| inalool                 | DNEL | Long term Dermal         | 2.5 mg/kg<br>bw/day          | Workers    | Systemic |
|                         | DNEL | Long term<br>Inhalation  | 2.8 mg/m <sup>3</sup>        | Workers    | Systemic |
|                         | DNEL | Long term Dermal         | 15 mg/cm²                    | Workers    | Local    |
|                         | DNEL | Short term Dermal        | 15 mg/cm <sup>2</sup>        | Workers    | Local    |
|                         | DNEL | Long term Dermal         | 1.25 mg/<br>kg bw/day        | Consumers  | Systemic |
|                         | DNEL | Long term<br>Inhalation  | 0.7 mg/m³                    | Consumers  | Systemic |
|                         | DNEL | Long term Oral           | 0.2 mg/kg<br>bw/day          | Consumers  | Systemic |
|                         | DNEL | Short term Dermal        | 15 mg/cm²                    | Consumers  | Local    |
|                         | DNEL | Short term Dermal        | 2.5 mg/cm <sup>2</sup>       | Consumers  | Systemic |
|                         | DNEL | Short term<br>Inhalation | 4.1 mg/m³                    | Consumers  | Systemic |
|                         | DNEL | Short term Oral          | 1.2 mg/kg<br>bw/day          | Consumers  | Systemic |
|                         | DNEL | Long term Dermal         | 15 mg/cm²                    | Consumers  | Local    |
|                         | DNEL | Short term Dermal        | 5 mg/kg<br>bw/day            | Workers    | Systemic |
|                         | DNEL | Short term<br>Inhalation | 16.5 mg/m³                   | Workers    | Systemic |
| x-hexylcinnamaldehyde   | DNEL | Short term Dermal        | 0.525 mg/<br>cm <sup>2</sup> | Workers    | Local    |
|                         | DNEL | Short term<br>Inhalation | 6.28 mg/m <sup>3</sup>       | Workers    | Local    |
|                         | DNEL | Long term Dermal         | 18.2 mg/<br>kg bw/day        | Workers    | Systemic |
|                         | DNEL | Long term<br>Inhalation  | 0.078 mg/<br>m³              | Workers    | Systemic |
|                         | DNEL | Long term Dermal         | 0.525 mg/<br>cm <sup>2</sup> | Workers    | Local    |
|                         | DNEL | Long term<br>Inhalation  | 0.019 mg/<br>m³              | Consumers  | Systemic |
|                         | DNEL | Short term               | 4.7 mg/m³                    | Consumers  | Local    |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 7/25



# **SECTION 8: Exposure controls/personal protection**

| SECTION 6: Exposure con | 11015/P | ersonai prote            | Cuon                   |           |          |
|-------------------------|---------|--------------------------|------------------------|-----------|----------|
|                         |         | Inhalation               |                        |           |          |
|                         | DNEL    | Long term Dermal         | 9 mg/kg<br>bw/day      | Consumers | Systemic |
|                         | DNEL    | Long term Dermal         | 0.079 mg/<br>cm²       | Consumers | Local    |
|                         | DNEL    | Short term Dermal        | 0.079 mg/<br>kg bw/day | Consumers | Local    |
|                         | DNEL    | Long term Oral           | 0.056 mg/<br>kg bw/day | Consumers | Systemic |
| Terpineol               | DNEL    | Short term Dermal        | 5 mg/kg                | Workers   | Systemic |
|                         | DNEL    | Long term Dermal         | 1.17 mg/kg             | Workers   | Systemic |
|                         | DNEL    | Short term<br>Inhalation | 5.8 mg/m³              | Workers   | Systemic |
|                         | DNEL    | Long term<br>Inhalation  | 5.8 mg/m³              | Workers   | Systemic |
|                         | DNEL    | Short term Oral          | 2.5 mg/kg              | Consumers | Systemic |
|                         | DNEL    | Long term Oral           | 0.42 mg/kg             | Consumers | Systemic |
|                         | DNEL    | Short term Dermal        | 2.5 mg/kg              | Consumers | Systemic |
|                         | DNEL    | Long term Dermal         | 0.42 mg/kg             | Consumers | Systemic |
|                         | DNEL    | Short term<br>Inhalation | 1.25 mg/m³             | Consumers | Systemic |
|                         | DNEL    | Long term<br>Inhalation  | 1.25 mg/m³             | Consumers | Systemic |
| benzyl acetate          | DNEL    | Long term<br>Inhalation  | 21.9 mg/m³             | Workers   | Systemic |
|                         | DNEL    | Short term<br>Inhalation | 43.8 mg/m³             | Workers   | Systemic |
|                         | DNEL    | Long term Dermal         | 6.25 mg/<br>kg bw/day  | Workers   | Systemic |
|                         | DNEL    | Short term Dermal        | 12.5 mg/<br>kg bw/day  | Workers   | Systemic |
|                         | DNEL    | Long term<br>Inhalation  | 5.5 mg/m³              | Consumers | Systemic |
|                         | DNEL    | Short term<br>Inhalation | 11 mg/m³               | Consumers | Systemic |
|                         | DNEL    | Long term Dermal         | 3.125 mg/<br>kg bw/day | Consumers | Systemic |
|                         | DNEL    | Short term Dermal        | 6.25 mg/<br>kg bw/day  | Consumers | Systemic |
|                         | DNEL    | Long term Oral           | 3.125 mg/<br>kg bw/day | Consumers | Systemic |
|                         | DNEL    | Short term Oral          | 6.25 mg/               | Consumers | Systemic |

Date of issue/Date of revision: 2016-05-13Date of printing: 2016-05-13Version: 28/25



# SECTION 8: Exposure controls/personal protection

|   |      |                         | kg bw/day                   |           |          |
|---|------|-------------------------|-----------------------------|-----------|----------|
| citral  | DNEL | Long term<br>Inhalation | 9 mg/m³                     | Workers   | Systemic |
|   | DNEL | Long term Dermal        | 1.7 mg/kg                   | Workers   | Systemic |
|   | DNEL | Long term Dermal        | 0.14 mg/<br>cm <sup>2</sup> | Workers   | Local    |
|   | DNEL | Long term<br>Inhalation | 2.7 mg/m³                   | Consumers | Systemic |
|   | DNEL | Long term Dermal        | 1 mg/kg                     | Consumers | Systemic |
|   | DNEL | Long term Oral          | 0.6 mg/kg                   | Consumers | Systemic |
|   | DNEL | Long term Dermal        | 0.14 mg/<br>cm <sup>2</sup> | Consumers | Local    |
| hexyl salicylate  | DNEL | Long term<br>Inhalation | 0.729 mg/<br>m³             | Workers   | Systemic |
|   | DNEL | Long term Dermal        | 2083 mg/<br>kg bw/day       | Workers   | Systemic |
|   | DNEL | Long term<br>Inhalation | 0.219 mg/<br>m³             | Consumers | Systemic |
|   | DNEL | Long term Dermal        | 1250 mg/<br>kg bw/day       | Consumers | Systemic |
| citronellol   | DNEL | Long term<br>Inhalation | 161.6 mg/<br>m³             | Workers   | Systemic |
|   | DNEL | Long term Dermal        | 327.4 mg/<br>kg             | Workers   | Systemic |
|   | DNEL | Short term Dermal       | 2.95 mg/<br>cm <sup>2</sup> | Workers   | Local    |
|   | DNEL | Long term<br>Inhalation | 47.8 mg/m³                  | Consumers | Systemic |
|   | DNEL | Long term Dermal        | 196.4 mg/<br>kg             | Consumers | Systemic |
|   | DNEL | Long term Oral          | 13.8 mg/kg                  | Consumers | Systemic |
|   | DNEL | Short term Dermal       | 2.95 mg/<br>cm <sup>2</sup> | Consumers | Local    |
|   | DNEL | Long term<br>Inhalation | 10 mg/m³                    | Workers   | Local    |
|   | DNEL | Long term<br>Inhalation | 10 mg/m³                    | Consumers | Local    |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-1-ol | DNEL | Short term Oral         | 3 mg/kg<br>bw/day           | Workers   | Systemic |
|   | DNEL | Long term Oral          | 0.5 mg/kg<br>bw/day         | Workers   | Systemic |
|   | DNEL | Short term Dermal       | 6 mg/kg                     | Workers   | Systemic |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 9/25



# SECTION 8: Exposure controls/personal protection

|   | DNEL | Long term Dermal         | 1.4 mg/kg<br>bw/day           | Workers | -        |
|---|------|--------------------------|-------------------------------|---------|----------|
|   | DNEL | Short term<br>Inhalation | 7 mg/m³                       | Workers | Systemic |
|   | DNEL | Long term<br>Inhalation  | 7 mg/m³                       | Workers | Systemic |
| 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one | DNEL | Long term Dermal         | 0.1011 mg/<br>cm <sup>2</sup> | Workers | Local    |
|   | DNEL | Long term<br>Inhalation  | 1.76 mg/m³                    | Workers | Systemic |
|   | DNEL | Long term Dermal         | 1.73 mg/<br>kg bw/day         | Workers | Systemic |

## **PNECs**

| Product/ingredient name | Compartment Detail        | Value           | Method Detail |
|-------------------------|---------------------------|-----------------|---------------|
| nalool                  | Fresh water               | 0.2 mg/l        | -             |
|                         | Marine water              | 0.02 mg/l       | -             |
|                         | Intermittent release      | 2 mg/l          | -             |
|                         | Fresh water sediment      | 2.22 mg/kg dwt  | -             |
|                         | Marine water sediment     | 0.222 mg/kg dwt | -             |
|                         | Soil                      | 0.327 mg/kg dwt | -             |
|                         | Sewage Treatment<br>Plant | >10 mg/l        | -             |
| r-hexylcinnamaldehyde   | Fresh water               | 3 mg/l          | -             |
|                         | Marine water              | 0.003 mg/l      | -             |
|                         | Sewage Treatment<br>Plant | 10 mg/l         | -             |
|                         | Fresh water sediment      | 4.7 mg/l        | -             |
|                         | Marine water sediment     | 4.77 mg/l       | -             |
|                         | Soil                      | 9.51 mg/l       | -             |
|                         | Secondary Poisoning       | 6.6 mg/l        | -             |
| - erpineol              | Sewage Treatment<br>Plant | 2.57 mg/l       | -             |
|                         | Fresh water               | 0.062 mg/l      | -             |
|                         | Soil                      | 0.052 mg/kg     | -             |
|                         | Marine water              | 0.0062 mg/l     | -             |
|                         | Fresh water sediment      | 0.442 mg/kg     | -             |
|                         | Marine water sediment     | 0.044 mg/kg     | -             |
| penzyl acetate          | Fresh water               | 0.004 mg/l      | _             |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 10/25



# **SECTION 8: Exposure controls/personal protection**

| J   | -Citola o. Exposure controls/p                                  | ersonal protection        | <b>/11</b>            |                   |
|-----|---|---------------------------|-----------------------|-------------------|
|     |   | Marine water              | 0.0004 mg/l           | -                 |
|     |   | Intermittent release      | 0.04 mg/l             | -                 |
|     |   | Sewage Treatment<br>Plant | 8.55 mg/l             | -                 |
|     |   | Fresh water sediment      | 0.114 mg/kg           | -                 |
|     |   | Marine water sediment     | 0.0114 mg/kg          | -                 |
|     |   | Soil                      | 0.0205 mg/kg          | -                 |
|     | citral  | Fresh water               | 0.00678 mg/l          | -                 |
|     |   | Marine water              | 0.000678 mg/l         | -                 |
|     |   | Fresh water sediment      | 0.125 mg/kg           | -                 |
|     |   | Marine water sediment     | 0.0125 mg/kg          | -                 |
|     |   | Soil                      | 0.0209 mg/kg          | -                 |
|     |   | Sewage Treatment<br>Plant | 1.6 mg/l              | -                 |
|     |   | Intermittent release      | 0.0678 mg/l           | -                 |
|     | hexyl salicylate  | Fresh water               | 0.000357 mg/l         | -                 |
|     |   | Marine water              | 0.0000357 mg/l        | -                 |
|     |   | Fresh water sediment      | 0.059 mg/kg           | -                 |
|     |   | Marine water sediment     | 0.0059 mg/kg          | -                 |
|     |   | Soil                      | 0.0542 mg/kg          | -                 |
|     | citronellol   | Fresh water               | 0.0024 mg/l           | -                 |
|     |   | Marine water              | 0.00024 mg/l          | -                 |
|     |   | Sewage Treatment<br>Plant | 580 mg/l              | -                 |
|     |   | Fresh water sediment      | 0.0256 mg/kg          | -                 |
|     |   | Marine water sediment     | 0.00256 mg/l          | -                 |
|     |   | Soil                      | 0.00371 mg/kg         | -                 |
|     |   | Intermittent release      | 0.024 mg/l            | -                 |
|     | 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)<br>-2-buten-1-ol | Fresh water               | 0.63 µg/l             | -                 |
|     |   | Marine water              | 0.063 µg/l            | -                 |
|     |   | Fresh water sediment      | 0.04379 mg/kg<br>dwt  | -                 |
|     |   | Marine water sediment     | 0.004379 mg/kg<br>wwt | -                 |
|     |   | Soil                      | 0.00839 mg/kg         | -                 |
|     | 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,                             | Fresh water               | 0.0028 mg/l           | -                 |
| D-4 | e of issue/Date of revision : 2016-05-13                        | Data of printing          | • 2016-05-13          | Version : 2 11/25 |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 11/25



## **SECTION 8: Exposure controls/personal protection**

|                                      |                       |              |   | _ |
|--------------------------------------|-----------------------|--------------|---|---|
| 8-tetramethyl-2-naphthyl)ethan-1-one |                       |              |   |   |
|                                      | Marine water          | 0.00028 mg/l | - |   |
|                                      | Fresh water sediment  | 3.73 mg/kg   | - |   |
|                                      | Marine water sediment | 0.75 mg/kg   | - |   |
|                                      | Soil                  | 0.705 mg/kg  | - |   |

#### 8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid.

Color : Characteristic.

Odor : Characteristic.

Odor threshold : Not available.

pH : Not available.

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 12/25



## SECTION 9: Physical and chemical properties

Melting point/freezing point : Not available. Initial boiling point and : Not available.

boiling range

Flash point : Closed cup: 70°C **Evaporation rate** Not available. Upper/lower flammability or : Not available.

explosive limits

: 0.21 hPa Vapor pressure Vapor density : Not available.

: 0.968 to 0.978 g/cm3 [20°C] **Density** Solubility in water Non water-soluble liquid

Partition coefficient: n-octanol/: Not available.

water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

: Kinematic (40°C): <0.07 cm<sup>2</sup>/s (Estimated.) **Viscosity** 

: Not available. **Explosive properties** : Not available. **Oxidizing properties** 

#### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

| Product/ingredient name | Result                          | Species | Dose        | Exposure |
|-------------------------|---------------------------------|---------|-------------|----------|
| pentene                 | LD50 Oral                       | Rat     | 5300 mg/kg  | -        |
| linalool                | LD50 Dermal                     | Rabbit  | 5610 mg/kg  | -        |
|                         | LD50 Dermal                     | Rat     | 5610 mg/kg  | -        |
|                         | LD50 Oral                       | Rat     | 2790 mg/kg  | -        |
| α-hexylcinnamaldehyde   | LC50 Inhalation Dusts and mists | Rat     | >2100 mg/m³ | 8 hours  |
|                         |                                 |         |             |          |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version 13/25



# SECTION 11: Toxicological information

|   | ogical illioillation |        |             |   |
|---|----------------------|--------|-------------|---|
|   | LD50 Oral            | Rat    | 3100 mg/kg  | - |
| Terpineol   | LD50 Dermal          | Rabbit | >3000 mg/kg | - |
|   | LD50 Oral            | Rat    | 4300 mg/kg  | - |
| benzyl acetate  | LD50 Dermal          | Rabbit | >5 g/kg     | - |
|   | LD50 Oral            | Rat    | 2490 mg/kg  | - |
| citral  | LD50 Dermal          | Rabbit | 2250 mg/kg  | - |
|   | LD50 Oral            | Rat    | 3.45 g/kg   | - |
| hexyl salicylate  | LD50 Dermal          | Rabbit | >5 g/kg     | - |
|   | LD50 Oral            | Rat    | >5 g/kg     | - |
| 6,6-Dimethoxy-2,5,<br>5-trimethylhex-2-ene                                      | LD50 Dermal          | Rat    | >2000 mg/kg | - |
| 3-methyl-4-(2,6,6-trimethyl-<br>2-cyclohexen-1-yl)-3-buten-<br>2-one            | LD50 Dermal          | Rabbit | >5000 mg/kg | - |
|   | LD50 Oral            | Rat    | >5000 mg/kg | - |
| citronellol   | LD50 Dermal          | Rabbit | 2650 mg/kg  | - |
|   | LD50 Oral            | Rat    | 3450 mg/kg  | - |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-<br>1-ol             | LD50 Dermal          | Rabbit | 4600 mg/kg  | - |
|   | LD50 Oral            | Rat    | 5000 mg/kg  | - |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | LD50 Dermal          | Rat    | >5000 mg/kg | - |
|   | LD50 Oral            | Rat    | >5000 mg/kg | - |
| Oxacyclohexadecen-2-one   | LD50 Dermal          | Rat    | >2000 mg/kg | - |
|   | LD50 Oral            | Rat    | >2000 mg/kg | - |
| pin-2(3)-ene  | LD50 Dermal          | Rabbit | >5000 mg/kg | - |
|   | LD50 Oral            | Rat    | 3700 mg/kg  | - |
| 1-(2,6,6-trimethyl-<br>3-cyclohexen-1-yl)-2-buten-<br>1-one                     | LD50 Dermal          | Rabbit | >5000 mg/kg | - |
|   | LD50 Oral            | Mouse  | 1821 mg/kg  | - |
| 2-methylundecanal   | LD50 Dermal          | Rabbit | >10 g/kg    | - |
|   | LD50 Oral            | Rat    | >5 g/kg     | - |

**Irritation/Corrosion** 

# **dron**

## **Fragrance 30021828**

# SECTION 11: Toxicological information

| Product/ingredient name | Result                   | Species                            | Score | Exposure                   | Observation |
|-------------------------|--------------------------|------------------------------------|-------|----------------------------|-------------|
| imalool                 | Eyes - Moderate irritant | Rabbit                             | -     | 1 hours 0.1<br>Mililiters  | -           |
|                         | Eyes - Moderate irritant | Rabbit                             | -     | 100<br>microliters         | -           |
|                         | Skin - Moderate irritant | Guinea pig                         | -     | 24 hours 100<br>milligrams | -           |
|                         | Skin - Mild irritant     | Human                              | -     | 72 hours 32<br>Percent     | -           |
|                         | Skin - Mild irritant     | Man                                | -     | 48 hours 16 milligrams     | -           |
|                         | Skin - Mild irritant     | Rabbit                             | -     | 24 hours 500<br>milligrams | -           |
|                         | Skin - Severe irritant   | Rabbit                             | -     | 24 hours 100<br>milligrams | -           |
| Terpineol               | Eyes - Mild irritant     | Mammal -<br>species<br>unspecified | -     | 12.5 Percent               | -           |
|                         | Skin - Moderate irritant | Rabbit                             | -     | 24 hours 500<br>milligrams | -           |
| citral                  | Skin - Moderate irritant | Guinea pig                         | -     | 48 hours 1<br>Percent      | -           |
|                         | Skin - Severe irritant   | Guinea pig                         | -     | 24 hours 100<br>milligrams | -           |
|                         | Skin - Mild irritant     | Human                              | -     | 24 hours 40 milligrams     | -           |
|                         | Skin - Severe irritant   | Man                                | -     | 48 hours 16 milligrams     | -           |
|                         | Skin - Severe irritant   | Pig                                | -     | 48 hours 50 milligrams     | -           |
|                         | Skin - Moderate irritant | Rabbit                             | -     | 24 hours 500<br>milligrams | -           |
|                         | Skin - Severe irritant   | Rabbit                             | -     | 24 hours 100<br>milligrams | -           |
| citronellol             | Eyes - Moderate irritant | Rabbit                             | -     | 0.42 Percent               | -           |
|                         | Skin - Severe irritant   | Guinea pig                         | -     | 24 hours 100<br>milligrams | -           |
|                         | Skin - Moderate irritant | Man                                | -     | 48 hours 16 milligrams     | -           |
|                         | Skin - Moderate irritant | Rabbit                             | -     | 4 hours 0.42<br>Percent    | -           |
|                         | Skin - Severe irritant   | Rabbit                             | -     | 24 hours 100<br>milligrams | -           |
|                         | Skin - Severe irritant   | Rabbit                             | -     | 4 hours 0.5                | -           |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 15/25



## **SECTION 11: Toxicological information**

|                   |                          |            |   | Mililiters                 |   |
|-------------------|--------------------------|------------|---|----------------------------|---|
| pin-2(3)-ene      | Skin - Severe irritant   | Man        | - | 100 Percent                | - |
|                   | Skin - Moderate irritant | Rabbit     | - | 24 hours 500<br>milligrams | - |
| 2-methylundecanal | Skin - Moderate irritant | Guinea pig | - | -                          | - |

#### **Sensitization**

| Product/ingredient name   | Route of exposure | Species | Result      |
|---|-------------------|---------|-------------|
| α-hexylcinnamaldehyde   | skin              | Mouse   | Sensitizing |
| citronellol   | skin              | Mouse   | Sensitizing |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | skin              | Mouse   | Sensitizing |

#### **Mutagenicity**

| Product/ingredient name   | Test   | Experiment                                       | Result   |
|---|--|--|----------|
| α-hexylcinnamaldehyde   | OECD 471 Bacterial<br>Reverse Mutation Test            | Experiment: In vitro                             | Negative |
|   |  | Subject: Bacteria                                |          |
|   | OECD 474 Mammalian<br>Erythrocyte<br>Micronucleus Test | Experiment: In vivo                              | Negative |
|   | miorenacione i cot                                     | Subject: Mammalian-Animal                        |          |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | -  | Experiment: In vitro                             | Negative |
| 2 hapminynjeinam i one  |  | Subject: Mammalian-Human                         |          |
|   | -  | Experiment: In vivo<br>Subject: Mammalian-Animal | Negative |

#### **Aspiration hazard**

| Product/ingredient name | Result                         |
|-------------------------|--------------------------------|
| <b>d</b> ípentene       | ASPIRATION HAZARD - Category 1 |
| pin-2(3)-ene            | ASPIRATION HAZARD - Category 1 |

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation. May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness





## **SECTION 11: Toxicological information**

: No specific data. Ingestion

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects

: Not available.

**Long term exposure** 

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

| Product/ingredient name | Result                 | Species | Dose      | Exposure |
|-------------------------|------------------------|---------|-----------|----------|
| α-hexylcinnamaldehyde   | Sub-acute NOAEL Oral   | Rat     | 150 mg/kg | -        |
|                         | Sub-acute LOAEL Dermal | Rat     | 125 mg/kg | -        |

**General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Interactive effects : Not available.

**Toxicokinetics** 

**Absorption** : Not available. **Distribution** : Not available. **Metabolism** : Not available. **Elimination** : Not available. Other information : Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

| Product/ingredient name | Result                             | Species  | Exposure |
|-------------------------|------------------------------------|--|----------|
| dipentene               | Acute EC50 28.2 mg/l Fresh water   | Daphnia - Daphnia magna  | 48 hours |
|                         | Acute EC50 20.2 mg/l Fresh water   | Fish - Pimephales promelas -<br>Juvenile (Fledgling, Hatchling,<br>Weanling) | 96 hours |
|                         | Acute IC50 13.798 mg/l Fresh water | Algae - Pseudokirchneriella subcapitata                                      | 96 hours |
|                         | Acute LC50 31 mg/l Fresh water     | Daphnia - Daphnia magna  | 48 hours |
|                         | Acute LC50 38.5 mg/l Fresh water   | Fish - Pimephales promelas -<br>Juvenile (Fledgling, Hatchling,<br>Weanling) | 96 hours |
| linalool                | Acute EC50 141.4 mg/l              | Aquatic plants   | 96 hours |
|                         | Acute EC50 59 mg/l                 | Daphnia  | 48 hours |
|                         | Acute EC50 >100 mg/l               | Micro-organism   | 3 hours  |
|                         | Acute LC50 27.8 mg/l               | Fish   | 96 hours |

Date of issue/Date of revision : 2016-05-13 Version : 2 17/25



# **SECTION 12: Ecological information**

| α-hexylcinnamaldehyde   | Acute EC50 0.247 mg/l               | Daphnia  | 48 hours             |
|---|-------------------------------------|--|----------------------|
|   | Acute LC50 1.7 mg/l                 | Fish   | 96 hours             |
|   | Chronic EC10 0.107 mg/l Fresh water | Daphnia  | 21 days              |
| Terpineol   | Acute EC50 73 mg/l                  | Daphnia  | 48 hours             |
|   | Acute LC50 80 mg/l                  | Fish   | 96 hours             |
| benzyl acetate  | Acute EC50 17 mg/l                  | Daphnia  | 48 hours             |
|   | Acute EC50 855 mg/l                 | Micro-organism   | 3 hours              |
|   | Acute IC50 114 mg/l                 | Algae  | 72 hours             |
|   | Acute LC50 4000 μg/l Fresh water    | Fish - Oryzias latipes - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours             |
|   | Chronic NOEC 52 mg/l                | Algae  | 72 hours             |
| citral  | Acute EC50 103.8 mg/l               | Aquatic plants   | 72 hours             |
|   | Acute EC50 7 mg/l                   | Daphnia  | 48 hours             |
|   | Acute LC50 6.8 mg/l                 | Fish   | 96 hours             |
| hexyl salicylate  | Acute EC50 0.357 mg/l               | Daphnia  | 48 hours             |
|   | Acute LC50 0.61 mg/l                | Algae  | 72 hours             |
|   | Acute LC50 1.34 mg/l                | Fish   | 96 hours             |
| 6,6-Dimethoxy-2,5,<br>5-trimethylhex-2-ene                                      | Acute EC50 50.7 mg/l                | Daphnia  | 48 hours             |
| 3-methyl-4-(2,6,6-trimethyl-<br>2-cyclohexen-1-yl)-3-buten-<br>2-one            | Acute EC50 2.65 mg/l                | Daphnia  | 48 hours             |
| citronellol   | Acute EC10 580 mg/l                 | Micro-organism   | 30 minutes           |
|   | Acute EC50 2.4 mg/l                 | Aquatic plants   | 72 hours             |
|   | Acute EC50 17.48 mg/l               | Daphnia  | 48 hours             |
|   | Acute LC50 14.66 mg/l               | Fish   | 96 hours             |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-<br>1-ol             | Acute EC50 0.6 mg/l                 | Algae  | 96 hours             |
|   | Acute EC50 0.79 mg/l                | Daphnia  | 48 hours             |
| l I   | Acute LC50 0.78 mg/l                | Fish   | 96 hours             |
|   | Acute 2000 0.70 mg/l                |  |                      |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | Acute EC50 2.6 mg/l                 | Algae  | 72 hours             |
| 2,3,8,8-tetramethyl-  | · ·                                 | Algae  Daphnia   | 72 hours<br>48 hours |
| 2,3,8,8-tetramethyl-  | Acute EC50 2.6 mg/l                 |  |                      |



# SECTION 12: Ecological information

|   | Chronic NOEC 0.16 mg/l | Fish    | 30 days  |
|---|------------------------|---------|----------|
| Oxacyclohexadecen-2-one                                     | Acute EC50 >0.96 mg/l  | Daphnia | 48 hours |
|   | Acute LC50 >0.8 mg/l   | Fish    | 96 hours |
| 1-(2,6,6-trimethyl-<br>3-cyclohexen-1-yl)-2-buten-<br>1-one | Acute LC50 0.977 mg/l  | Fish    | 96 hours |
| 2-methylundecanal   | Acute EC50 0.18 mg/l   | Algae   | 72 hours |
|   | Acute EC50 0.21 mg/l   | Daphnia | 48 hours |
|   | Acute LC50 0.35 mg/l   | Fish    | 96 hours |
|   | Acute NOEC 0.089 mg/l  | Algae   | -        |

## 12.2 Persistence and degradability

| Product/ingredient name                    | Test   | Result                        | Dose | Inoculum |
|--|--|-------------------------------|------|----------|
| linalool                                   | OECD 301C<br>Ready<br>Biodegradability -<br>Modified MITI<br>Test (I)          | 64.2 % - Readily - 28 days    | -    | -        |
| α-hexylcinnamaldehyde                      | OECD 301F<br>Ready<br>Biodegradability -<br>Manometric<br>Respirometry<br>Test | 97 % - Readily - 28 days      | -    | -        |
| Terpineol                                  | OECD 301F<br>Ready<br>Biodegradability -<br>Manometric<br>Respirometry<br>Test | 80 % - Readily - 28 days      | -    | -        |
| benzyl acetate                             | OECD 301B<br>Ready<br>Biodegradability -<br>CO <sub>2</sub> Evolution<br>Test  | 92 % - Readily - 28 days      | -    | -        |
| citral                                     | OECD 301C<br>Ready<br>Biodegradability -<br>Modified MITI<br>Test (I)          | 92 % - Readily - 28 days      | -    | -        |
| hexyl salicylate                           | OECD 301F<br>Ready<br>Biodegradability -<br>Manometric<br>Respirometry<br>Test | 82 % - Readily - 28 days      | -    | -        |
| 6,6-Dimethoxy-2,5,<br>5-trimethylhex-2-ene | OECD 301D<br>Ready<br>Biodegradability -<br>Closed Bottle                      | <60 % - Not readily - 28 days | -    | -        |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 19/25



# **SECTION 12: Ecological information**

| Letter 12. Leologi  | •  |                              |                   | <u> </u> |                  |
|---|--|------------------------------|-------------------|----------|------------------|
|   | Test   |                              |                   |          |                  |
| 3-methyl-4-(2,6,6-trimethyl-<br>2-cyclohexen-1-yl)-3-buten-<br>2-one            | -  | 77 % - Rea                   | dily - 28 days    | -        | -                |
| citronellol   | OECD 301F<br>Ready<br>Biodegradability -<br>Manometric<br>Respirometry<br>Test | 90 % - Rea                   | dily - 28 days    | -        | -                |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-<br>1-ol             | OECD 301D<br>Ready<br>Biodegradability -<br>Closed Bottle<br>Test              | 5 % - Not re                 | eadily - 28 days  | -        | -                |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | OECD 301C<br>Ready<br>Biodegradability -<br>Modified MITI<br>Test (I)          | 11 % - Not                   | readily - 28 days | -        | -                |
| Oxacyclohexadecen-2-one   | OECD 301F<br>Ready<br>Biodegradability -<br>Manometric<br>Respirometry<br>Test | 97 % - Rea                   | dily - 28 days    | -        | -                |
| pin-2(3)-ene  | OECD 301C<br>Ready<br>Biodegradability -<br>Modified MITI<br>Test (I)          | 37 % - Not                   | readily - 31 days | -        | -                |
| 1-(2,6,6-trimethyl-<br>3-cyclohexen-1-yl)-2-buten-<br>1-one                     | OECD 301C<br>Ready<br>Biodegradability -<br>Modified MITI<br>Test (I)          | 16 % - Not readily - 28 days |                   | -        | -                |
| 2-methylundecanal   | 301F Ready<br>Biodegradability -<br>Manometric<br>Respirometry<br>Test         | 68 % - Rea                   | dily - 28 days    | -        | -                |
| Product/ingredient name   | Aquatic half-life  |                              | Photolysis        |          | Biodegradability |
| linalool  | _  |                              | -                 |          | Readily          |

| Product/ingredient name                    | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|------------------|
| linalool                                   | -                 | -          | Readily          |
| α-hexylcinnamaldehyde                      | -                 | -          | Readily          |
| Terpineol                                  | -                 | -          | Readily          |
| benzyl acetate                             | -                 | -          | Readily          |
| citral                                     | -                 | -          | Readily          |
| hexyl salicylate                           | -                 | -          | Readily          |
| 6,6-Dimethoxy-2,5,<br>5-trimethylhex-2-ene | -                 | -          | Not readily      |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 20/25

# drom

## **Fragrance 30021828**

# SECTION 12: Ecological information

| 3-methyl-4-(2,6,6-trimethyl-<br>2-cyclohexen-1-yl)-3-buten-<br>2-one            | - | - | Readily     |
|---|---|---|-------------|
| citronellol   | - | - | Readily     |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-<br>1-ol             | - | - | Not readily |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | - | - | Not readily |
| Oxacyclohexadecen-2-one   | - | - | Readily     |
| pin-2(3)-ene  | - | - | Not readily |
| 1-(2,6,6-trimethyl-<br>3-cyclohexen-1-yl)-2-buten-<br>1-one                     | - | - | Not readily |
| 2-methylundecanal   | - | - | Readily     |

#### 12.3 Bioaccumulative potential

| Product/ingredient name LogPow BCF Potential                                    |      |       |      |
|---|------|-------|------|
|   | 4.57 | BCI   |      |
| dipentene   | 4.57 | -     | high |
| linalool  | 2.84 | -     | low  |
| α-hexylcinnamaldehyde   | 5.3  | 6000  | high |
| Terpineol   | 3.1  | 24.13 | low  |
| benzyl acetate  | 1.49 | 8     | low  |
| citral  | 2.76 | 89.72 | low  |
| hexyl salicylate  | 5.5  | 8913  | high |
| 6,6-Dimethoxy-2,5,<br>5-trimethylhex-2-ene                                      | 4.3  | -     | high |
| citronellol   | 3.41 | 82.59 | low  |
| 2-ethyl-4-(2,2,3-trimethyl-<br>3-cyclopenten-1-yl)-2-buten-<br>1-ol             | 4.3  | 667   | high |
| 1-(1,2,3,4,5,6,7,8-octahydro-<br>2,3,8,8-tetramethyl-<br>2-naphthyl)ethan-1-one | 5.65 | -     | high |
| Oxacyclohexadecen-2-one   | 5.45 | -     | high |
| pin-2(3)-ene  | 4.83 | 1845  | high |
| 1-(2,6,6-trimethyl-<br>3-cyclohexen-1-yl)-2-buten-<br>1-one                     | 4.2  | -     | high |
| 2-methylundecanal   | 3.6  | -     | low  |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 21/25



## **SECTION 12: Ecological information**

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects**: No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: The classification of the product may meet the criteria for a hazardous waste.

#### European waste catalogue (EWC)

| Waste code | Waste designation                              |  |
|------------|--|--|
| 16 03 05*  | organic wastes containing dangerous substances |  |

#### **Packaging**

**Methods of disposal** 

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

#### **Special precautions**

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

|                                    | ADR/RID  | IMDG   | IATA   |
|------------------------------------|--|--|--|
| 14.1 UN number                     | UN3082   | UN3082   | UN3082   |
| 14.2 UN proper shipping name       | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dipentene, alpha-hexylcinnamaldehyde) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dipentene, alpha-hexylcinnamaldehyde) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dipentene, alpha-hexylcinnamaldehyde) |
| 14.3 Transport<br>hazard class(es) | 9  | 9  | 9  |
| 14.4 Packing group                 | III  | III  | III  |
|                                    |  |  |  |

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 22/25



| SECTION 14: Transport information |   |  |   |
|-----------------------------------|---|--|---|
| 14.5<br>Environmental<br>hazards  | Yes.  | Marine pollutant   | Yes.  |
| Additional information            | This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4. 1.1.8.  Tunnel code (E) | This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4. 1.1.8. | This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4. 1, 5.0.2.6.1.1 and 5.0.2.8. |

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture. placing on the market and use of certain dangerous substances, mixtures and articles

Registration status

All components are listed : Philippines inventory (PICCS)

Taiwan inventory (CSNN)

United States inventory (TSCA 8b)

Europe inventory (EINECS/ELINCS/

NLP)

Canada inventory (DSL/NDSL)

At least one component is not listed in DSL but all such components are

listed in NDSL.

15.2 Chemical Safety **Assessment** 

: This product contains substances for which Chemical Safety Assessments are still

required.

Date of issue/Date of revision : 2016-05-13 Version : 2 23/25



### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification          | Justification      |
|-------------------------|--------------------|
| Skin Irrit. 2, H315     | Calculation method |
| Eye Irrit. 2, H319      | Calculation method |
| Skin Sens. 1, H317      | Calculation method |
| Aquatic Chronic 2, H411 | Calculation method |

Full text of abbreviated H statements

: H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Acute Tox. 4, H302 ACUTE TOXICITY (oral) - Category 4
Aquatic Acute 1, H400 AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1, H410 AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 3, H411 AQUATIC HAZARD (LONG-TERM) - Category 3

Asp. Tox. 1, H304 ASPIRATION HAZARD - Category 1
Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRI Flam. Liq. 3, H226 FLAMMABLE LIQUIDS - Category 3

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1
Skin Sens. 1A, H317 SKIN SENSITIZATION - Category 1A
Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B

Date of printing
Date of issue/ Date of

revision

: 2016-05-13 : 2016-05-13

Date of previous issue : 2015-12-14

Version : 2

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 24/25



Date of issue/Date of revision : 2016-05-13 Date of printing : 2016-05-13 Version : 2 25/25