



SAFETY DATA SHEET

Revision Date 06/09/2015

REVISION NUMBER: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 108 GLS GLASS CLEANER PLUS, Mirrors & Glass Cleaner

Other means of identification

Product code 117663

UN/ID No. 1950

Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended Use No information available.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

See Distributor information.

Importer

Rochester Midland Limited
5353 John Lucas Drive
Suite 103
Burlington, ON L7L 6G5
Canada

Distributor

Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053
OUTSIDE U.S.: +1-352-323-3500
CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Gases under pressure

Liquefied gas

Label elements

Emergency Overview

WARNING

Contains gas under pressure; may explode if heated

**Appearance** Clear**Physical state** Aerosol Compressed
liquefied gas**Odor** Butyl odor**Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

Hazards not otherwise classified (HNOC)

No information available

Other Information**3. COMPOSITION/INFORMATION ON INGREDIENTS**

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
2-Butoxyethanol	111-76-2	2.5 - 10	*
Ethyl alcohol	64-17-5	2.5 - 10	*
Butane	106-97-8	1 - 2.5	*
Propane	74-98-6	1 - 2.5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****General advice**

No hazards which require special first aid measures.

Eye contact

IF IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

IF ON SKIN: Wash with soap and water.

Inhalation

IF INHALED: Remove to fresh air.

Ingestion

IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water fog, carbon dioxide, foam, dry chemical.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Explosion data

Sensitivity to Mechanical Impact NONE.

Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate affected area. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Environmental precautions

Environmental precautions

Keep out of drains, sewers, streams, or other bodies of water. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Stop the flow of gas or remove cylinder to outdoor location if this can be done without risk. If leak is in container or container valve, contact the appropriate emergency telephone number in Section 1.

Methods for cleaning up

Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Contents under pressure. Never pierce, drill, grind, cut, saw or weld any empty container. Do not smoke. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Bond and ground during liquid transfer. Do not reuse container. Avoid contact with skin and eyes. Use only with adequate ventilation. Use personal protection recommended in Section 8. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Protect from sunlight. Store at temperatures not exceeding 50 °C/ 122 °F. Do not store near heat, sparks or flame.

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
---------------------	-----------	----------	------------

2-Butoxyethanol 111-76-2	TWA: 20 ppm	S* (vacated) S* (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ TWA: 50 ppm TWA: 240 mg/m ³	700 ppm
Ethyl alcohol 64-17-5	STEL: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	3300 ppm
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	-
Propane 74-98-6	TWA: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ TWA: 1000 ppm TWA: 1800 mg/m ³	2100 ppm

Appropriate engineering controls**ENGINEERING CONTROLS**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Safety glasses are recommended to minimize eye contact.

Skin and body protection

Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION

None normally required. Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Aerosol Compressed liquefied gas	Odor	Butyl odor
Appearance	Clear	Odor threshold	No information available
Color	Colorless or Light Yellow		
Property	Values	Remarks • Method	
pH	10.0	+/- 0.5	
Melting point/freezing point	No information available		
Boiling point / boiling range	100 °C / 212 °F		
Flash point	No information available		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.97		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		

Explosive properties No information available
Oxidizing properties No information available

Other Information

Softening point No information available
VOC (EPA METH.24) (G/L): No information available
Density No information available
Bulk density No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact May cause slight irritation.

Skin contact Prolonged contact may lead to irritation and dermatitis.

Ingestion Large amounts may cause irritation, nausea, diarrhea.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Ethyl alcohol 64-17-5	-	-	= 124.7 mg/L (Rat) 4 h
Butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-
Ethyl alcohol 64-17-5	A3	Group 1	Known	X

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information**12. ECOLOGICAL INFORMATION****Ecotoxicity**

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2	-	2950: 96 h Lepomis macrochirus mg/L LC50 1490: 96 h Lepomis macrochirus mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50
Ethyl alcohol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Ethyl alcohol 64-17-5	-0.32
Butane 106-97-8	2.89
Propane 74-98-6	2.8

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container. Pressurized container: Do not pierce or burn, even after use.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION

UN/ID No. 1950
Proper shipping name AEROSOLS, NONFLAMMABLE (each not exceeding 1 L capacity)
Hazard Class 2.2
Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

TDG

UN/ID No. 1950
Proper shipping name AEROSOLS, NONFLAMMABLE (each not exceeding 1 L capacity)
Hazard Class 2.2
Description 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	No
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	No
Sudden release of pressure hazard	YES
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

PRODUCT COMPOSITION	CA PROP 65:
Ethyl alcohol - 64-17-5	Listed Developmental

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
2-Butoxyethanol 111-76-2	Listed	Listed	Listed
Ethyl alcohol 64-17-5	0844	Listed	Listed
Butane 106-97-8	0273	Listed	Listed
Propane 74-98-6	1594	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION**NFPA**

Health hazards 1

Flammability 0

Instability 0

Physical and Chemical Properties -

HMIS

Health hazards 1

Flammability 0

Physical hazards 0

Personal protection B

Revision Date

06/09/2015

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***