



SAFETY DATA SHEET

Revision Date 05/26/2015

REVISION NUMBER: 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name F-20, Liquid Alkaline Sanitizer

Other means of identification

Product code 119084
UN/ID No. 1903
Synonyms NONE
Registration Number(s) 10324-111-527

Recommended use of the chemical and restrictions on use

Recommended Use No information available.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624 USA

Importer

Rochester Midland Limited
5353 John Lucas Drive
Suite 103
Burlington, ON L7L 6G5
Canada

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053
OUTSIDE U.S.: +1-352-323-3500
CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Flammable liquids

Category 3

Label elements

Emergency Overview

WARNING

Flammable liquid and vapor

**Appearance** Clear Orange**Physical state** Liquid**Odor** Odorless**Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting/equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

- Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Isopropanol	67-63-0	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures**General advice**

Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact

IF IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

IF INHALED: Remove to fresh air.

Ingestion

IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Dry chemical, CO₂, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE.

Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Isolate traffic and ventilate area. Eliminate all ignition sources. Wear protective gear as necessary. Dike to prevent spread. Pick up absorbent material and put in suitable container for proper disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling DANGER. CORROSIVE LIQUID. Combustible material. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Read and follow label instructions. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store only in original container and keep closed. Store in a cool, dry area. Store in a well ventilated area. Keep from freezing. Do not contaminate food or feed stuffs. Do not reuse container. Empty containers may retain product residue, follow SDS/label precautions even after container is emptied.

Incompatible materials Strong oxidents, such as nitric acid, or hypochlorites. Reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parametersExposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	(vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ TWA: 400 ppm TWA: 980 mg/m ³	2000 ppm

Appropriate engineering controls**ENGINEERING CONTROLS**

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses or goggles to protect against exposure.

Skin and body protection

Appropriate protective clothing as needed to prevent skin contact. Chemical resistant gloves are recommended to minimize skin contact. Rubber Boots. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIESInformation on basic physical and chemical properties

Physical state	Liquid	Odor	Odorless
Appearance	Clear Orange	Odor threshold	No information available
Color	No information available		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	9.0		
Melting point/freezing point	No information available		
Boiling point / boiling range	No information available		
Flash point	57.2 °C / 135 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.984		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		

Other Information

Softening point No information available
 VOC (EPA METH.24) (G/L): No information available
 Density No information available
 Bulk density No information available

10. STABILITY AND REACTIVITY**REACTIVITY**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Keep away from heat, sparks, and flame. Strong oxidizing agents.

Incompatible materials

Strong oxidents, such as nitric acid, or hypochlorites. Reducing agents.

Hazardous Decomposition Products

Carbon Monoxide. Carbon dioxide (CO₂). Hydrogen chloride gas.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information No data available.

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Isopropanol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0	-	Group 3	-	-

Reproductive Toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 120438 mg/kg
ATEmix (dermal) 13647 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

0.005% of the mixture consists of component(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Isopropanol 67-63-0	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	1400000: 96 h Lepomis macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through	13299: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Isopropanol 67-63-0	0.05

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION**DEPT. OF TRANSPORTATION**

UN/ID No. 1903
Proper shipping name DISINFECTANT LIQUID, CORROSIVE, N.O.S. (QUATERNARY AMMONIUM COMPOUND)
Hazard Class 8
Packing Group III
Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

TDG

UN/ID No. 1903
Proper shipping name DISINFECTANT LIQUID, CORROSIVE, N.O.S. (QUATERNARY AMMONIUM COMPOUND)
Hazard Class 8

**Subsidiary class
Description**

III
5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	1.0

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	No
CHRONIC HEALTH HAZARD	YES
FIRE HAZARD	YES
Sudden release of pressure hazard	No
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Isopropanol 67-63-0	Listed	Listed	Listed

U.S. EPA Label Information**EPA Pesticide Registration Number** 10324-111-527**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

DANGER.

Corrosive.

Causes irreversible eye and skin burns. Harmful if swallowed, inhaled or absorbed through the skin.

This pesticide is toxic to fish and aquatic invertebrates.

16. OTHER INFORMATION**NFPA****Health hazards** 3**Flammability** 2**Instability** 0**Physical and Chemical Properties** CORR**HMIS****Health hazards** 3**Flammability** 0**Physical hazards** 0**Personal protection** C**Prepared By**

EH&S DEPARTMENT

Revision Date

05/26/2015

Revision Note**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

***** END OF SDS *****