_

SSS Bag-In-Box Pearl Lotion Hand Soap

Version 1.2	Revision Date: 02/10/2015	-	SDS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014		
SECTION 1	IDENTIFICATION					
Product	name	:	SSS Bag-In-Box F	Pearl Lotion Hand Soap		
Product	code	:	: 83100			
	acturer or supplier's c ny name of supplier	leta :	ils TRIPLE S			
Address	5	:	2 Executive Park I Billerica, MA 0186			
Telepho	one	ę	978-667-7900			
Emerge	ency telephone	8	388-779-1339			
Recom	mended use of the cl	nem	nical and restrictio	ons on use		
Recom	mended use	:	Skin-care			
Restrict	ions on use	:	consumers and ot foreseeable use. (specifically defined exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS sl employees and ot intended-use guid	care or cosmetic product that is safe for her users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. I is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions I and unintended exposures such as large hould be retained and available for her users of this product. For specific ance, please refer to the information ackage or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification
Not a hazardous substance or mixture.
GHS Label element
Not a hazardous substance or mixture.
Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: Date of first issue	
Chem	ical Name		CAS-No.	Concentration (%)
Alcoh salts	ols, C10-16, ethoxyla	ted, sulfates, sodium	68585-34-2	>= 1 - < 5
Cocoa	amidopropyl betaine		61789-40-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Sulfur oxides Carbon oxides Metal oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

Versio 1.2	'n	Revision Date: 02/10/2015		DS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
		protective equipment ighters	:	necessary.	ed breathing apparatus for firefighting if ective equipment.
SECTI	ION 6.	ACCIDENTAL RELE	ASE	E MEASURES	
pr	rotectiv	al precautions, ve equipment and ncy procedures	:	Follow safe handl equipment recom	ing advice and personal protective mendations.
E	nviron	mental precautions	:	Prevent further lea Prevent spreading barriers). Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages ed.
		s and materials for nent and cleaning up	:	For large spills, pro- containment to kee can be pumped, so container. Clean up remaining absorbent. Local or national of disposal of this m employed in the co determine which of Sections 13 and 1	a absorbent material. Tovide diking or other appropriate the material from spreading. If diked material store recovered material in appropriate and materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.
Personal protective equipment	

Respiratory protection		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection		
Remarks	:	Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses
Skin and body protection	:	Skin should be washed after contact.

Hygiene measures	: Ensure that eye flushing systems and safety showers are located close to the working place.
	When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Version 1.2	Revision Date: 02/10/2015		DS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	9. PHYSICAL AND CH	ЕМІС	CAL PROPERTI	ES
Appe	arance	:	liquid	
Color	-	:	opalescent, pin	k
Odor		:	floral	
Odor	Threshold	:	No data availat	ble
рН		:	4.8 - 6.2	
Melti	ng point/freezing point	:	No data availat	ble
Solid	ification / Setting point		2.9 °C	
Initial range	l boiling point and boiling e	:	97.00 °C	
Flash	n point	:	> 100 °C	
Evap	oration rate	:	No data availat	ble
Flam	mability (solid, gas)	:	Not applicable	
Uppe	er explosion limit	:	No data availat	ble
Lowe	er explosion limit	:	No data availat	ble
Vapo	r pressure	:	No data availat	ble
Relat	ive vapor density	:	No data availat	ble
Dens	ity	:	1.00 g/cm3	
	bility(ies) ater solubility	:	soluble	
	ion coefficient: n- nol/water	:	Not applicable	
Autoi	gnition temperature	:	No data availat	ble
Deco	mposition temperature	:	The substance	or mixture is not classified self-reactive.
Visco Vis	osity scosity, kinematic	:	3,000 - 16,000	mm2/s (20 °C)
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance	or mixture is not classified as oxidizing.

Vers 1.2	ion	Revision Date: 02/10/2015		DS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014			
SEC	TION 1	0. STABILITY AND R	EAC	ΤΙVITY				
	Reactiv	vity	:	: Not classified as a reactivity hazard.				
	Chemi	cal stability	:	: Stable under normal conditions.				
	Possibility of hazardous reac- tions		:	: Can react with strong oxidizing agents.				
	Conditions to avoid			: None known.				
	Incompatible materials		:	: Oxidizing agents				
	Hazardous decomposition products			: No hazardous decomposition products are known.				
SEC	TION 1	1. TOXICOLOGICAL	INFC	RMATION				
	Inform Inhalat Skin co Ingestio Eye co	ontact	of e	exposure				
		toxicity ssified based on availa	able	information.				

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity				
Cocoamidopropyl betaine: Acute oral toxicity	: LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials			
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials 			

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014		
		Remarks: Base	d on data from similar materials		
Carci	nogenicity				
	lassified based on ava				
IARC	;		his product present at levels greater than or lentified as probable, possible or confirmed h by IARC.		
OSH	A		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
NTP			is product present at levels greater than or lentified as a known or anticipated carcinogen		
	amidopropyl betain ts on fetal developme	nt : Test Type: Emb Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414		
	-single exposure	ileble information			
	lassified based on ava				
	F-repeated exposure lassified based on available				
	ated dose toxicity				
Ingre Coco Speci NOAE Applic Expos Metho	dients: amidopropyl betain es: Rat EL: 250 mg/kg cation Route: Ingestio sure time: 90 d od: OECD Test Guide arks: Based on data fr	n line 408			

Aspiration toxicity

Not classified based on available information.

Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	12. ECOLOGICAL IN	FORMATION	
Ecot	oxicity		
Cocc	edients: pamidopropyl betaine sity to fish	: LC50: > 1 - 10 Exposure time Method: ISO 7	: 96 h
Toxic	ity to bacteria		ng/l D Test Guideline 209 ed on data from similar materials
Pers	istence and degradat	bility	
Prod	uct:		
Biode	egradability	: Result: Biodeg	radable
Alco	edients: hols, C10-16, ethoxyl egradability		m salts: y biodegradable.
	amidopropyl betaine egradability	: Result: Readily Biodegradatior Exposure time Method: OECE	n: > 60 %
	ccumulative potentia ata available	I	
	i lity in soil ata available		
	r adverse effects ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know


Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxy sodium salts	lated, sulfates, 68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
New Jersey Right To Know		
Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxy sodium salts	lated, sulfates, 68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
Cocoamidopropyl betaine	e 61789-40-0	1 - 5 %

Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014			
California Prop 65		State of Califor	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.			
The i AICS	ngredients of this pr	oduct are reported in : All ingredients	the following inventories:			
	tories					

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety	(eChem Portal search results and European Chemicals Agen-
Data Sheet	(cy, http://echa.europa.eu/

Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8