

# Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

SUPER HDQ NEUTRAL

Product Number: 1204

Product Division: Janitorial

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990 Medical Emergency: 1-(888)-314-6171 (24 hours) 1110 Spartan Drive

Maumee OH 43537 Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Disinfectants, liquid corrosive, n.o.s., 8, UN 1903, III, (contains didecyl dimethyl ammonium chloride, n-alkyl dimethyl benzyl ammonium chloride

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

#### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Didecyl dimethyl ammonium	5-10	7173-51-5	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alkyl dimethyl benzyl ammonium	5-10	68424-85-1	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alcohol ethoxylate	1-5	2605-78-9	Not Established	Not Established	Not Established	No
Tetrasodium ÉDTA	1-5	64-02-8	Not Established	Not Established	Not Established	No
Ethanol	1-5	68439-46-3	1900	Not Established	Not Established	No

## SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure: Unknown	
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete	
pH: 7.2-8.2	Specific Gravity (H <sub>2</sub> O=1): 1.00	
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 20-25	
Physical State: Liquid		
Appearance & Odor: Non-viscous green liquid, cool fresh fr	ragrance	

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212 °F	Method Used: ASTM-D56
Flammable Limits: N/A	Flame Extension: N/A
Extinguishing Media: Product does not support combustion.	. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.	
Unusual Fire & Explosive Hazards: Products of combustion are toxic.	

SECTION V:	HEALTH HAZARD DATA

SECTION V: HEALTH HAZARD DATA			
Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral	
Effects of Overexposure-	CORROSIVE:		
		MAGE: Symptoms may include pain, redness, swelling of the	
	conjunctiva and tissue damage.		
	CAUSES SKIN BURNS: Symptoms may include pain, redness and tissue destruction. Harmful if		
absorbed through the skin.			
		oms may include nausea, vomiting, pain and diarrhea.	
	INHALATION OF SPRAY MIST MAY CAUSE RESPIRATORY IRRITATION: Breathing spray mis		
	cause coughing and respiratory irritati		
		ng. Do not taste or swallow. Avoid inhalation of spray mist. Wash	
	thoroughly with soap and water after h	•	
Conditions Aggravated by Use:	, , , , , ,	eexisting skin; eye; and respiratory disorders including asthma and	
	dermatitis.		
Emergency & First Aid Procedures:	•		
Eyes:	Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses after		
	the first 5 minutes then continue rinsi	ng eye. Get immediate medical attention.	
Skin:	Take off contaminated clothing. Rins	e skin immediately with plenty of water for 15-20 minutes. Get	
	medical attention. Wash contaminate	ed clothing before reuse.	
Ingestion:	Call a poison control center or doctor	immediately for treatment advice. Have person sip a glass of water	
	if able to swallow. Do not induce von	niting unless told to do so by the poison control center or doctor. Do	
	not give anything by mouth to an unc	onscious person.	
Inhalation:	Move person to fresh air. If person is	not breathing; call 911 or an ambulance; then give artificial	
		h if possible. Call a poison control center or doctor for further	
	treatment advice.	F	
NOTE TO PHYSICIAN: Probable muc		use of acetric layage	
NOTE TO THIS ICIAN. Flobable lind	cosai damage may contramdicate the t	ise of gastric lavage.	
SECTION VI: REACTIVITY DATA			
Stability:	Stable	Incompatible Materials: Strong oxidizers	
Hazardous Decomposition Products:	CO, CO <sub>2</sub>	Hazardous Polymerization: Will Not Occur	

## SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Rinse area with water and flush to sanitary sewer. Keep spill out of storm sewers and waterways.

Waste Disposal Method: Dispose of in compliance with all federal, state and local laws and regulations.

#### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or if respiratory irritation occurs, use of a NIOSH approved respirator suitable for the

use-conditions and chemicals in Section II should be considered.

Ventilation:

Provide good general ventilation. Local exhaust ventilation may be necessary for some operations. Protective Gloves(Specify Type):

Rubber or other impervious gloves are recommended.

Splash goggles and/or face shield Eye Protection(Specify Type):

Eye wash stations and washing facilities should be readily accessible in areas where undiluted product is Other Protective Equipment: handled.. See 29 CFR 1910.132-138 for further guidance.

## SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep from freezing. Store at temperatures below 140 F. Keep containers closed until used.

Do not contaminate drinking water; food or feed by storage or disposal.

Other Precautions: Keep out of reach of children.

© SCC 07/29/2008 Name: Title: Ronald T. Cook Manager, Regulatory Affairs

Effective Date: 07/29/2008 Supercedes: 12/14/2005 SUPER HDQ NEUTRAL

Ref: 29 CFR 1910.1200 (OSHA) Changes: New formula

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as

to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations