			nt of Labor			
29 CFR 1910.1200						OMB No. 1218-0072
Identity # 03715	Name	COCONUT	HANDSOAP			
Section 1						
Manufacturer's Name - Genla						
Address - 5568 Schaefer Ave City - Chino State		Phone (Che Phone -	emtrec) 1-(8 (909)			)
ony onno onato	0/1		Person - S			atan
Date Prepared- 12/19/2006	6					
Section 2 - Hazardous Ingredient	s/Identity Inforr	mation				
Hazardous Components	CAS	# OSH/	PEL ACGI	H TLV		Weight% (Optional)
None	NONE	NONE	NONE			
Note: No Hazardous Com	ponents as Lis	ted in 29 CFR	1900.1000 or	other p	pertinen	t OSHA regulations
VOC Content- None g/L						
Section 3 - Physical/Chemical Ch	aracteristics					
-						
Boiling Point- >212 F Vapor Pressure - Not Tested		Sp	ecific Gravity-	1.040		
Vapor Density - Not Tested		Mo	lting Daint N		1	
			Iting Point - N			
			aporation Rate			
Solubility In Water- 100%	UE WHITE LIG	Eva	aporation Rate	e - Not		
Solubility In Water- 100%	UE WHITE LIC	Eva	aporation Rate	e - Not		
Solubility In Water- 100% Appearance and Odor- OPAQ		Eva	aporation Rate	e - Not		
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha		Eva QUID WITH CO	aporation Rate	e - Not	Tested	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha		Eva QUID WITH CO Flamma	aporation Rate CONUT ODO ble Limits - No	e - Not R. ot Teste	Tested	
Solubility In Water- 100%		Eva QUID WITH CO Flamma UEL-	aporation Rate CONUT ODO ble Limits - No Not Teste	e - Not R. ot Teste	Tested	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested		Eva QUID WITH CO Flamma	aporation Rate CONUT ODO ble Limits - No	e - Not R. ot Teste	Tested	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0	zard Data	Eva DUID WITH CO Flamma UEL- DOT#	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste	Tested ed	R
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F		Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste	Tested	R 0
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0	zard Data R S 0 0	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY	R S 0 0	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY	R S 0 0	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY	R S 0 0	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures Unusual Fire and Explosion Haza Section 5 - Reactivity Data	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures Unusual Fire and Explosion Haza Section 5 - Reactivity Data Stability - Stable	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures Unusual Fire and Explosion Haza Section 5 - Reactivity Data Stability - Stable	R S 0 0 FOAM NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures Unusual Fire and Explosion Haza	R S 0 0 FOAM NONE ards- NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None rd Rating -	e - Not R. ot Teste ed H	Tested ed F	
Solubility In Water- 100% Appearance and Odor- OPAQ Section 4 - Fire and Explosion Ha Flash Point- None LEL- Not Tested pH- 6.5 - 8.0 NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0 Extinguishing Media- CO2, DRY Special Fire Fighting Procedures Unusual Fire and Explosion Haza Stability - Stable Conditions to Avoid - None	R S 0 0 FOAM NONE ards- NONE	Eva QUID WITH CO Flamma UEL- DOT# HMIS Haza	aporation Rate CONUT ODO ble Limits - No Not Teste None rd Rating -	e - Not R. ot Teste ed H	Tested ed F	

\_\_\_\_\_

## Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

# 03715

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Not Expected to be a Problem

Ingestion-Nausea

Inhalation- Not Expected to be a Problem

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Water

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Not Expected to be a Problem

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- None

Eye Protection- None

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements None

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

**F**