

Page: 1 Printed: 03/12/2015 Revision: 03/11/2015

1. Product and Company Identification

Product Code: 201300-2013305

First Off Emulsifying Stripper **Product Name:**

GORM. Inc. **Phone Number: Company Name:** (909)292-1400

1501 South Hudson Avenue

Ontario, CA 91761

Web site address: www.gorminc.com

ChemTel (800)255-3924 **Emergency Contact:**

Recommended Use: Floor Stripper

Intended Use: For sale to, use and storage by service persons only.

Hazards Identification

Acute Toxicity: Oral, Category 4

Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

GHS Precaution Phrases: Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, eye protection, face protection.

Keep out of reach of children.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before **GHS Response Phrases:**

reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

GHS Storage and Disposal

Phrases:

Store in cool dry place at room temperature away from direct sunlight. Dispose of

contents and container according to the local, city, state and federal regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: Dizziness, headaches and irritation. Avoid breathing vapors or mists.

Causes skin irritation. May cause skin rash (in milder cases), and cold and clammy skin Skin Contact:

with cyanosis or pale color.

Eye Contact: Corrosive to the eyes and may cause severe damage including blindness. Avoid any eye

Ingestion: May cause severe gastrointestinal tract irritation with nausea, vomiting and possible

burns. Causes burns.



Page: 2 nted: 03/12/2015

Printed: 03/12/2015 Revision: 03/11/2015

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

111-76-2 Ethanol, 2-Butoxy- Proprietary

1310-58-3 Potassium hydroxide Proprietary

78-96-6 1-Amino-2-Propanol Proprietary

6834-92-0 Silicic acid (H2SiO3), Disodium salt Proprietary

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen. If unconscious, call a physician.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash clothing before reuse. Consult a physician.

dictining and shoes. Wash dictining before rease. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Consult a physician.

Signs and Symptoms Of

Exposure:

Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in a fire. Combustible liquid and vapor. Use water spray to keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Neutralize spill with a weak acid such as vinegar or acetic acid.

7. Handling and Storage

Precautions To Be Taken in

Handling:

nanding.

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash thoroughly after

handling.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

8. Exposure Controls/Personal Protection



Page: 3

03/12/2015 Printed: Revision: 03/11/2015

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** PEL: 50 ppm TLV: 20 ppm No data. 111-76-2 Ethanol, 2-Butoxy-No data. CEIL: 2 mg/m3 No data. 1310-58-3 Potassium hydroxide No data. 78-96-6 1-Amino-2-Propanol No data. No data. 6834-92-0 No data. No data. No data. Silicic acid (H2SiO3), Disodium salt

Respiratory Equipment

Always use a NIOSH approved respirator when necessary.

(Specify Type):

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Use adequate ventilation to keep airborne concentrations low. **Engineering Controls**

(Ventilation etc.):

Work/Hygienic/Maintenance Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday. **Practices:**

Physical and Chemical Properties

[] Gas [X] Liquid [] Solid **Physical States:** Red color liquid with spice odor. Appearance and Odor:

NA

NE **Melting Point:**

>= 212.00 F **Boiling Point:**

Decomposition Temperature: NE NE **Autoignition Pt:** NE Flash Pt:

N.E. UEL: N/A LEL: N/A N.E. **Explosive Limits:**

Specific Gravity (Water = 1): 1.120 9.34 LB/GA Density:

Vapor Pressure (vs. Air or

mm Hg):

NE Vapor Density (vs. Air = 1): NA **Evaporation Rate:** 100% Solubility in Water: Saturated Vapor NA

Concentration:

Viscosity: NP 12 - 13 pH: Percent Volatile: No data. 112,0000 G/L VOC / Volume:

10. Stability and Reactivity

Stable [X] Stability: Unstable []

Conditions To Avoid -

Instability:

Incompatibility - Materials To Strong oxidizers, ammonia, bleach, strong acids and strong alkali materials.

Avoid:

Hazardous Decomposition Or Carbon monoxide, Toxic fumes of sodium oxide, Nitrogen oxides, formed under fire

conditions. Sodium oxides, silicon oxides. **Byproducts:**

Possibility of Hazardous Will occur [] Will not occur [X]

None.



Page: 4
Printed: 03/12/2015
Revision: 03/11/2015

Reactions:

Conditions To Avoid -

None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

CAS# 111-76-2:

Carcinogenicity/Other

Acute toxicity, LD50, Oral, Rat, 470.0 MG/KG.

Information:

Results:

Behavioral: Somnolence (general depressed activity).

Behavioral: Muscle weakness.

- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.

Results:

Behavioral: Ataxia.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 68,405, 1983

CAS# 6834-92-0:

Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG.

Results:

Kidney, Ureter, Bladder: Changes in tubules (including acute renal failure, acute tubular

necrosis).

Kidney, Ureter, Bladder: Changes in bladder weight.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000

AE Netherlands, Vol/p/yr: 31(Suppl),, 1986

California: Not listed. NTP: Not listed.

IARC: Not listed. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 78-96-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

No data available.

Results of PBT and vPvB

CAS# 111-76-2:

assessment:

LC50, Brine Shrimp (Artemia salina), nauplii, 1000000. UG/L, 24 H, Mortality, Water

temperature: 24.00 C C.

Results:

Morphological changes.

- Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy,

and R.A. Conway, 1974



Page: 5
Printed: 03/12/2015
Revision: 03/11/2015

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: NA1760 Packing Group: II

CORROSIVE 8

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Potassium Hydroxide), 8, II.

15. Regulatory Information

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

111-76-2Ethanol, 2-Butoxy-CA PROP.65: No1310-58-3Potassium hydroxideCA PROP.65: No78-96-61-Amino-2-PropanolCA PROP.65: No6834-92-0Silicic acid (H2SiO3), Disodium saltCA PROP.65: No

16. Other Information

Hazard Rating System:

HEALTH 3
FLAMMABILITY 0
PHYSICAL 0
PPE H

Flammability Instability
Health Special Hazard

HMIS:

Revision Date: 03/11/2015

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.