



Revision Date: 31-Oct-2024

# Safety Data Sheet

## Spartan Chemical Company, Inc.

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

**Product Name:** WARPSPEED  
**Product Code:** 2022  
**Recommended Use:** Cleaning agent  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
www.spartanchemical.com

**24 Hour Emergency Phone**

**Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Skin corrosion/irritation: Category 1 Sub-category B  
Serious eye damage/eye irritation: Category 1  
Corrosive to metals: Category 1

**Label elements**

**Signal word:**

**Symbols:**

**Danger**



**Hazard statements:**

**Physical hazards:**

Causes severe skin burns and eye damage  
May be corrosive to metals

**Precautionary Statements -**

**Prevention:**

Do not breathe dusts or mists  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/clothing and eye/face protection  
Keep only in original packaging

**Precautionary Statements -**

**Response:**

**Eyes:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin:**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse.

**Inhalation:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**-Specific Treatment:**

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**Spill:**

Absorb spillage to prevent material damage

**Precautionary Statements - Storage:** Store locked up. Store in corrosion resistant container with a resistant inner liner.

**Precautionary Statements - Disposal:** Dispose of contents and container in accordance with local, state and federal regulations.

**Hazards not otherwise classified (HNOC):** Not applicable

**Other hazards:**

- Corrosive
- Harmful if swallowed
- Harmful contact may not cause immediate pain.
- Inhalation of vapors or mist may cause respiratory irritation or damage.
- Take off and destroy contaminated shoes.
- Keep out of reach of children
- NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	60-80
C9-11 Alcohols Ethoxylated	68439-46-3	3-7
Butoxydiglycol	112-34-5	1-5
Sodium Xylenesulfonate	1300-72-7	1-5
Sodium Dodecylbenzenesulfonate	25155-30-0	1-5
Benzyl Alcohol	100-51-6	1-5
PEG-15 Cocomonium Chloride	61791-10-4	1-5
Potassium Hydroxide	1310-58-3	1-5
Trisodium Dicarboxymethyl Alaninate	164462-16-2	0.1-1
Undeceth-3	34398-01-1	0.1-1
Acrylic Copolymer	PROPRIETARY	0.1-1
Colorant	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Eye contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**Skin contact:** Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.

**Note to physicians:** NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.

**Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Environmental Precautions:</b>	Do not rinse spill onto the ground, into storm sewers or bodies of water.
<b>Methods for cleaning up:</b>	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

## 7. HANDLING AND STORAGE

<b>Advice on safe handling:</b>	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
<b>Storage Conditions:</b>	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.
<b>Incompatible materials</b>	Reactive metals such as aluminum, zinc and tin. Acids

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Butoxydiglycol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

<b>Engineering Controls:</b>	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.
------------------------------	--

### Individual protection measures, such as personal protective equipment

<b>Eye/face protection:</b>	Wear splash goggles.
<b>Skin and body protection:</b>	Wear rubber or other chemical-resistant gloves.
<b>Respiratory protection:</b>	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
<b>General hygiene considerations:</b>	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state:</b>	Liquid
<b>Color:</b>	Red
<b>Odor:</b>	Cherry fragrance
<b>Odor Threshold:</b>	No information available

Property	Values	Remarks • Method
<b>pH:</b>	13.0-14.0	
<b>Melting Point / Freezing Point:</b>	No data available	
<b>Boiling Point / Boiling Range:</b>	100 °C / 212 °F	
<b>Flash Point:</b>	> 100 °C / 212 °F	ASTM D56
<b>Evaporation Rate:</b>	< 1.0	(BuAc = 1)
<b>Flammability (solid, gas):</b>	No data available	No information available
<b>Flammability Limits in Air:</b>		No information available
<b>Upper Flammability Limit:</b>	No data available	
<b>Lower Flammability Limit:</b>	No data available	

<b>Vapor Pressure:</b>	No data available	
<b>Vapor Density:</b>	No data available	No information available
<b>Relative Density:</b>	1.037	
<b>Solubility(ies):</b>	Soluble in water	
<b>Partition Coefficient:</b>	No data available	No information available
<b>Autoignition Temperature:</b>	Not applicable	
<b>Decomposition Temperature:</b>	Not applicable	
<b>Kinematic Viscosity:</b>	No information available	No information available
<b>Particle characteristics:</b>	Not applicable	

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This material is considered to be non-reactive under normal conditions of use.
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Not expected to occur with normal handling and storage.
<b>Conditions to Avoid:</b>	Extremes of temperature and direct sunlight
<b>Incompatible materials:</b>	Strong oxidizing agents. Strong acids.
<b>Hazardous decomposition products:</b>	May include carbon monoxide, carbon dioxide (CO <sub>2</sub> ) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely Routes of Exposure:</b>	Eyes, Skin, Ingestion, Inhalation.
<b>Symptoms of Exposure:</b>	
<b>Eye contact:</b>	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
<b>Skin contact:</b>	Pain, redness, blistering and possible chemical burn.
<b>Inhalation:</b>	Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.
<b>Ingestion:</b>	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.

### Immediate, Delayed, Chronic Effects

Product Information:	Data not available or insufficient for classification.
Target organ effects:	Eyes. Respiratory system. Skin.

### Acute toxicity

#### Numerical measures of toxicity:

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,486 mg/kg
ATEmix (dermal)	12,891
ATEmix (inhalation-dust/mist)	32.4 mg/l

#### Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
C9-11 Alcohols Ethoxylated 68439-46-3	= 1400 mg/kg ( Rat )	-	-
Butoxydiglycol 112-34-5	= 5660 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Sodium Xylenesulfonate 1300-72-7	= 1000 mg/kg ( Rat )	-	-
Sodium Dodecylbenzenesulfonate 25155-30-0	= 500 mg/kg ( Rat )	-	-
Benzyl Alcohol 100-51-6	= 1230 mg/kg ( Rat )	-	= 8.8 mg/L ( Rat ) 4 h
PEG-15 Cocomonium Chloride 61791-10-4	= 580 mg/kg ( Rat )	-	-
Potassium Hydroxide	= 284 mg/kg ( Rat )	-	-

1310-58-3			
-----------	--	--	--

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Butoxydiglycol 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	-	100: 48 h Daphnia magna mg/L EC50
Sodium Dodecylbenzenesulfonate 25155-30-0	-	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-
Benzyl Alcohol 100-51-6	-	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	-	23: 48 h water flea mg/L EC50

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility in Soil:** No information available

**Other adverse effects:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues/unused products:** Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging:** Dispose of in accordance with federal, state and local regulations.

**US EPA Waste Number:** D002

## 14. TRANSPORT INFORMATION

### DOT:

**UN/ID No:** UN1760

**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains potassium hydroxide)

**Hazard Class:** 8

**Packing Group:** II

**Special Provisions:** Corrosive (Class 8), Packing Group II materials meet the exception requirements of section 49 CFR 173.154 when individual containers of not more than 0.3 gallon capacity (1 liter) are packed in a strong outer packaging and ground transportation is utilized. Such material may be reclassified as "Limited Quantity".

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

### IMDG:

**UN number or ID number:** UN1760

**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains potassium hydroxide)

**Hazard Class:** 8

**Packing Group:** II

## 15. REGULATORY INFORMATION

**TSCA** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product does not contain listed substances above the "de minimus" level

**Butoxydiglycol - 112-34-5**

CAS No. 112-34-5 applies to R-(OCH<sub>2</sub>CH<sub>2</sub>)<sub>n</sub>-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate Chemical Category N230

**SARA 311/312 Hazard Categories**

Acute health hazard:	Yes
Chronic Health Hazard:	No
Fire hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

**California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards: 3	Flammability: 0	Instability: 0	Special hazards: -
<b>HMIS</b>	Health hazards: 3	Flammability: 0	Physical hazards: 0	

Revision Date: 31-Oct-2024

Revision Note: New product

**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**