

Dura Plus Floor Finish 20%

Page: 1 Printed: 07/21/2015 Revision: 03/23/2015 Supersedes Revision: 11/12/2014

	1. Product and Company Identification		
Product Code:	09100		
Product Name:	Dura Plus Floor Finish 20%		
Company Name:	Genlabs	Phone Number:	
	5568 Schaefer Ave.	1 (909)591-8451	
	Chino, CA 91710		
Web site address:	www.genlabscorp.com		
Emergency Contact:	Chemtrec	1 (800)424-9300	
Recommended Use:	Floor Finish		
Intended Use:	For sale to, use and storage by service persons only.		
Additional Information:	1006002		

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A Aquatic Toxicity (Chronic), Category 3 Acute Toxicity: Oral, Category 5 Skin Corrosion/Irritation, Category 3 Acute Toxicity: Inhalation, Category 5 Target Organ Systemic Toxicity (single exposure), Category 3 Aquatic Toxicity (Acute), Category 2



GHS Signal Word:	Warning
GHS Hazard Phrases:	Causes serious eye irritation.
	Harmful to aquatic life with long lasting effects.
	May be harmful if swallowed.
	Causes mild skin irritation.
	May be harmful if inhaled.
	May cause respiratory irritation.
	Toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
GHS Precaution Phrases:	Wash hands thoroughly after handling.
	Keep out of reach of children.
	Avoid release to the environment.
	Wear protective gloves and eye/face protection as specified by the supplier or the
	competent authority.
	Avoid breathing fumes and spray mist.
	Use only outdoors or in a well-ventilated area.
GHS Response Phrases:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists, get medical attention immediately.
	If on skin (or in hair): Wash with plenty of soap and water. If skin irritation occurs, get medical attention immediately.
	If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
GHS Storage and Disposal	Dispose of contents and container according to the local, city, state and federal



#### Dura Plus Floor Finish 20%

Phrases: regulations.   Store in cool dry place at room temperature away from direct sunlight.   Potential Health Effects (Acute and Chronic):   Inhalation: May cause respiratory irritation. May cause allergic respiratory reaction.   Skin Contact: May cause skin irritation.   Eye Contact: Causes eye irritation.   Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.   CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   1314-13-2 In case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get media Remove from exposure and move to fresh air immediately.   In Case of Skin Contact: Flush skin with plenty of soap and water. Get medical aid if irritation develop					
Potential Health Effects (Acute and Chronic): May cause respiratory irritation. May cause allergic respiratory reaction.   Skin Contact: May cause skin irritation.   Eye Contact: Causes eye irritation.   Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. <b>3. Composition/Information on Ingredients CAS #</b> Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   1314-13-2 Zinc oxide Proprietary   Emergency and First Aid Procedures: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get media   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get media					
(Acute and Chronic): Inhalation: May cause respiratory irritation. May cause allergic respiratory reaction.   Skin Contact: May cause skin irritation.   Eye Contact: Causes eye irritation.   Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.   Ingestion: May cause gastrointestinal irritation on Ingredients   CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   Lemergency and First Aid   Procedures:   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi Remove from exposure and move to fresh air immediately.					
Skin Contact: May cause skin irritation.   Eye Contact: Causes eye irritation.   Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.   3. Composition/Information on Ingredients   CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   Emergency and First Aid Procedures: In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi Remove from exposure and move to fresh air immediately.					
Eye Contact: Causes eye irritation.   Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.   3. Composition/Information on Ingredients   CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   Emergency and First Aid First Aid Measures   Procedures: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi Remove from exposure and move to fresh air immediately.					
Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. <b>3.</b> Composition/Information on Ingredients   CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary <b>A.</b> First Aid Measures   Emergency and First Aid Procedures:   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.					
3. Composition/Information on Ingredients   CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   Lemergency and First Aid   Procedures: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi Remove from exposure and move to fresh air immediately.					
CAS # Hazardous Components (Chemical Name) Concentration   25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   Line State Proprietary   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi Remove from exposure and move to fresh air immediately.					
25987-66-0 Acrylic acid polymer Proprietary   111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary   Lemergency and First Aid   Procedures:   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get media Remove from exposure and move to fresh air immediately.					
111-90-0 Diethylene glycol monoethyl ether Proprietary   25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary <b>4. First Aid Measures</b> Emergency and First Aid   Procedures:   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi Remove from exposure and move to fresh air immediately.					
25265-77-4 Texanol Proprietary   78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary <b>4. First Aid Measures Emergency and First Aid</b> Procedures:   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.					
78-51-3 Ethanol, 2-Butoxy-, phosphate (3:1) Proprietary   1314-13-2 Zinc oxide Proprietary <b>4. First Aid Measures</b> Emergency and First Aid   Procedures:   In Case of Inhalation:   If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.					
1314-13-2 Zinc oxide Proprietary   4. First Aid Measures   Emergency and First Aid Procedures:   In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.					
4. First Aid Measures   Emergency and First Aid   Procedures:   In Case of Inhalation:   If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medi   Remove from exposure and move to fresh air immediately.					
Emergency and First Aid   Procedures:   In Case of Inhalation:   If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.   Remove from exposure and move to fresh air immediately.					
Procedures:   In Case of Inhalation:   If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.   Remove from exposure and move to fresh air immediately.					
In Case of Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get mediately.					
Remove from exposure and move to fresh air immediately.					
In Case of Skin Contact: Flush skin with plenty of soap and water. Get medical aid if irritation develop	al aid.				
persists.	Flush skin with plenty of soap and water. Get medical aid if irritation develops and persists.				
In Case of Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritati					
In Case of Ingestion: Never give anything by mouth to an unconscious person. If victim is conscio	Never give anything by mouth to an unconscious person. If victim is conscious and alert,				
	give 2-4 cupfuls of milk or water. If swallowed, wash out mouth with water provided				
person is conscious. Call a physician. If conscious and alert, rinse mouth an	drink 2-4				
cupfuls of milk or water.					
Note to Physician:   Treat symptomatically and supportively.					
5. Fire Fighting Measures					
Flash Pt: NE					
Explosive Limits:LEL: No data.UEL: No data.					
Autoignition Pt: NE					
Suitable Extinguishing Media: Use water spray, alcohol foam, CO2, dry chemical.					
<b>Fire Fighting Instructions:</b> As in any fire, wear a self-contained breathing apparatus in pressure-demar					
MSHA/NIOSH (approved or equivalent), and full protective gear. During a fi and highly toxic gases may be generated by thermal decomposition or com	-				
water spray to keep fire-exposed containers cool.	JSUON. 03C				
Flammable Properties and No data available.   Hazards:					



Dura Plus Floor Finish 20%

Page: 3 Printed: 07/21/2015 Revision: 03/23/2015 Supersedes Revision: 11/12/2014

	6. Accidental Release Measures						
•	s To Be Taken In CaseUse proper personal protective equipment as indicated in Section 8.srial Is Released OrSpills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then placeed:in suitable container. Remove all sources of ignition. Provide ventilation. Prevent runcefrom entering drains, sewers, or streams.						
		7. Ha	ndling and Stora	ge			
Precautions Handling:	To Be Taken in						
Precautions Storing:	<b>Precautions To Be Taken in</b> Store in a cool, dry, well-ventilated area away from incompatible substances. <b>Storing:</b>						
	8	. Exposure C	ontrols/Personal	Protection			
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits		
25987-66-0	Acrylic acid polym	ner	No data.	No data.	No data.		
111-90-0	Diethylene glycol	monoethyl ether	No data.	No data.	No data.		
25265-77-4	Texanol		No data.	No data.	No data.		
78-51-3	Ethanol, 2-Butoxy	-, phosphate (3:1)	No data.	No data.	No data.		
1314-13-2	Zinc oxide		PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.		
Respiratory EquipmentAlways use a NIOSH approved respirator when necessary.(Specify Type):							
Eye Protection	on:	Safety glasses.					
Protective G	loves:	Wear appropriate p	protective gloves to prevent skin exposure.				
Other Protective Clothing: Wear		Wear appropriate p	Wear appropriate protective clothing to prevent skin exposure.				
	<b>Engineering Controls</b> No special ventilation requirements. General room ventilation is adequate. (Ventilation etc.):				equate.		
Work/Hygien Practices:	ic/Maintenance	<b>ance</b> Wash thoroughly after handling. Wash contaminated clothing before reuse.					
		9. Physical	and Chemical Pr	operties			
Physical Sta	Physical States: [] Gas [X] Liquid [] Solid						
	Appearance and Odor:   Opaque white liquid with bland odor.						
-	Nelting Point: NE						
Boiling Point		> 212.00 F					
Autoignition	on Temperature	NE					
Flash Pt:	Γι.	NE					
Explosive Li	mits:	LEL: No data.	UEL: I	No data.			
-	Specific Gravity (Water = 1): 1.030						
	<b>The second s</b>						



Dura Plus Floor Finish 20%

				0	uperseues nevic	501. 11/12/2014	
Bulk density	:	NE					
Vapor Press	ure (vs. Air or	NE					
mm Hg):							
Vapor Densit	:y (vs. Air = 1):	NE					
Evaporation	Rate:	NE					
Solubility in	Water:	100%					
Saturated Va	•	NE					
Concentratio	n:						
Viscosity:		NP					
pH:		7.5 - 9.0					
Percent Vola	tile:	No data.					
VOC / Volum		0.0000 G/L					
Particle Size:	:	NE					
Heat Value:		NE					
Corrosion Ra	ate:	NE					
		10. Stability and	Reactivity				
Stability:		Unstable [ ] Stable [ X ]					
Conditions To Avoid -		Extremes of temperature and dire	ect sunlight. Stro	ong acids, St	rong oxidizin	g agents.	
Instability:							
Incompatibility - Materials To Strong oxidizing agents, magnesium, chlorinated rubber. Avoid:							
Hazardous D	ecomposition C	<b>Dr</b> Carbon monoxide, Carbon dioxid	le, Thermal deco	omposition m	nay produce t	oxic fumes of	
Byproducts:		phosphorus oxides and/or phosphine. toxic fumes of zinc oxide.					
Possibility of Hazardous Reactions:		Will occur [ ] Will not occur [ X ]					
Conditions T	o Avoid -	None.					
Hazardous R	eactions:						
11. Toxicological Information							
Toxicologica	I Information:	No data available.					
Carcinogenicity/Other Information:		CAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-77-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1314-13-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.					
CAS #	Hazardous Con	nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
25987-66-0	Acrylic acid poly	vmer	n.a.	n.a.	n.a.	n.a.	
111-90-0	Diethylene glyco	ol monoethyl ether	n.a.	n.a.	n.a.	n.a.	
25265-77-4	Texanol		n.a.	n.a.	n.a.	n.a.	
78-51-3	Ethanol, 2-Buto	xy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.	
1314-13-2	Zinc oxide		n.a.	n.a.	n.a.	n.a.	
1514-15-2			n.a.	n.d.	n.a.	11.a.	



Dura Plus Floor Finish 20%

Page: 5 Printed: 07/21/2015 Revision: 03/23/2015 Supersedes Revision: 11/12/2014

				ersedes Revision: 11/12/2014		
	12. Ecolog	ical Informatio	on			
General Ecol	-					
	13. Disposa	I Consideratio	ons			
Waste Dispo	<b>Disposal Method:</b> Dispose of contents and container according to the local, city, state and federal regulations.					
	14. Transp	oort Informatio	n			
LAND TRAN	SPORT (US DOT):					
DOT Haz UN/NA N						
	SPORT (Canadian TDG):					
TDG Ship	ping Name: Not Regulated.					
MARINE TR	ANSPORT (IMDG/IMO):					
IMDG/IM	O Shipping Name: Not Regulated.					
AIR TRANS	PORT (ICAO/IATA):					
ICAO/IAT	A Shipping Name: Not Regulated.					
	15. Regula	tory Informatio	on			
EPA SARA (S	uperfund Amendments and Reauthorization	Act of 1986) Lists				
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
25987-66-0	Acrylic acid polymer	No	No	No		
111-90-0	Diethylene glycol monoethyl ether	No	No	Yes-Cat. N230		
111-90-0 25265-77-4	Diethylene glycol monoethyl ether Texanol	No	No No			
				Yes-Cat. N230		
25265-77-4	Texanol	No	No	Yes-Cat. N230 No		
25265-77-4 78-51-3	Texanol Ethanol, 2-Butoxy-, phosphate (3:1)	No	No No No	Yes-Cat. N230 No Yes-Cat. N230		
25265-77-4 78-51-3 1314-13-2	Texanol Ethanol, 2-Butoxy-, phosphate (3:1) Zinc oxide	No No Other US EPA o	No No No	Yes-Cat. N230 No Yes-Cat. N230 Yes-Cat. N982		
25265-77-4 78-51-3 1314-13-2 CAS #	Texanol Ethanol, 2-Butoxy-, phosphate (3:1) Zinc oxide Hazardous Components (Chemical Name)	No No <b>Other US EPA o</b> CA PROP.65: N	No No No	Yes-Cat. N230 No Yes-Cat. N230 Yes-Cat. N982 No		
25265-77-4 78-51-3 1314-13-2 <b>CAS #</b> 25987-66-0	Texanol Ethanol, 2-Butoxy-, phosphate (3:1) Zinc oxide <b>Hazardous Components (Chemical Name)</b> Acrylic acid polymer	No No <b>Other US EPA o</b> CA PROP.65: N CA PROP.65: N	No No No <b>or State Lists</b> o; CA TAC, Title 8:	Yes-Cat. N230 No Yes-Cat. N230 Yes-Cat. N982 No TAC		
25265-77-4 78-51-3 1314-13-2 <b>CAS #</b> 25987-66-0 111-90-0	Texanol Ethanol, 2-Butoxy-, phosphate (3:1) Zinc oxide Hazardous Components (Chemical Name) Acrylic acid polymer Diethylene glycol monoethyl ether	No No <b>Other US EPA o</b> CA PROP.65: N CA PROP.65: N CA PROP.65: N	No No No or State Lists o; CA TAC, Title 8: o; CA TAC, Title 8:	Yes-Cat. N230 No Yes-Cat. N230 Yes-Cat. N982 No TAC No		



solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and

Dura Plus Floor Finish 20%

Page: 6 Printed: 07/21/2015 Revision: 03/23/2015 Supersedes Revision: 11/12/2014

16. Other Information				
Hazard Rating System:	HEALTH1FLAMMABILITY0PHYSICAL0PPEB	Flammability Health		
HMIS:		NFPA: V Special Hazard		
Revision Date:	03/23/2015			
Additional Information About PPE B: safety glasses; gloves. This Product:				
Company Policy or Disclaimer:	The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered			

used at the customers discretion.

**GHS** format