

	1. Product and Company Ide	ntification
Product Code:	09994	
Product Name:	High Solids Undercoater & Sealer-22%	
Company Name:	Genlabs 5568 Schaefer Ave. Chino, CA 91710	Phone Number: 1 (909)591-8451
Web site address:	www.genlabscorp.com	
Emergency Contact:	Chemtrec	1 (800)424-9300
Recommended Use: Intended Use:	Floor Finish For sale to, use and storage by service per	sons only.

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Oral, Category 4 Skin Corrosion/Irritation, Category 3 Serious Eye Damage/Eye Irritation, Category 2A Target Organ Systemic Toxicity (single exposure), Category 3



GHS Signal Word: GHS Hazard Phrases:	Warning Harmful if inhaled. Harmful if swallowed. Causes mild skin irritation. Causes serious eye irritation. May cause respiratory irritation.
GHS Precaution Phrases:	Use only outdoors or in a well-ventilated area. Avoid breathing fumes and spray mist. Wash hands thoroughly after handling. Keep out of reach of children. Wear protective gloves, protective clothing, eye protection, face protection.
GHS Response Phrases:	 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical attention immediately. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention immediately.
GHS Storage and Disposal Phrases:	Dispose of contents and container according to the local, city, state and federal regulations. Store in cool dry place at room temperature away from direct sunlight.



Potential He (Acute and C					
Inhalation:		High vapor concentrations	s may cause drowsiness. May cause respiratory tract irritation.		
Skin Contac	t:	May cause skin irritation. Causes eye irritation.			
Eye Contact	:				
Ingestion:		May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause kidney damage. May cause central nervous system depression. May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated.			
	;	3. Composition/Info	ormation on Ingredients		
CAS #	Hazardous Cor	nponents (Chemical Name)	Concentration		
111-90-0	Diethylene glyco	ol monoethyl ether	Proprietary		
25265-77-4	Texanol		Proprietary		
78-51-3	Ethanol, 2-Buto	xy-, phosphate (3:1)	Proprietary		
25987-66-0	Acrylic acid poly	vmer	Proprietary		
1314-13-2	Zinc oxide		Proprietary		
		4. First A	Aid Measures		
Emergency a Procedures:	Ind First Aid				
In Case of In	halation:	If breathing is difficult, give to fresh air immediately.	e oxygen. Get medical aid. Remove from exposure and move		

	to fresh air immediately.
In Case of Skin Contact:	Flush with water for 15 minutes. If irritation persists, call a physician.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.
In Case of Ingestion:	Do not induce vomiting. Give victim a glass of water or milk. Call a physician or poison

Mate	4.0	Dhualalan	

Treat symptomatically and supportively. Note to Physician:

control center immediately.

	5. Fire Fighting Measures	
Flash Pt:	NE	
Explosive Limits:	LEL: N.E. UEL: N.E.	
Autoignition Pt:	NE	
Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.	
Flammable Properties and Hazards:	No data available.	



6. A	ccider	tal Rel	ease N	leasures
------	--------	---------	--------	----------

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Provide ventilation. Prevent runoff from entering drains, sewers, or streams.

7. Handling and Storage

Precautions To Be Taken in
Handling:Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.
Use with adequate ventilation. Avoid contact with eyes, skin, and clothing.Precautions To Be Taken in
Storing:Keep from freezing. Store in a cool, dry, well-ventilated area away from incompatible
substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
111-90-0	Diethylene glycol monoethyl ether		No data.	No data.	No data.	
25265-77-4	Texanol		No data.	No data.	No data.	
78-51-3	Ethanol, 2-Butoxy	/-, phosphate (3:1)	No data.	No data.	No data.	
25987-66-0	Acrylic acid polyn	ner	No data.	No data.	No data.	
1314-13-2	Zinc oxide		PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.	
Respiratory Equipment Always use a NIO (Specify Type):		Always use a NIOS	H approved respirator whe	en necessary.		
Eye Protection	on:	Safety glasses.				
Protective G	loves:	Wear appropriate protective gloves to prevent skin exposure.				
Other Protec	tive Clothing:	Wear appropriate protective clothing to prevent skin exposure.				
Engineering Controls No special vo (Ventilation etc.):		No special ventilation	rentilation requirements. General room ventilation is adequate.			
Work/Hygienic/Maintenance Wash thoroughly Practices:		Wash thoroughly af	fter handling. Wash contaminated clothing before reuse.			
		9. Physical	and Chemical Pro	perties		
Physical Sta	tes:	[]Gas [X]Lio	quid [] Solid			
Appearance	and Odor:	Opaque white liquid	d with bland odor.			
Melting Poin	t:	NE				
Boiling Point	oiling Point: > 212.00 F					
Decomposition Temperature: NE						
Autoignition	Pt: NE					
Flash Pt:		NE				
Explosive Li	mits: LEL: N.E. UEL: N.E.					
Specific Grav	vity (Water = 1):	1.020				
Density:		8.50 lbs/gal				



SAFETY DATA SHELTHigh Solids Undercoater & Sealer-22% **SAFETY DATA SHEET**

				5	upersedes Revis	sion: 11/13/2014
Bulk density	:	NE				
Vapor Press mm Hg):	ure (vs. Air or	NE				
•,	ty (vs. Air = 1):	: NE				
Evaporation		NE				
Solubility in		100%				
Saturated Va	por	NE				
Concentratio	on:					
Viscosity:		NP				
pH:		7.5 - 9.0				
Percent Vola	tile:	No data.				
VOC / Volum	e:	< 1.0000 G/L				
Particle Size	:	NE				
Heat Value:		NE				
Corrosion Ra	ate:	NE				
		10. Stability and	d Reactivity			
Stability:		Unstable [] Stable [X]				
Conditions To Avoid -		Strong acids, Extremes of temperature and direct sunlight. Strong oxidizing agents.				
Instability:						
Incompatibil Avoid:	ity - Materials To	 Cationic materials, strong oxidiz 	zers, strong acidio	c materials.		
	ecomposition (Dr Carbon monoxide, Carbon diox		omposition n	nay produce t	oxic fumes of
Byproducts:		phosphorus oxides and/or phos				
Possibility of Hazardous Reactions:		Will occur [] Will not occur [X]				
Conditions To Avoid - Hazardous Reactions:		None.	None.			
		11. Toxicologica	I Informatio	n		
Toxicologica	I Information:	No data available.				
Carcinogenicity/Other Information:		CAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-77-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65.				
CAS #	Hazardous Cor	nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-90-0	111-90-0 Diethylene glycol monoethyl ether		n.a.	n.a.	n.a.	n.a.
25265-77-4			n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Buto	xy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
25987-66-0	Acrylic acid poly		n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide		n.a.	n.a.	n.a.	n.a.
1017 10-2						
		12. Ecological I	Information			

12. Ecological Information

No data available.



13. Disposal Considerations

Waste Disposal Method:

Dispose of contents and container according to the local, city, state and federal regulations

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material. **DOT Hazard Class:**

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

CAS # Hazardous Components (Chemical Name)

111-90-0	Diethylene glycol monoethyl ether
25265-77-4	Texanol
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)
25987-66-0	Acrylic acid polymer
1314-13-2	Zinc oxide

Other US EPA or State Lists

CA PROP.65: No; CA TAC, Title 8: TAC CA PROP.65: No; CA TAC, Title 8: No CA PROP.65: No; CA TAC, Title 8: TAC CA PROP.65: No; CA TAC, Title 8: No CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

