GORM

Conditions to Avoid- None

29 CFR 1910.1200

Identity # 278245	Name CRYS	TAL CLEAR RT	U GLASS CL	EANER		
Section 1 Manufactured for - GORM, Inc. Address - 1501 S. Hudson Ave. City - Ontario State -		Phone (Chem Phone - Contact Pers	(909) 2	92-1400		
Date Prepared- 12/19/2006						
Section 2 - Hazardous Ingredients/I	dentity Informat	ion				
Hazardous Components	CAS#	OSHA PE	L ACGIH TI	_V	Weight% (Optiona	al)
Isopropanol	67630	400PPM	400PPM			
2(Butoxvethoxv) Ethanol Ammonium Hvdroxide *	111-76-2 7664-41-7	NONE 35PPM	NONE 35PPM			
Note: * A SARA 313 Chemi	ical					
VOC Content- 49.8 g/L						
Section 3 - Physical/Chemical Chara	acteristics					
Boiling Point- >212 F		Specific	Gravity- 0.9	98		
Vapor Pressure - Not Tested Vapor Density - Not Tested		Melting	Point - Not To ation Rate - N	ested		
Solubility In Water- 100% Appearance and Odor- BLUE CC	DLOR LIQUID W			or rested		
Section 4 - Fire and Explosion Hazar	rd Data					
Flash Point- None	Flammable Limits - Not Tested					
LEL- Not Tested		UEL- Not Tested				
pH- 9-11		DOT# N	one			
NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0	R S 0 0	HMIS Hazard R	ating - H 0		R 0	
Extinguishing Media- CO2, DRY FC	DAM					
Special Fire Fighting Procedures NC	ONE					
Unusual Fire and Explosion Hazard	ls- NONE					
Section 5 - Reactivity Data						
Stability - Stable Conditions to Avoid - None						
Incompatible Materials to Avoid-	Strong Oxidiz	ers, Flames, Sp	arks, Heat			
Hazardous Decomposition or Bypro Hazardous Polymerization- NONE		CO2				

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

03305

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Not Expected to be a Problem

Ingestion-Nausea,

Inhalation- Not Expected to be a Problem

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water, If Irritation Persists, Call Physician

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Not Expected to be a Problem

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements None

Note: GORM believes the data set forth are accurate, GORM makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

F