Genlabs	OSHA's	/laterial Safety Hazard Comm U.S. Departme	unication Sta	Indard		
29 CFR 1910.1200						OMB No. 1218-0072
Identity # 03815 Section 1 Manufacturer's Name - Genlat Address - 5568 Schaefer Ave. City - Chino State -	Emergency	Phone (Che Phone -	emical Corp emtrec) 1-(8	300)-42 591-8	451	
Date Prepared- 12/19/2006						
Section 2 - Hazardous Ingredients	/Identity Inform	mation				
Hazardous Components None	CAS† NONE	# OSH/ NONE	A PEL ACG NONE			Weight% (Optional)
Note: No Hazardous Comp	oonents as Lis	ted in 29 CFR	1900.1000 o	r other p	ertinen	t OSHA regulations
VOC Content- None g/L						
Section 3 - Physical/Chemical Cha	racteristics					
Boiling Point- >212 F		Sp	ecific Gravity	- 1.036		
Vapor Pressure - Not Tested Vapor Density - Not Tested			Iting Point - N aporation Rat			
Solubility In Water- 100% Appearance and Odor- PINK C	olor liquid	WITH LEMO				
Section 4 - Fire and Explosion Haz	ard Data					
Flash Point- None	Flammable Limits - Not Tested					
LEL- Not Tested		UEL- Not Tested				
рН- 7.0 - 9.5		DOT#	None			
NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0	R S 0 0	HMIS Haza	rd Rating -	Н 0	F 0	R 0
Extinguishing Media- CO2, DRY F				-	-	
Special Fire Fighting Procedures						
Unusual Fire and Explosion Haza	rds- NONE					
Section 5 - Reactivity Data						
Stability - Stable Conditions to Avoid - None						
Incompatible Materials to Avoid- Cationic Materials, Strong Oxidizers						
Hazardous Decomposition or Byproducts- NONE Hazardous Polymerization- NONE						
Conditions to Avoid- None						

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

03815

Signs and symptons of over exposure:

Eyes - Burning Sensation

Skin- Not Expected to be a Problem

Ingestion-Nausea

Inhalation- Not Expected to be a Problem

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Not Expected to be a Problem

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- None

Eye Protection- None

Other Protective Clothing or Equipment- None

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements None

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

F