

# Safety Data Sheet

Issue Date: 27-Jul-2000

•

Revision Date: 14-Oct-2014

Version 1

# 1. IDENTIFICATION

<u>Product Identifier</u> Product Name	SSS Navigator #18x Floral Mist Deodorizer	
<u>Other means of identification</u> Product Code UN/ID No	13211 UN1993	
Recommended use of the chem Recommended Use	<b>ical and restrictions on use</b> Deodorizer	
Details of the supplier of the same Manufactured for Triple S 2 Executive Park Drive Billerica, MA 01862 www.triple-s.com	<u>ety data sheet</u>	
<u>Telephone Number</u> Company Phone Number Emergency Telephone (24 hr)	1-978-667-7900 1-888-779-1339	
	2. HAZARDS IDENTIFICATION	
Appearance Amber	Physical State Liquid	Odor Floral
<u>Classification</u>		
<u>Classification</u> Serious eye damage/eye irritation Flammable Liquids		Category 2 Category 3
Serious eye damage/eye irritation		
Serious eye damage/eye irritation Flammable Liquids Signal Word		

### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation persists: Get medical advice/attention IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

#### Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	15-20
Trade Secret	Proprietary	<1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### **4. FIRST-AID MEASURES**

#### **First Aid Measures**

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If irritation persists, seek medical attention.
Inhalation	Remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Give large quantities of water. Do not induce vomiting. Get medical attention.
Most important symptoms and effe	<u>cts</u>
Symptoms	Causes eye irritation. Prolonged or repeated skin contact may cause irritation. May be irritating to the mouth, throat and stomach.
Indication of any immediate medica	al attention and special treatment needed
Notes to Physician	Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Foam.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

**Sensitivity to Static Discharge** Take precautionary measures against static discharge.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions.	protective equipment an	d emergency procedures
<u>i crochar precuatione</u> ,	protootive equipilient an	

Personal Precautions	Use personal protection recommended in Section 8.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

#### Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Flood area with water and then mop up. Dispose of in accordance with federal, state and local regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Do not destroy or deface the label.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store containers upright.
Incompatible Materials	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Trade Secret	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Goggles.
Skin and Body Protection	Wear suitable protective clothing.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

information on pasic physical and	u chemical properties		
Physical State	Liquid		
Appearance	Light red liquid	Odor	Fresh & clean
Color	Light red	Odor Threshold	Not determined
<u>Property</u>	<u>Values</u>	Remarks • Method	
pH	6.0		
Melting Point/Freezing Point	Not applicable		
Boiling Point/Boiling Range	Not determined		
Flash Point	35 °C / 95 °F	Pensky-Martens Clos	ed Cup (PMCC)
Evaporation Rate	Not determined	-	
Flammability (Solid, Gas)	Liquid-Not applicable		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not applicable		
Vapor Density	Not determined		
Specific Gravity	1.035	(Water = 1)	
Water Solubility	Completely soluble		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to Avoid

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 4396 mg/kg(Rat)	= 12800 mg/kg (Rat)= 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat)4 h
Trade Secret	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Trade Secret	= 15000 mg/kg(Rat)	= 22460 mg/kg (Rabbit)	-
Trade Secret	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Trade Secret	= 426 mg/kg (Rat)	-	-

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

The ingredient in this product is only classified as a carcinogen when consumed as an alcoholic beverage in long-term studies.

ACGIH	IARC	NTP	OSHA
	Group 3		Х
	ACGIN		

#### Revision Date: 14-Oct-2014

Trade Secret	A3	Group 1	Known	X
--------------	----	---------	-------	---

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50 flow-		mg/L EC50
	1000: 72 h Desmodesmus	through 11130: 96 h		
	subspicatus mg/L EC50	Pimephales promelas mg/L		
		LC50 static 1400000: 96 h		
		Lepomis macrochirus µg/L		
		LC50		
Trade Secret	19000: 96 h	51600: 96 h Oncorhynchus		10000: 24 h Daphnia magna
	Pseudokirchneriella	mykiss mg/L LC50 static 41 -		mg/L EC50 1000: 48 h
	subcapitata mg/L EC50	47: 96 h Oncorhynchus		Daphnia magna mg/L EC50
		mykiss mL/L LC50 static		Static
		51400: 96 h Pimephales		
		promelas mg/L LC50 static		
		710: 96 h Pimephales		
		promelas mg/L LC50		
Trade Secret		56200 - 63700: 96 h		42426: 48 h Daphnia magna
		Pimephales promelas mg/L		mg/L EC50
		LC50 flow-through 10000: 96		
		h Lepomis macrochirus mg/L		
		LC50 static 61000: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through		
Trade Secret		12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
		Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50 10800: 24
		LC50 static 100: 96 h	-	h Daphnia magna mg/L
		Pimephales promelas mg/L		EC50 2: 48 h Daphnia
		LC50 static 13400 - 15100:		magna mg/L EC50 Static
		96 h Pimephales promelas		-
		mg/L LC50 flow-through		

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Trade Secret	-0.32

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	
Trade Secret	Toxic	
	Ignitable	

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1993 Flammable liquids, n.o.s. (isopropanol) 3 III
<u>IATA</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1993 Flammable liquid, n.o.s. (isopropanol) 3 III
IMDG UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1993 Flammable liquid, n.o.s. (isopropanol) 3 III

# **15. REGULATORY INFORMATION**

International Inventories

TSCA

Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### **US Federal Regulations**

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	15-20	1.0

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	Х	X	Х
67-63-0			
Trade Secret	Х		Х
Trade Secret			Х
Trade Secret	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u> <u>HMIS</u>	Health Hazards Not determined Health Hazards 2	Flammability Not determined Flammability 3	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	Special Hazards Not determined Personal Protection A = Goggles
Issue Date: Revision Date: Revision Note:	27-Jul-2000 14-Oct-2014 New format			

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet