## **SAFETY DATA SHEET**

DATE ISSUED:

SDS REF. No:

8/5/2015

802

#### 1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: De-Grease

ITEM: 802

RECOMMENDED USE: Cleaner/Degreaser

SUPPLIER: 24 HR. EMERGENCY TELEPHONE NUMBER: Chem Mark of Long Beach INFOTRAC (US Transportation): (800) 535-5053

8210 Electric Ave. NON-EMERGENCY TELEPHONE NUMBER: Stanton, CA 90680

(714) 220-2436

### 2. HAZARDS INGREDIENTS & IDENTIFICATION

#### **GHS CLASSIFICATION:**

Product AS SOLD

Category 2B Eye irritation

**Product AT USE DILUTION** 

Not a hazardous substance or mixture

#### **GHS LABEL ELEMENT**

**Product AS SOLD** 

Signal Word Warning

Hazard statements: Causes eye irritation

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash skin thoroughly after handling.

RESPONSE: Get medical advice/attention if you feel unwell.

If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

OTHER HAZARDS: May be harmful if swallowed.

May be harmful if absorbed through skin.

Inhalation of vapors or mist may cause respiratory irritation.

Keep out of reach of children.

STORAGE: Store in accordance to local regulations.

**DISPOSAL METHOD:** Dispose of in accordance with all Local, State and Federal regulations.

**EMPTY CONTAINER:** Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse

thoroughly with water.

# 3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
Water	7732-18-5	N/A
sodium dodecylbenzene sulfonate	25155-30-0	N/A
2-Butoxyethanol	111-76-2	N/A
tetrasodium ethylenediaminetetraacetate	64-02-8	N/A
sodium xylene sulfonate	1300-72-7	N/A

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4. HEALTH HAZARD DATA & FIRST AID MEASURES

EYES: Rinse with plenty of water. SKIN: Rinse with plenty of water.

INGESTION: Rinse mouth. Get medical attention if symptoms occur.

INHALATION: Get medical attention if symptoms occur.

NOTES TO PHYSICIAN: Treat symptomatically.

## 5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Water, Carbon Dioxide, Dry Chemical, Foam.

UNSUITABLE EXTENGUISHING MEDIA: None Known

SPECIFIC HAZARDS DURING FIRE FIGHTING: Not flammable or combustible.

HAZARDOUS COMBUSTION PRODUCTS: None Known

FIRE FIGHTING EQUIPMENT: Avoid breathing of vapors. Apply water spray to cool fire-exposed containers and

structures. Use water spray to disperse vapors. Use Self Contained Breathing Apparatus

(SCBA) or NIOSH approved respirator and protective clothing.

SPECIAL EXTINGUISHING: Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of and/or explosion do not breathe

fumes.

OTHER CONSIDERATIONS: If material is released, area will become slippery.

### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES: Wear protective equipment as needed. Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: To contain spilled material, dike area involved. Remove source of ignition and provide ventilation. To absorb product, use porous material such as diatomaceous earth, sand or a commercial absorbent. Using a shovel, place into leak proof containers.

WATER DISPOSAL METHOD: Dispose of according to local, state and federal regulations. Wear protective equipment as needed.

ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water.

## 7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Wash hands thoroughly after handling.

GENERAL PROCEDURES: Store in original container in an upright position in a cool, dry area inaccessible to

children and pets. Keep away from direct sunlight and freezing conditions. Do not store

near oxidizers, alkalies, acids and bleach.

Do not mix with other chemicals.

STORAGE TEMPERATURE: 0 °C to 50 °C

#### 8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

### OCCUPATIONAL EXPOSURE LIMITS:

Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH
2-Butoxyethanol	111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

OSHA TABLE COMMENTS: NL = Not Listed

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: No special protective equipment required. HAND: No special protective equipment required. SKIN: No special protective equipment required.

RESPIRATORY: No personal respiratory protective equipment normally required.

WORK HYGIENIC PRACTICES: Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior toreuse.

OTHER USE PRECAUTIONS: Ha ve clean water available for washing. Provide adequate ventilation or use mechanical devices.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: Liquid
COLOR: Clear/Blue
ODOR: Butyl
pH: 12.5-13.0
FLASH POINT: None

ODOR THRESHOLD: No Data Available MELTING POINT/FREEZING POINT: No Data Available

BOILING POINT: >212°F

EVAPORATION RATE: (Water=1):>1 (slower than water)

FLAMMABILITY (SOLID, GAS):

UPPER EXPLOSION LIMIT:

SPECIFIC GRAVITY:

LOWER EXPLOSION LIMIT:

VAPOR PRESSURE:

No Data Available

No Data Available

No Data Available

RELATIVE VAPOR DENSITY: (Air=1):>1 (heavier than air)

RELATIVE DENSITY: No Data Available

WATER SOLUBILITY: 100%

SOLUBILITY IN OTHER SOLVENTS:

PARTITION COEFFICIENT: N-OCTANOLI/WATER:

NO Data Available
AUTOIGNITION TEMPERATURE:

THERMAL DECOMPOSITION:

VISCOSITY, KINEMATIC:

EXPLOSIVE PROPERTIES:

NO Data Available

NO Data Available

NO Data Available

**OXIDIZING PROPERTIES:** No Data Available MOLECULAR WEIGHT: No Data Available VOC: No Data Available

## 10. STABILITY AND REACTIVITY

STABILITY: Stable HAZARDOUS POLYMERIZATION :

Will NOT Occur CONDITIONS TO AVOID: Extreme heat or flame. Avoid contact with soft metals. Keep from freezing.

**POLYMERIZATION:** Will NOT Occur

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, Nitrogen INCOMPATIBLE MATERIALS: None.

## 11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Inhalation, Ingestion, Eye contact, Skin contact.

**SYMPTOMS OF EXPOSURE:** 

Eve Contact: Causes eye irritation. Skin Contact: May cause irritation.

Pain, nausea, vomiting and diarrhea Ingestion: Inhalation: May cause nasal discomfort and coughing.

IMMEDIATE, DELAYED, CHRONIC EFFECTS:

Data not available for insufficient for classification. Product Information:

**TARGET ORGAN EFFECTS:** Eyes. Respiratory System. Skin. Blood. Central Nervous System.

Hematopoietic System. Kidney. Liver.

## NUMERICAL MEASURES OF TOXICITY:

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 6195 mg/kg ATEmix (dermal): 13585 mg/kg ATEmix (inhalation-dust/mist): 29.7 mg/L ATEmix (inhalation-vapor): 74.2 mg/L

### COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50	
Water	7732-18-5	>90 mL/kg (Rat)	Not Available	Not Available	
2-Butoxyethanol	111-76-2	=470 mg/kg (Rat)	=2270 mg/kg (Rat) =220 mg/kg (Rabbit)	=2.21 mg/L (Rat) 4 h =450 ppm (Rat) 4 h	
sodium xylene sulfonate	1300-72-7	=7200 mg/kg (Rat)	Not Available	Not Available	
tetrasodium ethylenediaminetetraacetate	64-02-8	=10 g/kg (Rat)	Not Available	Not Available	
odium dodecylbenzene sulfonate	25155-30-0	=438 mg/kg (Rat)	Not Available	Not Available	

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

### 12. ECOLOGICAL INFORMATION

## **ECOTOXICOLOGICAL INFORMATION:**

#### **ECOTOXICITY**

Chemical Name (CAS)	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol (111-76-2)	Not Available	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	Not Available	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
sodium dodecylbenzene sulfonate (25155-30-0)	Not Available	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
tetrasodium ethylenediaminetetraacetate (64-02-8)	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50static 59.8: 96 h Pimephales promelas mg/L LC50 static	Not Available	610: 24 h Daphnia magna mg/L EC50

Persistence and Degradability: No Informatin Available <u>Bioaccumulation:</u>
No Informatin Available
<u>Other Adverse Effects:</u>
No Informatin Available

### 13. DI SPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

#### 14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

DOT (DEPARTMENT OF TRANSPORTATION)

SEA TRANSPORT (IMDG/IMO):

**LAND TRANSPORT:** Not dangerous goods

Not dangerous goods

## 15. REGULATORY INFORMATION

EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW CERCLA REPORTABLE QUANTITY

Chemical Name	CAS Number	Component RQ (Lbs.)	Calculated Component RQ (lbs.)
None	N/A	N/A	N/A

### **UNITED STATES:**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)

SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard Categories:

Acute Health Hazard: Yes
Chronic Health Hazard: Yes
Fire Hazard: No
Sudden Release of Pressure Hazard: No
Reactive Hazard: No

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: 2-butoxyethanol CAS No 111-76-2 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230

CALIFORNIA PROP 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## 16. OTHER INFORMATION

NFPA Health Hazards: 2 Flammability: 0 Instability: 0 Special: N/A

HMIS Health Hazards: 2 Flammability: 0 Physical Hazards: 0

Revision Date: 6/9/2015

Reasons For Revision: No Information Available

MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

---- End of Safety Data Sheet ----