

Safety Data Sheet

Stock Number: AWWA235-BX

Revision Date: 16-04-2020

Replaces: 11-12-2019

AIRWORKS 3.0 MIDNIGHT SKY

1. Identification

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWWA235-BX

Other means of identification:

Synonyms: None

Recommended use of the chemical and restrictions on use:

Recommended use: Liquid Odor Counteractant

Restrictions on use: Uses other than recommended use.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: HOSPECO
26301 Curtiss Wright Parkway
Richmond Heights, Ohio 44143

Telephone number: 800-321-9832

Fax: 800-362-0073

E-mail address: info@hospeco.com

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1B
Aspiration Hazard Category 1
Serious Eye Damage/Eye Irritation Category 2A
Flammable Liquid Category 4

Signal Word: Danger

Hazard Statements: Combustible liquid
May be fatal if swallowed and enters airways.
May cause an allergic skin reaction.
Causes serious eye irritation.

Precautionary Statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response:

If swallowed: Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use an appropriate extinguisher (see section 5) for extinction.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

Hazards not otherwise classified:

None Known

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Hydrotreated light distillate (Petroleum)	None	90622-58-5	15 - 40
7-Octen-2-ol, 2,6-dimethyl-	None	18479-58-8	10 - 30
1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate	None	115-95-7	1 - 5
Octanal, 2-(phenylmethylene)-	None	101-86-0	1 - 5
1,6-Octadien-3-ol, 3,7-dimethyl-	None	78-70-6	1 - 5
Terpenes and Terpenoids	None	68917-33-9	1 - 5
Ethanone, 1-[(3R,3aR,7R,8aS)-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl]-	None	32388-55-9	0.5 - 1.5
2,6-Octadien-1-ol, 3,7-dimethyl-, 1-acetate, (2E)-	None	105-87-3	0.5 - 1.5
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	None	54464-57-2	0.1 - 1
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)-	None	31906-04-4	0.1 - 1
Bicyclo[3.1.1]hept-2-ene-2-	None	128-51-8	0.1 - 1

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWPA235-BX

Revision Date: 04-16-2020

Replaces:

ethanol, 6,6-dimethyl-, 2-acetate			
Octanal, 7-hydroxy-3,7-dimethyl-	None	107-75-5	0.1 - 1
2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)-	None	106-24-1	0.1 - 1
Oils, eucalyptus	None	8000-48-4	0.1 - 1
Bicyclo[7.2.0]undec-4-ene, 4,11,11-trimethyl-8-methylene-, (1R,4E,9S)-	None	87-44-5	0.01 - 0.1

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Ingestion: Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.

Most important symptoms/effects, acute and delayed: May be fatal if swallowed and enters airways May cause an allergic skin reaction Causes serious eye irritation

Indication of immediate medical attention and special treatment needed, if necessary: None Known

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

Suitable extinguishing media:

Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

Unsuitable extinguishing media:

None Known

Specific hazards arising from the chemical:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash point.

Hazardous combustion products:

Carbon Oxides, Carbon dioxide, Carbon monoxide, Toxic fumes., Toxic gases

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

Methods and materials for containment and cleaning up:

No special spill clean-up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure. Remove contaminated clothing and wash before reuse Keep in air-tight containers- material is hygroscopic. Use spark-proof tools and explosion-proof equipment "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Ground and bond containers when transferring material Do not get in eyes, on skin and clothing Wash thoroughly after handling Avoid contact with material, avoid breathing

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

dusts or fumes, use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions:

Store in a cool dry place. Isolate from incompatible materials. Keep away from food and drinking water. Store in a cool place in original container and protect from sunlight Store in a tightly closed container Keep away from heat, sparks, and flame Store in a cool dry place Keep container closed when not in use

Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents, Strong bases, Acetic anhydride, Chlorinated compounds, Metals, Caustics (bases), Strong acids, Strong reducing agents, Amines

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No Data Available				

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Explosion proof exhaust ventilation should be used.

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

Ventilation is required to maintain operator exposure below published exposure limits.

Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:

Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Respiratory protection may be required in addition to ventilation depending upon conditions of use. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

Eye protection:	ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield
Skin protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
Gloves:	No information available
Other protective equipment:	Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield Wear goggles and a Face shield
General hygiene conditions:	Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Wash thoroughly after handling.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state:	Liquid
Color:	Clear
Odor:	Mild
Odor Threshold:	Not determined
pH:	Not applicable
Melting point/freezing point:	
Melting Point:	No Data Available ° C
Freezing point:	No Data Available
Initial boiling point and boiling range:	381 - 387 ° F
Flash Point:	165 ° F
Evaporation Rate:	Not determined
Flammability (solid, gas):	No Data Available
Upper/lower flammability or explosive	

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWPA235-BX

Revision Date: 04-16-2020

Replaces:

limits:

Upper flammability or explosive limits:	6.0
Lower flammability or explosive limits:	9.0
	1.2
Vapor pressure:	No Data Available
Vapor density:	> 1
Relative density:	1
Solubility(ies):	Soluble in water- No
Partition coefficient: n-octanol/water:	No Data Available
Auto-ignition temperature:	No Data Available
Decomposition temperature:	No Data Available
Viscosity:	No Data Available
Volatile Organic Chemicals:	18
Bulk Density:	7.243

10. Stability and reactivity

Reactivity:	Not expected to be reactive
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. direct sunlight Extremes of temperature Visible light sparks flame Heat Elevated temperatures Contamination
Incompatible materials:	Strong oxidizing agents, Strong bases, Acetic anhydride, Chlorinated compounds, Metals, Caustics (bases), Strong acids, Strong reducing agents, Amines
Hazardous decomposition products:	Carbon dioxide, Carbon monoxide, Toxic fumes., Toxic gases, Carbon Oxides

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Eye contact Skin contact
Symptoms related to the physical,	May be fatal if swallowed and enters airways May cause an allergic skin

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

chemical and toxicological characteristics:

reaction Causes serious eye irritation

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity:

Harmful if swallowed. Harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg; slightly toxic

Skin Contact:

Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Absorption:

Estimated to be > 5.0 g/kg; practically non-toxic

Inhalation Toxicity:

No Data Available

Eye Contact:

Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Sensitization:

May cause an allergic skin reaction

Reproductive and Developmental Toxicity:

Possible reproductive hazard.

Carcinogenicity:

No Data Available

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Classification has been based on toxicological information of the components in Section 3.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
p-Cresol, 2,6-di-tert-butyl-	No Data Available	No Data Available	No Data Available
2,4-Pentanediol, 2-methyl-	No Data Available	No Data Available	No Data Available

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

No Data Available

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available				

Persistence and degradability: No data
Bioaccumulative potential: No Data Available
Mobility in soil: No Data Available
Other adverse effects (such as hazardous to the ozone layer): None Known

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Spent or discarded material may be a hazardous waste.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

UN number: Not Restricted
UN Proper shipping name: No Data Available
Transport hazard class(es): No Data Available
Packing group, if applicable: No Data Available
DOT Basic description: No Data Available

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not Restricted
UN Proper shipping name: No Data Available
Transport hazard class(es): No Data Available
Packing group, if applicable: No Data Available

International carriage of dangerous goods by air (IATA):

UN number: Not Restricted
UN Proper shipping name: No Data Available
Transport hazard class(es): No Data Available

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWP235-BX

Revision Date: 04-16-2020

Replaces:

Packing group, if applicable: No Data Available

Environmental hazards (e.g., Marine pollutant (Yes/No)): No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): No Data Available

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises: No Data Available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
No Data Available					

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
No Data Available					

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
No Data Available						

16. Other information, including date of preparation or last revision.

SDS Prepared by: CJ

Revision Date: 04-16-2020

Safety Data Sheet

Product identifier used on the label: AIRWORKS 3.0 MIDNIGHT SKY

Stock Number: AWPA235-BX

Revision Date: 04-16-2020

Replaces:

Revision Number:

9

Reason for revision:

Activated by Document Formulation Generation

Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.